

**CARPRO™**

# HOW TO

MAINTAIN YOUR

---

# C. QUARTZ

COATED VEHICLE

---



# CAR CARE

Your vehicle is now equipped with the best performing ceramic coating out there - CQUARTZ.

This simple guide will show you how to properly care for it, to maximise durability and performance, while keeping your vehicle looking better than new.

# 01



## Decontaminate

During regular use, brake dust and road grime become sintered to the surface of your wheels and the car's paintwork. Brake dust contains high levels of iron and once sintered to the rim, becomes extremely difficult to remove without the use of harsh chemicals.

IronX works by forming a water-soluble complex with the iron particles lodged in the surface, allowing them to be rinsed free, and cleaning deeper than washing or claying alone.

- 1 Spray IronX on the wheels and let it dwell for 2 minutes. Purple streaks will appear - these are the water-soluble iron complexes.
- 2 Use brushes to clean every part of the wheel and wait another 2 minutes.
- 3 Use MultiX diluted 1:5 and a firmer brush to clean the tyres.
- 4 Rinse everything off.



IRONX

### PRO TIP

Matte/sanded wheels should be presprayed with Lift or MultiX. Then rinse off before using IronX.



COATED PAINT  
AND WHEELS:  
EVERY 6 MONTHS

UNCOATED WHEELS:  
1-2 MONTHS

# 02



## Pre-wash

Pre-washing allows to dissolve and lift all types of dirt and grime in a touch-less manner, preventing scratches and swirls during the wash phase.

**Lift** uses 12pH alkyl cleaning ingredients, which are strong yet gentle. During the dwell period, Lift's bubbles will burst and move, encouraging soaking and cleansing agents to start working.

**MultiX** comes in a concentrated formula capable of removing all manner of filth and soiling. It offers a great deal of versatility with uses both on the interior, exterior, engine bay, and more.

**NOTE: Remember never wash in direct sunlight. Exposed products may cause damage to paintwork.**

- 1 If possible, use MultiX 1:20 or Lift 1:10 in a foam lance or foam sprayer. This technique allows for a longer dwell time. It's also possible to use them in a normal spray bottle.
- 2 Don't forget to spray the inner fenders.
- 3 Rinse everything off starting with the roof.



LIFT



MULTIX

### PRO TIP

Use hot water to improve cleaning performance!



IN WINTER:  
EVERY 1-2 MONTHS

IN SUMMER:  
EVERY 3 MONTHS

# 03



## Detail wash

Wash your car to perfection!

**NOTE: Remember never to do it in direct sunlight. The shampoo should never dry.**

**Reset** Shampoo was developed as the perfect partner to nanotechnology sealants and coatings with cleaning properties tailored to their unique needs.

- 1 Dilute Reset 1:500 (40ml : 20l / 1,35oz : 5gal)
- 2 Detail wash using CARPRO Reset with soft bristle detailing brushes in tight areas first.
- 3 After that hand wash your car using the "2 buckets" method with the CARPRO Merino Wool Wash mitt
- 4 You can use CARPRO Clarify for perfect glass cleaning.
- 5 Rinse everything off starting with the roof.



RESET

### PRO TIP

Use the Merino Wool mitt for every part above your knees and the Microfiber Wash mitt to clean the areas below your knees.



USE  
WHENEVER  
YOUR CAR NEEDS  
A WASH

# 04



## Dry

The **CARPRO DHydrate Drying Towel** is designed to easily slide across vehicle surfaces and pull every drop of water off the surface leaving it spotless, shiny and ready to admire.

The high-density microfiber weave of the **GlassFiber Towel** provides effortless and streak-free glass cleaning with minimum residue and streaking.

- 1 Simply lay the DHydrate towel flat over the paint surface and slowly drag it across.
- 2 Use the GlassFiber towel's dry side (if used with Clarify before) to wipe glass dry.
- 3 Blow off any remaining water with an air compressor or blower.



DHYDRATE



GLASSFIBER



USE  
WHENEVER  
YOUR CAR NEEDS  
A WASH

# 05



## Seal & Dress

Finish the look with a sealant and dressing. Use either Reload or EliXir as a sealant.

**Reload** packs the glass-like gloss, hydrophobicity and dirt repellency of silica nanotechnology in a convenient spray-on/wipe-off sealant. **EliXir** is a truly astonishing quick detailer which takes the gloss and extreme hydrophobicity of ceramic nanotechnology and puts it into a package that couldn't be any easier to use.

**Perl** is a water-based SiO2 multi-use dressing for trim and tyres.

**Reload** Spray undiluted onto a microfiber applicator and work it into the surface in a criss-cross motion. Use a new BOA towel to wipe off any residues with fast circular movements.

**EliXir** Use 2 short weave towels like CARPRO 2Face. Use the 1st towel to apply EliXir thin and the 2nd fresh dry towel to polish the surface.

**Perl** Dilute Perl according to recommendations on the label. Apply using a tyre sponge or microfiber applicator and wipe off any residues after a few minutes.



RELOAD



ELIXIR



PERL

### PRO TIP

Reload and EliXir work great on all surfaces: paint, wheels and even glass!



PERL (TYRES):  
EVERY 1 MONTH

SEALANTS:  
EVERY 3 MONTHS

# Accessories

It's all a joy and gets even easier when you have these at hand.



## Dilute

Easy dilution ratio mixing bottles.



## Merino Wash mitt

The most delicate detail washing tool.



## MF Wash mitt

Premium MF wash mitt.



## Applicators

Perfect for applying your sealant.

- MF Applicator
- Tyre Applicator



## MF Towels

Perfect for wiping your sealant.

- Orange BOA Towel
- 2Face Towel



## Detailing Brushes

Delicate brushes for every cleaning task.

**CARPRO**

[WWW.CARPRO.GLOBAL](http://WWW.CARPRO.GLOBAL)