



Free-Standing Pellet Stove

Save These Instructions
For Future Reference

P/N 775228M, Rev. D, 01/2011



Pellet Stoves Model Winslow™ (PS40)

A French manual is available upon request. Order P/N 775228CF.

Ce manuel d'installation est disponible en français, simplement en faire la demande. Numéro de la pièce 775228CF.



OMNI-Test Laboratories, Inc.
Report No. 050-S-13-2

This appliance must be properly installed and operated in order to prevent the possibility of a house fire. Please read this entire manual before installation and use of this pellet fuel-burning room heater. Failure to follow these instructions could result in property damage, bodily injury or even death. Contact your local building or fire officials to obtain a permit and information on any installation requirements and inspection requirements in your area.



www.nficertified.org

We recommend that our pellet hearth products be installed and serviced by professionals who are certified in the U.S. by the National Fireplace Institute® (NFI) as NFI Pellet Specialists or who are certified in Canada by Wood Energy Technical Training (WETT).



WARNINGS



- **Hot! Do not touch!** The glass and surfaces of this appliance will be hot during operation and will retain heat for a while after shutting off the appliance. Severe burns may result.
- Carefully supervise children in the same room as appliance.
- Lennox™ pellet-burning appliances are designed for use as a supplemental heater. They are not intended for continuous use as a primary heat source.

REPLACEMENT PARTS - WINSLOW™ PS40

Cat. No.	Description		
H6006	Adjustable Latch Pin	H6037	Flue Restrictor W/hardware
H3111	Ash Clean Out Cover, 2 Per Stove	H5911	Hopper Door Wire
H3113	Ash Drawer	79021	Igniter Fuse 6amp, 5pk
H5912	Ash Drawer Latch W/hardware 2 Per Stove	H6005	Igniter W/hose Clamp
H5886	Auger Motor	H5891	Overtemp Switch
H5921	Auger W/lower Bearing	H5660	Power Cord
H5875	Blower Snap Switch	H5887	Proof Of Fire Switch
H5856	Cast Burn-Pot	H3114	Side Ash Cover Clean Out
H5899	Clean-out Cover Gasket	H6174	Side Door, Left
H6018	Combustion Blower	H5916	Side Door Magnet
H5900	Combustion Gasket Housing To Stove	H5833	Side Door W/control Access, Right
H5903	Combustion Gasket Motor To Housing	H5832	Stove Back
H5917	Control Board Access Latch	H6035	Stove Back Cover Plate
H5978	Control Board	H6036	Top Side Door Bracket, Right
79020	Control Board Fuse 3amp, 5pk	H6175	Top Side Door Bracket, Left
H5884	Convection Blower	H5898	Vacuum Line 12" Piece
H5902	Convection Blower Gasket	H5889	Vacuum Switch
H5904	Door Gasket 1 Ft (7ft Per Door)	H5892	Wiring Harness
H3112	Door Handle Assembly	H8276	Hopper Switch w/ Bracket
79040	Door W/glass (No Trim)	H8277	Hopper Switch Wires w/ Resister
		H8280	Outer Top For Hopper Lid Switch

ACCESSORIES


Door Trim (required - sold separately) (ref. Form # 775274M)

Item No.	Cat. No.	Model	Description
1	79038	P40DT-B	Black
2	79034	P40DT-G	Gold
3	79037	P40DT-N	Nickel
4	79035	P40DT-BRN	Brushed Nickel
5	79036	P40DT-BLN	Black Nickel


Grill Kits (required - sold separately) (ref. Form # 775273M)

Item No.	Cat. No.	Model	Description
6	79000	P40G-B	Black
7	79001	P40G-G	Gold
8	79002	P40G-N	Nickel
9	79022	P40G-BN	Brushed Nickel
10	79039	P40G-BLN	Black Nickel

NOTE: The form numbers referenced are the part numbers of the instruction sheets included in kits.



Door Trim (1-5)



Grill (6-10)

ACCESSORIES

Common Accessories			
Item No.	Cat. No.	Model	Description
11	H5142	P40LOG	Log Set <i>(ref. Form # 775275M)</i>
12	79030	P40BRICK	Brick Panel <i>(ref. Form # 775276M)</i>
13	H4635	DWTK	Digital Wall Thermostat Kit
14	70005	RT-AC	Remote Control w/Thermostat, Alternating Current <i>(ref. Form # 775280M)</i>
15	H0251	RCL-STAT	Deluxe Remote Control (Timer, T-Stat, Clock) <i>(ref. Form # 750129M)</i>
16	H6907	P40DIAG	Diagnostic Tool <i>(ref. Form # 775293M)</i>
17	12050004		Cleaning Brush <i>(ref. Form # 14720036)</i>
18	H8159	TSPK - B	Touch-up Paint Kit, Metallic Black, 12 oz Spray Can




13



14




15



16



17



18

