

PARTS AND OPERATION MANUAL



CONCRETE SAW MODELS FS3SP

© COPYRIGHT 2002, MULTQUIP INC.

Revision #0 (07/15/02)



MULTQUIP INC.

18910 WILMINGTON AVE.
CARSON, CALIFORNIA 90746
310-537-3700
800-421-1244
FAX: 310-537-3927

E-mail: mq@multiquip.com • **www:** www.multiquip.com

Atlanta • Boise • Dallas • Houston • Newark
Montreal, Canada • Manchester, UK
Rio De Janeiro, Brazil • Guadalajara, Mexico

PARTS DEPARTMENT:

800-427-1244
FAX: 800-672-7877

SERVICE DEPARTMENT/TECHNICAL ASSISTANCE:

800-478-1244
FAX: 310-631-5032

FS3SP CONCRETE SAW — DIMENSIONS




Figure 2. FS3SP Concrete Saw Dimensions

TABLE 1. DIMENSIONS

REFERENCE LETTER	DESCRIPTION	DIMENSION (MM)
A	Max Height (Handle Bars Fully Raised)	45" (1143)
B	Max Height (Handle Bars Fully Lowered)	43" (1092)
C	Max Length (Handle Bars Fully Raised & Front Pointer Lowered)	92" (2337)
D	Max Length (Handle Bars Fully Raised & Front Pointer Raised)	73" (1854)
E	Max Length (Handle Bars Fully Lowered & Front Pointer Raised)	67" (1701)
F	Max Handle Bar Width	28" (711)
G	Max Handle Bar Deflection	12" (305)
H	Front Wheel Base	18" (457)
I	Rear Wheel Base	20" (508)
J	Max Width	28" (711)

Crated Dimension (L x W x H) 47" (1194) x 30" (762) x 44" (1118)

FS3SP CONCRETE SAW — WEIGHTS




Figure 3. FS3SP Concrete Saw Weights

TABLE 2. WEIGHTS		
SAW	DESCRIPTION	OPERATING WEIGHT Lbs. (kgs)
FS3SP-20KE14	Saw, 14", Self Prop, 20 HP Kohler, Elec. Start	550(249)
FS3SP-20KE20	Saw, 20", Self Prop, 20 HP Kohler, Elec. Start	555 (252)
FS3SP-20HE14	Saw, 14", Self Prop, 20 HP Honda, Elec. Start	550 (249)
FS3SP-20HE20	Saw, 20", Self Prop, 20 HP Honda, Elec. Start	555 (252)

Crated Weight (kgs) 600 lbs (272)

FS3SP CONCRETE SAW — MAJOR COMPONENTS

BASIC COMPONENTS




Figure 4. FS3SP Concrete Saw Basic Components



FS3SP CONCRETE SAW — MAJOR COMPONENTS

BASIC UNIT, FS3 ASSY.

<u>NO.</u>	<u>PART NO.</u>	<u>PART NAME</u>	<u>QTY.</u>	<u>REMARKS</u>
1	15072	HANDLE, CLAMPING	1	See Page 54
2	15200	CHASSIS ASSEMBLY	1	See Page 54
3	15399	COVER, CHAIN ASSEMBLY	1	See Page 50
4	15468	GROMMET, 1.0 X .13 X 1.375	1	See Page 54
5	15523	TOOL KIT	1	See Page 50
6	15573	SHAFT, BLADE ASSEMBLY	1	See Page 46
7	15602	COVER, ASSEMBLY, REAR	1	See Page 54
8	15604	COVER, BELT ASSEMBLY	1	See Page 50
9	15605	AXLE, SP REAR ASSEMBLY	1	See Page 44
10	15606	DRIVE ASSEMBLY, FS3	1	See Page 68
11	15670	COVER, BLADE FLANGE ASSEMBLY	1	See Page 50
12	15674	UNDERCARRIAGE, ASSEMBLY	1	See Page 42
13	15731	MOUNT, ENGINE ASSEMBLY	1	See Page 48
14	15739	FS3, DECAL KIT	1	Not Shown
15	15764	FS3, WATER ASSEMBLY	1	See Page 52
16	15776	HYDROSTATIC THROTTLE ASSEMBLY	1	See Page 70
17	15779	HANDLEBAR ASSEMBLY, LEFT	1	See Page 54
18	15780	HANDLEBAR ASSEMBLY, RIGHT	1	See Page 54
19	15781	FS3, LIFTING BALE KIT	1	See Page 54
20	15830	SASH ASSEMBLY, FS3	1	See Page 50
21	15904	POINTER, FRONT ASSEMBLY	1	See Page 50
22	25252	KIT, SHIPPING	1	Not Shown
23	15569	MANUAL RAISE/LOWER ASSEMBLY	1	See Page 58
24	15750	ENGINE ASSEMBLY	1	See Page 72
25	15652	BLADE GUARD ASSEMBLY	1	See page 56

FS3SP CONCRETE SAW — NAME PLATE AND DECALS

NAME PLATE AND DECALS.



FS3SP CONCRETE SAW — NAME PLATE AND DECALS


NAME PLATE AND DECALS

NO	PART NO	PART NAME	QTY.	REMARKS
1*	15578	DECAL: FS3 (WHITE)	2	
2*	15579*	DECAL: MQ WHITEMAN 5.5" X 4"	2	
3	13118	DECAL: POWDER COATED	1	
4*	15582	DECAL: WARNING PROP. 65	1	
5*	15580	DECAL: WARNING RESPIRATORY	1	
6	15581	DECAL: WARNING BLADE GUARD	1	
7		PLATE: SERIAL NO.	1	 CONTACT MQ SERVICE DEPT. W/MODEL & S/N
8*	2942	DECAL: MQ WHITEMAN 13"	1	
9	15739	DECAL: KIT FS3	1	 INCLUDES ITEMS W/*

SEE DECAL ILLUSTRATIONS ON PAGE 8.

FS3SP CONCRETE SAW — UNDER CARRIAGE ASSY.

UNDER CARRIAGE ASSY.




FS3SP CONCRETE SAW — UNDER CARRIAGE ASSY.

UNDERCARRIAGE ASSY.

<u>NO.</u>	<u>PART NO.</u>	<u>PART NAME</u>	<u>QTY.</u>	<u>REMARKS</u>
1	10512	RING, SNAPTRUARC #5100-56	2	
2	15028	SET COLLAR, 5/8 DIAMETER	2	
3	15090	WHEEL, 5D X 2W X .625 ID #400 CAP	2	
4	15202	UNDERCARRIAGE W/A	1	
5	15377	AXLE, PIVOT, UNDERCARRIAGE	1	
6	15382	BUSHING, PIVOT AXLE	2	

FS3SP CONCRETE SAW — REAR AXLE ASSY.



NOTES:

△ INCLUDED WITH SET COLLAR
ITEM 5.


FS3SP CONCRETE SAW — UNDER CARRIAGE ASSY.

REAR AXLE ASSY.

<u>NO.</u>	<u>PART NO.</u>	<u>PART NAME</u>	<u>QTY.</u>	<u>REMARKS</u>
1	0166A	WASHER, LOCK, 3/8 MEDIUM	4	
2	10136	WASHER, FLAT, 3/8 SAE	4	
3	1284	SCREW, HHC 3/8- 16 X 1- 1/2	4	
4	1456	NUT, HEX FINISH 3/8- 16	4	
5	15028	SET COLLAR, 5/8 DIAMETER	2	
6	15092	NUT, 1- 14- 2B	1	
7	15093	NUT, 1- 14 2B- LH	1	
8	15106	POINTER, REAR, W/A	1	
9	15213	REAR AXLE SELF PROPELLED	1	
10	15278	WHEEL, REAR 10.00 X 2.50	2	
11	15279	KEY, 0.25 X 0.25 X 3.25	1	
12	15356	BUSHING, TL SH X 1	1	
13	15361	SPROCKET, TL 40TB48	1	
14	15372	BEARING, FLANGED, 1" BORE	2	
15	15417	SPACER, REAR AXLE, SPROCKET	2	
16	3264	WASHER, FLAT 1" SAE	2	
17	6059B	KEY, 1/4 SQ. X 2"	1	
18		SET SCREW	2	

FS3SP CONCRETE SAW — BLADE SHAFT ASSY.

BLADE SHAFT ASSY.




FS3SP CONCRETE SAW — BLADE SHAFT ASSY.

BLADE SHAFT ASSY.

NO	PART NO	PART NAME	QTY.	REMARKS
1	2621	ZERK FITTING	2	
2	1162A	CAP, ZERK FITTING	2	
3	15119	KEY, WOODRUFF #91, ANS1 #8061	2	
4	6059B	KEY, 1/4 SQ. X 2"	1	
5	15065	SHAFT, BLADE	1	
6	15066	BEARING, PILLOW BLOCK 1 1/4 BORE	2	
7	15063	FLANGE, BLADE INSIDE	2	
8	15012	FLANGE, DRIVEN ASSY.	1	
9	15093	NUT, 1-14-2B-LH	1	
10	0448	WASHER, FLAT 7 / 16 SAE	4	
11	15563	SCREW, HHC 7/16 -14 X 3/4	4	
12	10799	V-BELTS 3VX375	4	20 HP ENGINE HONDA 14" BLADE
12	15897	V-BELTS 3VX355	4	20 HP ENGINE HONDA 20" BLADE
13	15365	PULLEY, 4/3V4.12 X 1.125 ID/3L2.75	1	20 HP ENGINE HONDA 14" BLADE
13	15366	PULLEY, 4/3V3.00 X 1.125 ID/3L2.75	1	20 HP ENGINE HONDA 20" BLADE
14	15060	BUSHING, OD SDS X 1- 1/4 X 1/4	1	
15	15148	SPACER, 1.320D X 1.051D X 0.53	1	
16	15092	NUT, 1-14-2B	1	
17	1528	SCREW, SHS 1/4-20 X 5/16 HDP	2	
18	2955	WASHER, LOCK 7/16 MED	4	
19	25281	SPACER, 1.75 OD X 1.00 ID X .15	2	

FS3SP CONCRETE SAW — ENGINE MOUNT ASSY.

ENGINE MOUNT ASSY.




FS3SP CONCRETE SAW — ENGINE MOUNT ASSY.

MOUNT, ENGINE ASSY.

<u>NO.</u>	<u>PART NO.</u>	<u>PART NAME</u>	<u>QTY.</u>	<u>REMARKS</u>
1	0166A	WASHER, LOCK, 3/8 MEDIUM	4	
2	1007	NUT, HEX JAM 3/8 - 16	1	
3	10136	WASHER, FLAT 3/8 SAE	6	
4	15174	BOLT, CARRIAGE 3/8- 16 X 3	1	
5	15680	MOUNT, ENGINE W/A	1	
6	1665	SCREW, HHC 3/8- 16 X 2	4	
7	25301	SCREW, HHC 3/8- 16 X 1, GRD 8	4	
8	4001	WASHER, FLAT 3/8 PLTD STD. USS	2	

FS3SP CONCRETE SAW — POINTERS AND COVERS ASSY.

POINTERS AND COVERS ASSY.



NOTES:

A ITEM 15 PLACED ON
UNDERSIDE OF COVER


FS3SP CONCRETE SAW — POINTERS AND COVERS ASSY.

POINTER FRONT ASSY.

<u>NO.</u>	<u>PART NO.</u>	<u>PART NAME</u>	<u>QTY.</u>	<u>REMARKS</u>
1	0131A	SCREW, HHC 1/4- 20 X 3/4	1	
2	0447	WASHER, FLAT 1/2 SAE	1	
3	0949	NUT, HEX FINISH 1/4- 20	1	
4	10133	NUT, NYLOC 3/8- 16	2	
5	1023	SCREW, HHC 3/8- 16 X 1- 1/4	2	
6	15052	ROD, POINTER	1	
7	15053	WHEEL, POINTER ARM	1	
8	15889	POINTER, LONG FRONT, W/A	1	
9	15113	SASH, POINTER RETAINER	1	
10	15114	SLEEVE, SASH	1	
11	181B	WASHER, LOCK, 1/4 MEDIUM	4	
12	0205	SCREW, HHC 3/8- 16 X 1	1	
13	0948	WASHER, FLAT, 1/4 SAE	4	
14	10930	WASHER, FENDER 1/4- X 1 1/4	2	
15	11534	NUT U TYPE 1/4- 20	4	
16	15293	COVER, TRANS. BELT	1	
17	15381	COVER, BELT GUARD W/A	1	
18	4001	WASHER, FLAT 3/8 PLTD. STD. USS	1	
19	4514	SCREW, HHC 1/4- 20 X 5/8	3	
20	0131A	SCREW, HHC 1/4- 20 X 3/4	3	
21	15046	PIN, DOWEL 3/8	1	
22	15064	FLANGE, BLADE DRIVEN SIDE	1	

FS3SP CONCRETE SAW — WATER SYSTEM ASSY.

WATER SYSTEM ASSY.




FS3SP CONCRETE SAW — WATER SYSTEM ASSY.

FS3, WATER ASSY.

<u>NO.</u>	<u>PART NO.</u>	<u>PART NAME</u>	<u>QTY.</u>	<u>REMARKS</u>
1	15180	FITTING, STR 6 BARB- 1/2 MP	1	
2	15181	HOSE, 3/8 BLACK WATER 200PSI	5.5	
3	15538	CLAMP, WORM HOSE, 7/16- 11/16	4	
4	15546	GASKET, 3/4 HOSE GASKET/SCREEN	1	
5	15766	VALVEL, 2 WAY 3/8 BARB X 3/8 MPT	1	
6	15767	FITTING, 6FPT- 6BARB	1	
7	15768	FITTING, 6BARB 3/4 MALE HOSE	1	
8	15769	FITTING, 3/4 HOSE QUICK REL. FEMALE	1	
9	15546	GASKET, 3/4 HOSE GASKET / SCREEN	1	
10	15076	FITTING, STR 3/4 FEM HOSE X 1/2 MP	1	

FS3SP CONCRETE SAW — BASIC PLATFORM ASSY.

BASIC PLATFORM ASSY.



NOTES:

⚠ USE LOCTITE 271 ON ITEM 13,
SCREW, HHC 3/8-16 X 1

⚠ REFERENCE PAGES 66 AND 67
FOR COMPLETE PARTS BREAK-
DOWN FOR BARE PLATFORM ASSY.
P/N 15409.


FS3SP CONCRETE SAW — BASIC PLATFORM ASSY.

COVER ASSY., REAR

<u>NO.</u>	<u>PART NO.</u>	<u>PART NAME</u>	<u>QTY.</u>	<u>REMARKS</u>
1	0916	SCREW, RHM 1/4- 20- X 3/4	4	
2	10024	NUT, NYLOC 1/4- 20	4	
3	11534	NUT U TYPE 1/4- 20	6	
4	11819	SCREW, HHC, WASHER 1/4- 20 X 3/4	6	
5	15266	COVER, REAR	1	
6	29057	DOCUMENT BOX, (CP90007- 07)	1	
7	15081	HANDLE, 1" DIAMETER	2	
8	15701	HANDLEBAR, LEFT W/A	1	
9	15081	HANDLE, 1" DIAMETER	2	
10	15702	HANDLEBAR, RIGHT W/A	1	
11	15212	CONSOLE W/A FS3	1	
12	15505	KNOB, COMFORT GRIP	2	
13	0166	SCREW, HHC 3/8- 16 X 7/8	4	
14	10133	NUT, NYLOC 3/8- 16	6	
15	10136	WASHER, FLAT 3/8 SAE	11	
16	16524	SCREW, HHC 1/2- 13 X 1- 1/4	4	
17	5054A	WASHER, LOCK, 1/2 MEDIUM	4	
18	15703	BALE, LIFT W/A	1	
19	15097	WRENCH, ALL PURPOSE	1	
20	15098	TOOL, SHAFT LOCK SOCKET W/A	1	
21	15138	WRENCH, 6" POCKET SOCKET	1	
22	0131A	SCREW, HHC 1/4- 20 X 3/4	4	
23	0181B	WASHER, LOCK, 1/4 MED.	4	
24	0948	WASHER, FLAT, 1/4 SAE	4	
25	15398	COVER, CHAIN GUARD	1	

FS3SP CONCRETE SAW — BLADE MIST 20-INCH ASSY.

BLADE MIST 20-INCH ASSY.




FS3SP CONCRETE SAW — BLADE MIST 20 -INCH ASSY.

GUARD, BLADE 20" ASSY.

<u>NO.</u>	<u>PART NO.</u>	<u>PART NAME</u>	<u>QTY.</u>	<u>REMARKS</u>
1	0130A	SCREW, SHS 1/4- 20 X 1/4	2	
2	0131A	SCREW, HHC 1/4- 20 X 3/4	2	
3	0424	SCREW, HHC 1/4- 20 X 1 1/4	2	
4	0730	SCREW, HHC 1/4- 20 X 1	2	
5	0948	WASHER, FLAT 1/4 SAE	6	
6	0949	NUT, HEX FINISH 1/4- 20	4	
7	10024	NUT, NYLOC 1/4- 20	10	
8	11505	CLAMP, HOSE SUPPORT 1/2 INCH LONG	2	
9	15043	FLAP, NEOPRENE WATER SHIELD	1	
10	15096	ANGLE, SPLASH GUARD	1	
11	15161	STOP, RUBBER BUMPER	1	
12	15462	GUARD BLADE 20" BODY W/A	1	
13	15463	GUARD BLADE 20" DOOR W/A	1	
14	15503	KNOB, CONFORT GRIP	1	
15	15504	MANIFOLD, (CIPSA)	1	
16	15506	TUBE, FLOOD	2	
17	15507	GASKET, MANIFOLD FLOOD	1	
18	15508	PLUG (CIPSA)	2	
19	15509	SPRING, CENTURY SPRING #	1	
20	15770	FITTING, 3/4 HOSE QUICK REL. MALE	1	
21	15842	FITTING, 1/2MP- 3/4 F HOSE	1	
22	25023	PIN, HINGE- 1/2 X 3.22	1	
23	26250	SCREW, HHC 1/4- 20 X 1- 3/4	4	

FS3SP CONCRETE SAW — MANUAL RAISE AND LOWER ASSY.

MANUAL RAISE AND LOWER ASSY.




FS3SP CONCRETE SAW — MANUAL RAISE AND LOWER ASSY.

MANUAL LIFT ASSY.

<u>NO.</u>	<u>PART NO.</u>	<u>PART NAME</u>	<u>QTY.</u>	<u>REMARKS</u>
1	0131A	SCREW, HHC 1/4- 20 X 3/4	2	
2	0949	NUT, HEX FINISH 1/4- 20	1	
3	10024	NUT, NYLOC 1/4 - 20	3	
4	10133	NUT, NYLOC 3/8- 16	2	
5	10136	WASHER, FLAT 3/8 SAE	2	
6	1023	SCREW, HHC 3/8- 16 X 1- 1/4	2	
7	1456	NUT, HEX FINISH 3/8- 16	1	
8	15054	PLUNGE, BALL	1	
9	15080	BEARING, DEPTH GAUGE	1	
10	15083	PIN, HEADED BLADE ADJUST	1	
11	15089	SPACER, DEPTH, ADJUSTER	1	
12	15206	LOWER ARM W/A, DEPTH CONTROL	1	
13	15704	GAUGE, DEPTH	1	
14	15708	BRACKET, DEPTH GAUGE	1	
15	15710	HANDLE, MANUAL R/ L ASSEMBLY	1	
16	15712	SPACER, 1" OD X 0.77" ID X 1.31" L	1	
17	15717	SPRING, EXTENSION 5L X 0.25D X .038d	1	
18	15738	CABLE ASSEMBLY DEPTH GAUGE	1	
19	2219	PIN, COTTER 1/8 X 1- 1/2	1	
20	2621	ZERK, GREASE STR. 1/4- 28	1	
21	26385	SCREW, HHC 1/4- 20 X 1/4 GRD. 8	1	
22	8151	WASHER, FLAT 3/4 SAE	2	

FS3SP CONCRETE SAW — PLUG KIT (PUSH) ASSY.

PLUG KIT (PUSH) ASSY.




FS3SP CONCRETE SAW — PLUG KIT (PUSH) ASSY.

PLUG KIT (PUSH) ASSY.

NO	PART NO	PART NAME	QTY.	REMARKS
1	0916	SCREW, HHC RHM 1/4-20 X 3/4	8	
2	0948	WASHER, FLAT	8	
3	10024	NUT, NYLOC 1/4-20	8	
4	15208	COVER, PROPEL LEVEL FS2	1	
5	15339	COVER, FS2 ENGAGE HOLE	1	
6	15340	PLUG, 0.65 DIA X 14 GA, BLACK	8	
7	15341	PLUG, 0.44 DIA X 14 GA, BLACK	1	
8	15342	PLUG, 0.38 DIA X 14 GA, BLACK	1	
9	15345	PLUG, 0.28 DIA X 14 GA, BLACK	1	
10	15553	SWITCH, BLANK	3	

FS3SP CONCRETE SAW — PLUG KIT (SELF PROPELLED) ASSY.

PLUG KIT (SELF PROPELLED) ASSY.




FS3SP CONCRETE SAW — PLUG KIT (SELF PROPELLED) ASSY.

PLUG KIT (SELF PROPELLED) ASSY.

NO	PART NO	PART NAME	QTY.	REMARKS
1	0916	SCREW, HHC RHM 1/4-20 X 3/4	2	
2	0948	WASHER, FLAT	2	
3	10024	NUT, NYLOC 1/4-20	2	
4	15340	PLUG, 0.65 DIA X 14 GA, BLACK	8	
5	15341	PLUG, 0.44 DIA X 14 GA, BLACK	1	
6	15342	PLUG, 0.38 DIA X 14 GA, BLACK	1	
7	15345	PLUG, 0.28 DIA X 14 GA, BLACK	1	
8	15553	SWITCH, BLANK	3	

FS3SP CONCRETE SAW — BATTERY BOX ASSY.

BATTERY BOX ASSY.



NOTES:

- ① BRACKET IS ON INSIDE OF CONSOLE CHASSIS
- ② ITEMS 2 AND 3 ARE ATTACHED ON THE UNDERSIDE OF THE PLATFORM


FS3SP CONCRETE SAW — BATTERY BOX ASSY.

BATTERY BOX ASSY.


NO	PART NO	PART NAME	QTY.	REMARKS
1	15203	BATTERY HOLD DOWN	1	
2	0948	WASHER, FLAT 1/4" SAE	1	
3	10024	NUT, NYLOCK 1/4 - 20	1	
4	0471	BATTERY, WET GR.U1	1	

FS3SP CONCRETE SAW — PLATFORM (BARE) ASSY.


PLATFORM (BARE) ASSY.



TOP VIEW



SIDE VIEW



BOTTOM VIEW


FS3SP CONCRETE SAW — PLATFORM (BARE) ASSY.

PLATFORM (BARE) ASSY.

NO	PART NO	PART NAME	QTY.	REMARKS
1	15035	MOUNT, BLADE GUARD BAYONET	4	
2	15069	MOUNT, FRONT POINTER	4	
3	15214	PLATFORM	1	
4	15215	SUPPORT, PLATFORM	2	
5	15373	SUPPORT, REAR AXLE RIGHT	1	
6	15374	SUPPORT, REAR AXLE LEFT	1	
7	15428	SUPPORT, CROSS PLATFORM	1	
8	15453	PLATE, MOUNT, BELT COVER	1	
9	15455	TAB, SPRING IDLER	1	
10	15672	TAB, IDLER MOUNT	1	
11	15682	MOUNT, ENGINE / TRANS SIDE	2	
12	15742	STIFFENER, REAR PLATFORM	1	
13	20530	NUT, WELD, HEX LOCK 3/8-16	1	
14	20533	NUT, WELD, HEX LOCK 1/4-20	2	
15	968011	NUT, HEX FINISH 1/2-13	4	

FS3SP CONCRETE SAW — TRANSMISSION ASSY.

TRANSMISSION ASSY.



NOTES:

- 1 **DO NOT** OVER TIGHTEN. IDLER PULLEY SHOULD BE FREE TO MOVE.
- 2 USE LOCTITE P/N 60091 (BLUE).
- 3 THROTTLE CABLE INCLUDED WITH HANDLE.


FS3SP CONCRETE SAW — TRANSMISSION ASSY.

HYDROSTATIC DRIVE ASSY.

<u>NO.</u>	<u>PART NO.</u>	<u>PART NAME</u>	<u>QTY.</u>	<u>REMARKS</u>
1	0105	SCREW, HHC 5/16- 18 X 1 1/2	1	
2	0161D	NUT, HEX FINISH 5/16- 18	1	
3	0166	SCREW, HHC 3/8- 16 X 7/8	6	
4	0205	SCREW, HHC 3/8- 16 X 1	4	
5	0300B	WASHER, FLAT 5/16 SAE	1	
6	10019	NUUT, NYLOC 10- 32	4	
7	10133	NUT, NYLOC 3/8- 16	7	
8	10136	WASHER, FLAT 3/8 SAE	20	
9	1162A	CAP, GREASE ZERK #2	2	
10	11644	SCREW, HHC, WASHER 10- 32 X 5/8	4	
11	1493	SCREW, HHC 3/8- 16 X 3- 1/4	3	
12	15288	MOUNT, TRANSMISSION, W/A	1	
13	15300	DISENGAGE LEVER, W/A	1	
14	15301	DISENGAGE, LATCH CLAMP	1	
15	15355	SHAFT, REDUCTION, TRANS.	1	
16	15359	BEARING, PIL. BLK., BRN. VTBS- 212	2	
17	15360	SPROCKET, 40BS10 X 17MM X 1/8	1	
18	15361	SPROCKET, TL 40TB48	1	
19	15363	SHEAVE, TL 1/3V106(3.35)	1	
20	15371	MOUNT, DRIVE SYSTEM	2	
21	15379	SPROCKET, 40BS10 X 3/4 X 3/16	2	
22	15389	CHAIN, ROLLER #40S X 57P	1	
23	15390	CHAIN, ROLLER #40S X 63P	1	
24	15391	CONNECTOR LINK #40 CHAIN	2	
25	0166A	WASHER, LOCK 3/8 MED	4	
26	15432	BELT, 3L ACCU- LINK WITH INSTRUCTION SHEET	1	
27	25040	TRANSMISSION, EATON MODEL 700- 001	1	
28	29096	NUT, HEX 5/16- 18 PLAIN	1	
29	0627	KEY, SQUARE 3/16 x 1-1/4	2	
30	1578	KEY, WOODRUFF #3	1	
31	2621	ZERK FITTING	2	

FS3SP CONCRETE SAW — TRANSMISSION ASSY.

HYDROSTATIC THROTTLE ASSY.



NOTES:

- 1 BRACKET FOUND ON RIGHT SIDE
OF CONSOLE INTERIOR


FS3SP CONCRETE SAW — TRANSMISSION ASSY.

HYDROSTATIC THROTTLE ASSY.

<u>NO.</u>	<u>PART NO.</u>	<u>PART NAME</u>	<u>QTY.</u>	<u>REMARKS</u>
1	0131A	SCREW, HHC 1/4- 20 X 3/4	4	
2	0937	NUT, HEX #10- 32	2	
3	0948	WASHER, FLAT, 1/4 SAE	2	
4	10019	NUT, NYLOC 10- 32	2	
5	10024	NUT, NYLOC 1/4- 20	4	
6	11379	LEVER, THROTTLE	1	
7	11644	SCREW, HHC, WASHER 10- 32 X 5/8	1	
8	12287	SCREW, THP 1/4- 20 X 3/4 SS	2	
9	15773	BRACKET, UPR PVT FLOW CONTROL	1	
10	15774	BRACKET, LWR PVT FLOW CONTROL	1	
11	15789	CABLE, THROTTLE 314VTT- 2- 30 1/4	1	
12	2153	ROD END, 10- 32 FEMALE RH	2	
13	3513	SCREW, HHC 10- 32 X 1	1	
14	15395	CONTROL, PUMP W/A	1	
15	10136	WASHER, FLAT 3/8 SAE	4	
16	0166	SCREW, HHC 3/8- 16 X 7/8	4	
17	15371	MOUNT, DRIVE SYSTEM	2	
18	10133	NUT, NYLOC 3/8- 16	4	
19	0166A	WASHER, LOCK 3/8 MED	4	

FS3SP CONCRETE SAW — ENGINE ASSY.

ENGINE ASSY.



FS3SP CONCRETE SAW — ENGINE ASSY.

ENGINE ASSY.

<u>NO</u>	<u>PART NO</u>	<u>PART NAME</u>	<u>QTY.</u>	<u>REMARKS</u>
1	15729	ENGINE, KOHLER 20 HP W/CHARGE	1	
1	15104	ENGINE, HONDA 20HP GX620TXF2	1	
2	15743	TUBE, OIL DRAIN ASSY.	1	
3	15386	BUSHING, TL 1.125" BORE	1	
4	15769	PULLEY, 1.75TL 4/3V 3.00OD	1	
5	6059B	KEY, 1/4"SQ. X 2"	1	