




INSTALLATION AND OPERATION MANUAL

**EPA CERTIFIED
NONCATALYTIC
FREESTANDING
WOODSTOVE**



RETAIN THESE
INSTRUCTIONS
FOR FUTURE
REFERENCE

MODEL T300HT

THIS APPLIANCE MUST BE INSTALLED BY A QUALIFIED TECHNICIAN.
READ MANUAL THOROUGHLY BEFORE INSTALLATION.

Tested &
Listed By  Beaverton
Oregon USA
OMNI-Test Laboratories, Inc.

P/N 775007M, REV. J, 04/02

REPLACEMENT PARTS FOR MODEL: T300HT

Part No. / Cat. No.	Description
	<i>Door & Glass Parts</i>
28M21	Door Assembly, Metallic Black Painted
28M23	Door Assembly, Ebony Black Enamel
28M22	Door Assembly, Hunter Green Enamel
28M24	Door Assembly, Mojave Sand Enamel
86-128	Gasket Kit, 3/4" Door Rope (Includes Adhesive)
27M81	Gasket, Glass Channel (Per Foot)
27M64	Clip Set, Glass
T30-G	Glass, Large Arched 17 X 10 1/4" (Glass gasket not included)
37110	Handle Assembly
37038	Torque Plate (Latch)
26M18	Hinge Pin Set, Door
	<i>Component Parts</i>
20953006	Trivet, Cast Iron
37124H	Shield, Rear Heat
907	Handle, Air Control
26M19	Module, Air Control Draft (burn rate control)
37045	Gasket, Air Control
10068	Collar, Flue Outlet
20751075	Leg Leveler (set of 2). If 4 levelers are needed, order 2 sets (51L75 and 00378H)
	<i>Firebox Parts (See Firebrick Diagram, page 21 for brick part numbers)</i>
26M20	Plate Set, Baffle
26M21	Tube, Secondary Air (3 Each) – Tabs included
26021H	Paint, 1/2 oz Green (Enamel Touch Up)
26022H	Paint, 1/2 oz Black (Enamel Touch Up)
26023H	Paint, 1/2 oz Mojave Sand (Enamel Touch Up)
775007M	Installation / Operation Manual
	<i>Fan System (Optional Kit)</i>
26M22	Power Cord
14440	Dial -A- Temp (Rheostat)

For the location of the nearest Dealer for replacement parts, contact:

**Lennox Hearth Products
1110 West Taft Avenue
Orange, CA 92865**


OPTIONAL ACCESSORIES- Model T300HT-M

Note: Install and use accessories per instructions provided with the accessory kit.


Catalog #	Model	Description
14M41	BK-T30	Blower Kit (Includes Dial - A - Temp)
14M21	SSK	Stove Stat (Automates Fan / Heat Sensor Kit)
70K99	TSPK-B	Touch-up Spray Paint Kit, Black (12 oz. Spray Can)
14M16	TT-G	Gold Plated Trivet

Blower Kit (BK-T30)

A Blower Kit (includes rheostat for variable speed control) is available for increased heat circulation.




Variable Speed Control, Dial-A-Temp



Stove-Stat Kit (SSK)

To automate the blower system an additional Stove-Stat kit can be purchased. The Stove-Stat is a heat sensor switch that will automatically turn on the blower when the stove is hot and automatically turn it off when the stove is cool.



Gold Plated Trivet

