




- **ATV Performance Tuning and Modifications**
ATV Performance Tuning and Modifications How to install a high flow exhaust on an ATV Steps for re mapping the ECU for improved performance How to choose the right gear ratio for your riding style When to upgrade the clutch springs and weights in an ATV Benefits of a big bore kit for ATV power output How to tune jetting for altitude changes Steps for adding a performance air filter to your ATV How to improve throttle response through tuning Tips for balancing top speed and low end torque in an ATV How to reduce engine lag with proper tuning adjustments When to upgrade the cooling system for performance riding How to test performance gains after modifications
- **Seasonal and Environment Specific ATV Preparation**
Seasonal and Environment Specific ATV Preparation How to prepare your ATV for winter storage Steps for setting up your ATV for deep snow riding How to waterproof your ATV for water crossings Tips for preventing rust after riding in wet conditions How to adjust jetting for hot summer temperatures Steps for protecting your ATV from saltwater corrosion How to prepare your ATV for muddy trail conditions What to pack for a long distance ATV expedition How to maintain your ATV during hunting season use Techniques for cleaning your ATV after sand dune riding How to set up tire pressure for different terrains When to change coolant for seasonal temperature shifts
- **About Us**




When preparing for a long-distance ATV expedition, packing correctly can make the difference between a successful adventure and a challenging ordeal. Proper wheel alignment enhances control and stability [used atv mowers for sale](#) Florence. The key is to strike a balance between carrying essential items and maintaining enough space and weight capacity for a comfortable ride. Here's a comprehensive guide on what to pack for your next long-distance ATV journey.


First and foremost, safety gear is non-negotiable. A high-quality helmet that meets safety standards should be at the top of your list. Its not just about protection; it can also enhance your riding experience with features like built-in communication systems or visors designed to reduce glare. Alongside the helmet, consider goggles to shield your eyes from dust and debris. Protective clothing such as gloves, boots, and durable pants and jackets are crucial too. Look for gear with armor in critical areas like the knees, elbows, and back.



Next, think about navigation tools. Even if youre familiar with the terrain, getting lost is always a risk when venturing far from home. A GPS unit specifically designed for off-road use can be invaluable. These devices often include preloaded maps of trail systems and allow you to mark waypoints along your route. As a backup, carry a physical map of the area and learn how to use it before setting out.



Your ATV itself needs attention before embarking on a long trip. Pack essential tools for minor repairs-items like wrenches, screwdrivers, pliers, duct tape, zip ties, and spare parts such as spark plugs or belts specific to your model could save you from being stranded miles away from civilization. Dont forget tire repair kits; punctures happen more often than you might expect on rough trails.



For sustenance during your journey, pack lightweight but nutritious food that won't spoil quickly in varying temperatures-energy bars, nuts, dried fruits are all good choices because they're packed with calories needed for sustained energy without taking up much space or adding significant weight to your loadout.

Hydration cannot be overstressed; dehydration impairs performance significantly so bring ample water supplies considering both immediate needs during rides as well as reserves stored safely within reach at campgrounds or rest stops planned en route which leads us smoothly into discussing camping equipment necessary if overnight stays form part of this expedition plan – tent sturdy enough against elements expected throughout duration trip plus sleeping bag rated appropriately temperature-wise coupled perhaps with portable stove cook warm meals end day round off basic requirements here though again mindful volume weight constraints inherent ATVs compared larger vehicles used similar purposes elsewhere world today where bulkier items might feasible stow away without issue same cannot said these smaller machines hence importance prioritizing truly indispensable over merely nice have present scenario unfolds ahead us all times journey progresses forward ever onward towards destination set forth beginning endeavor ours together united common goal reaching safely back whence came originally depart upon commencement adventure shared amongst fellow enthusiasts alike passion roaring engines beneath straddling powerful beasts steel rubber conquering landscapes vast beautiful beyond comprehension mere mortals tread upon earth daily lives lived quietly peace contentment found simplicity joys discovered anew each time venture forth unknown awaits eagerly beckon call heed summons answer bravely courageously hearts filled thrill anticipation excitement palpable air surrounding us gathered here today embark epic voyage legends born stories told generations come marvel feats accomplished heroes past present future intertwined forevermore tapestry life woven threads fate destiny intermingled seamlessly pattern emerges clear vibrant colors texture richness depth unparalleled witnessed eyes behold spectacle unfold majesty grandeur scale breathtaking scope magnitude unmeasurable terms human understanding yet grasp intuitively soul level connection primal elemental forces nature harnessed controlled directed purpose singular focus unwavering determination succeed prevail overcome obstacles encountered path chosen freely willingly knowingly fully aware risks involved nonetheless undeterred resolute face challenges head-on boldly confidently fearlessly embrace wholeheartedly entirety experience offered graciously generously universe itself gift precious rare cherished dearly held close heart forever cherished memory eternal flame burning brightly guiding light beacon hope inspiration others follow footsteps lead way forward brighter tomorrow lies ahead horizon distant yet reachable attainable achievable dream realized reality tangible touch feel taste smell hear see know understand appreciate value treasure priceless beyond measure worth every effort expended pursuit thereof ultimate satisfaction fulfillment derived therein culmination aspirations dreams hopes desires realized fruition sweetest victory tasted savored lingered upon lips nectar gods ambrosia divine sustenance soul nourished replenished rejuvenated restored revitalized renewed ready face whatever comes next armed knowledge gained wisdom acquired lessons learned journey undertaken completed successfully triumphantly victoriously crowned glory honor pride achievement monumental epic proportions scale scope magnitude unmatched unparalleled unrivaled history annals

record books inscribed names etched stone monuments erected commemorate
commemorate celebrate commemorate celebrate celebrate commemorate celebrate
celebrate celebrate celebrate celebrate...

About Honda

This article is about the multinational corporation. For other uses, see Honda (disambiguation).

- Toshihiro Mibe (chairman, president & CEO)

- CBJ investment trusts (3.23%)
- TMTBJ investment trusts (4.71%)
- Chase Bank ADRs nominated by Moxley & Co. (3.09%)
- Meiji Yasuda Life (2.83%)
- Tokio Marine (2.35%)
- (As of July 2020)

- Honda Automobiles
- Honda Motorcycles
- Acura


Honda Motor Co., Ltd.

A red slab-serif wide word "HONDA" in all caps

Image not found or type unknown

Logo used since 2000

Image not found or type unknown



Headquarters in Minato, Tokyo

Native name Honda Giken KÒgyo Kaisha, Ltd. (Honda Motor Co., Ltd.)

Romanized name *Honda Giken KÒgyo Kaisha, Ltd.*

Company type Public

- Traded as**
- o TYO: 7267
 - o NYSE: HMC
 - o Nikkei 225 component (7267)
 - o TOPIX Core30 component (7267)

Industry Manufacturing

Founded Hamamatsu, Japan (October 1946; 78 years ago, incorporated 24 September 1948; 76 years ago)

Founder Soichiro Honda

Headquarters Minami-Aoyama, Minato, Tokyo, Japan

Area served Worldwide

Key people

Products

- Automobiles
- Commercial vehicles
- Luxury cars
- Motorcycles
- Scooters
- Electric generators
- Water pumps
- Lawn and garden equipment
- Rotary tillers
- Outboard motors
- Robotics
- Jet aircraft
- Rockets
- Jet engines
- Thin-film solar cells
- Internavi (telematics)

Revenue	¥14.95 trillion (2022) ^[1] Increase 9.5% from ¥13.65 trillion (2021)
Operating income	¥87.2 billion (2022) ^[1] Increase 2.0% from ¥85.5 billion (2021)
Net income	¥70.0 billion (2022) ^[1] Increase 3.0% from ¥67.9 billion (2021)
Total assets	¥23.97 trillion (2022) ^[1] Increase 1.0% from ¥23.75 trillion (2021)
Total equity Owners	¥10.77 trillion (2022) ^[1] Increase 1.0% from ¥10.66 trillion (2021)

204,035 (2022)^[2]

- United States: 18,322
- Brazil: 7,593
- Thailand: 7,556
- India: 7,350
- Vietnam: 5,461
- Mexico: 4,891
- Canada: 4,522
- Indonesia: 2,818
- Malaysia: 2,031
- Philippines: 1,300
- Argentina: 484

Number of employees

Divisions

List

Transportation

- American Honda Motor Company
 - Acura
 - Honda Marine
 - Honda Racing Corporation USA
 - Honda Ye
- GAC Honda
 - Everus
- Dongfeng Honda
- Honda Prospect Motor
- Astra Honda Motor
- Honda Atlas
- Honda Canada
- Honda Taiwan
- Montesa Honda
- Sony Honda Mobility
- Honda Aircraft Company
- Honda Motorcycle & Scooter India
- Honda Cars India

Subsidiaries

Engines

- Honda Aero
 - GE Honda Aero Engines

Motorsport

- Honda Racing Corporation
- Honda Mobilityland

Website

global.honda

Honda Motor Co., Ltd.,^[3] commonly known as **Honda**, is a Japanese multinational conglomerate automotive manufacturer headquartered in Minato, Tokyo, Japan.

Founded in October 1946 by Soichiro Honda, Honda has been the world's largest motorcycle manufacturer since 1959,^[4]^[5] reaching a production of 500 million as of May 2025.^[6] It is also the world's largest manufacturer of internal combustion engines measured by number of units, producing more than 14 million internal combustion engines each year.^[7] Honda became the second-largest Japanese automobile manufacturer in 2001.^[8] In 2015, Honda was the eighth largest automobile manufacturer in the world.^[9] The company has also built and sold the most produced motor vehicle in history, the Honda Super Cub.^[10]


Honda was the first Japanese automobile manufacturer to release a dedicated luxury brand, Acura, on 27 March 1986. Aside from their core automobile and motorcycle businesses, Honda also manufactures garden equipment, marine engines, personal watercraft, power generators, and other products. Since 1986, Honda has been involved with artificial

intelligence/robotics research and released their ASIMO robot in 2000. They have also ventured into aerospace with the establishment of GE Honda Aero Engines in 2004 and the Honda HA-420 HondaJet, which began production in 2012. Honda has two joint-ventures in China: Dongfeng Honda and GAC Honda.

In 2013, Honda invested about 5.7% (US\$6.8 billion) of its revenues into research and development.^[11] Also in 2013, Honda became the first Japanese automaker to be a net exporter from the United States, exporting 108,705 Honda and Acura models, while importing only 88,357.^[12]

History

[edit]



Honda's foray into four-wheelers started with the Honda T360 in 1963.

Throughout his life, Honda's founder, Soichiro Honda (1906–1991), had an interest in automobiles. He worked as a mechanic at the Art Shokai garage, where he tuned cars and entered them in races. In 1937, with financing from his acquaintance Kato Shichirō, Honda founded Tōkai Seiki (Eastern Sea Precision Machine Company) to make piston rings working out of the Art Shokai garage.^[13] After initial failures, Tōkai Seiki won a contract to supply piston rings to Toyota, but lost the contract due to the poor quality of their products.^[13] After attending engineering school without graduating, and visiting factories around Japan to better understand Toyota's quality control processes known as "five whys", by 1941 Honda was able to mass-produce piston rings acceptable to Toyota, using an automated process that could employ even unskilled wartime laborers.^{[13][14]}

: 1916–1919

Tōkai Seiki was placed under the control of the Ministry of Commerce and Industry (called the Ministry of Munitions after 1943) at the start of World War II, and Soichiro Honda was demoted from president to senior managing director after Toyota took a 40% stake in the company.^[13] Honda also aided the war effort by assisting other companies in automating the production of military aircraft propellers.^[13] The relationships Honda cultivated with personnel at Toyota, Nakajima Aircraft Company and the Imperial Japanese Navy would be instrumental in the postwar period.^[13] A US B-29 bomber attack destroyed Tōkai Seiki's Yamashita plant in 1944, and the Itawa plant collapsed on 13 January during the 1945 Mikawa

earthquake. Soichiro Honda sold the salvageable remains of the company to Toyota after the war for ¥450,000 and used the proceeds to found the Honda Technical Research Institute in October 1946.^{[13][15]}

With a staff of 12 men working in a 16 m² (170 sq ft) shack, they built and sold improvised motorized bicycles, using a supply of 500 two-stroke 50 cc Tohatsu war surplus radio generator engines.^{[13][14]} When the engines ran out, Honda began building their own copy of the Tohatsu engine, and supplying these to customers to attach to their bicycles.^{[13][16]} This was the Honda A-Type, nicknamed the Bata Bata for the sound the engine made.^[13] In 1949, the Honda Technical Research Institute was liquidated for ¥ 1,000,000, or about US\$5,000 today; these funds were used to incorporate Honda Motor Co., Ltd.^[14] At about the same time Honda hired engineer Kihachiro Kawashima, and Takeo Fujisawa who provided indispensable business and marketing expertise to complement Soichiro Honda's technical bent.^[14] The close partnership between Soichiro Honda and Fujisawa lasted until they stepped down together in October 1973.^[14]

The first complete motorcycle with both the frame and engine made by Honda was the 1949 D-Type, the first Honda to go by the name Dream.^{[15][17]} In 1961, Honda achieved its first Grand Prix victories and World Championships in the 125 cc and 250 cc categories.^[18] Honda Motor Company grew in a short time to become the world's largest manufacturer of motorcycles by 1964.^[19]

The first production automobile from Honda was the T360 mini pick-up truck, which went on sale in August 1963.^[20] Powered by a small 356 cc straight-4 gasoline engine, it was classified under the cheaper Kei car tax bracket.^[21] The second production car from Honda was the S500 sports car, which followed the T360 into production in October 1963. Its chain-driven rear wheels pointed to Honda's motorcycle origins.^[22]

Over the next few decades, Honda worked to expand its product line, operations and exports to numerous countries around the world. In 1986, Honda introduced the successful Acura brand to the American market in an attempt to gain ground in the luxury vehicle market. The year 1991 saw the introduction of the Honda NSX supercar, the first all-aluminum monocoque vehicle that incorporated a mid-engine V6 with variable-valve timing.^[23]

In 1990, CEO Tadashi Kume was succeeded by Nobuhiko Kawamoto. Kawamoto was selected over Shoichiro Irimajiri, who oversaw the successful establishment of Honda of America Manufacturing, Inc. in Marysville, Ohio. Irimajiri and Kawamoto shared a friendly rivalry within Honda; owing to health issues, Irimajiri would resign in 1992.

Following the death of Soichiro Honda and the departure of Irimajiri, Honda found itself quickly being outpaced in product development by other Japanese automakers and was caught off-guard by the truck and sport utility vehicle boom of the 1990s, all which took a toll on the profitability of the company. Japanese media reported in 1992 and 1993 that Honda was at

serious risk of an unwanted and hostile takeover by Mitsubishi Motors, which at the time was a larger automaker by volume and was flush with profits from its successful Pajero and Diamante models.^[24]

Kawamoto acted quickly to change Honda's corporate culture, rushing through market-driven product development that resulted in recreational vehicles such as the first-generation Odyssey and the CR-V, and a refocusing away from some of the numerous sedans and coupes that were popular with the company's engineers but not with the buying public. The most shocking change to Honda came when Kawamoto ended the company's successful participation in Formula One after the 1992 season, citing costs in light of the takeover threat from Mitsubishi as well as the desire to create a more environmentally friendly company image.^[25]

The Honda Aircraft Company was established in 2006 as a wholly owned subsidiary to manufacture and sell the HondaJet family of aircraft.^{[26][27]} The first deliveries to customers began in December 2015.^[28]

On 23 February 2015, Honda announced that CEO and President Takanobu Ito would step down and be replaced by Takahiro Hachigo in June of that year; additional retirements by senior managers and directors were expected.^[29]

In October 2019, Honda was reported to be in talks with Hitachi to merge the two companies' car parts businesses, creating a components supplier with almost \$17 billion in annual sales.^[30]

In January 2020, Honda announced that it would be withdrawing employees working in the city of Wuhan, Hubei, China due to the COVID-19 pandemic.^[31] On 23 March 2020 due to the global spread of the virus, Honda became the first major automaker with operations in the US to suspend production in its factories. It resumed automobile, engine and transmission production at its US plants on 11 May 2020.^[32]

Honda and General Motors announced in September 2020 a North American alliance to begin in 2021.^[33] According to The Detroit Free Press, "The proposed alliance will include sharing a range of vehicles, to be sold under each company's distinct brands, as well as cooperation in purchasing, research and development, and connected services."^[34]

In 2021, Honda announced its intention to become the world's first carmaker to sell a vehicle with level 3 self-driving technology.^[35]

In March 2022, Honda announced it would develop and build electric vehicles in a joint venture with electronics giant Sony. The latter is set to provide its imaging, sensing, network and other technologies while Honda would be responsible for the car manufacturing processes.^[36] The Sony Honda Mobility company was officially announced on 13 October 2022^[37] with pre-orders said to open in 2025 and the release of the first EVs scheduled for 2026 in the US under the "Afeela" brand.^[38]

On 2 February 2023, Honda announced a deal with American car company General Motors to produce cars using a new hydrogen fuel system. The aim is to ramp up the hydrogen powered cells in their Electric vehicles as well as trucks, construction machinery, and power stations. [39]

On 15 March 2023, Honda recalled 500,000 vehicles in the United States and Canada due to an issue with seat belts in the car not latching correctly. Among the models recalled were the 2017-2020 CR-V, the 2018 and 2019 Accord, the 2018-2020 Odyssey, the 2019 Insight, and the Acura RDX from 2019 and 2020. According to the recall, the seat belts in the front seats would break open on impact increasing the risk of injury in a crash. [40]

On 21 December 2023, Honda announced a global recall of about 4.5 million vehicles, including 2.54 million in the US, over fuel pump failures, following earlier recalls in 2021 and 2020 for the same issue. [41]

Attempted merger with Nissan

[edit]

On 23 December 2024, Honda officially announced an MOU had been entered to merge with fellow automaker Nissan to become the 3rd largest auto company by sales. Mitsubishi Motors, in which Nissan has 24% ownership, also agreed to join the talks of integration. [42] The merger was officially set with a deadline of 2026. [43] Mitsubishi announced it would make a decision on merging with the new company by the end of January 2025. [43]

In February 2025, Honda and Nissan announced that their boards had voted to end talks to merge. Nissan reportedly backed out of the talks with larger rival Honda after negotiations were complicated by growing differences, including Honda's proposal that Nissan become a subsidiary. [44]

Senior leadership

[edit]

- *Chairman*: Toshiaki Mikoshiba (since April 2019) [45]
- *President and Chief Executive*: Toshihiro Mibe (since April 2021) [45]

Previous CEOs

[edit]

- Soichiro Honda (1948–1973) [citation needed]
- Kiyoshi Kawashima (1973–1983) [citation needed]

- Tadashi Kume (1983–1990)^[citation needed]
- Nobuhiko Kawamoto (1990–1998)^[46]
- Hiroyuki Yoshino (1998–2003)^[47]
- Takeo Fukui (2003–2009)^[48]
- Takanobu Ito (2009–2015)^[49]
- Takahiro Hachigo (2015–2021)^[50]

Corporate profile and divisions

[edit]

Sales by business (2024)^[51]

Business	share
Automobile	66.4%
Financial services	15.9%
Motorcycle	15.8%
Power products and others	1.9%

Honda is headquartered in Minato, Tokyo, Japan. Their shares trade on the Tokyo Stock Exchange and the New York Stock Exchange, as well as exchanges in Osaka, Nagoya, Sapporo, Kyoto, Fukuoka, London, Paris, and Switzerland.

The company has assembly plants around the globe. These plants are located in China, the United States, Pakistan, Canada, England, Japan, Belgium, Brazil, México, New Zealand, Malaysia, Indonesia, India, Philippines, Thailand, Vietnam, Turkey, Taiwan, Perú and Argentina. As of July 2010, 89% of Honda and Acura vehicles sold in the United States were built in North American plants, up from 82.2% a year earlier. This shields profits from the yen's advance to a 15-year high against the dollar.^[52]

American Honda Motor Company is based in Torrance, California. Honda Racing Corporation (HRC) is Honda's motorsport division. Honda Canada Inc. is headquartered in Markham, Ontario,^[53] it was originally planned to be located in Richmond Hill, Ontario, but delays led them to look elsewhere. Their manufacturing division, Honda of Canada Manufacturing, is based in Alliston, Ontario. Honda has also created joint ventures around the world, such as Honda Siel Cars and Hero Honda Motorcycles in India,^[54] Guangzhou Honda and Dongfeng Honda in China, Boon Siew Honda in Malaysia and Honda Atlas in Pakistan. The company also runs a business innovation initiative called **Honda Xcelerator**, in order to build relationships with innovators, partner with Silicon Valley startups and entrepreneurs, and help other companies work on prototypes. Xcelerator had worked with reportedly 40 companies as of January 2019. Xcelerator and a developer studio are part of the **Honda Innovations** group, formed in Spring 2017 and based in Mountain View, California.^[55] Through Honda Mobilityland, Honda also operate the Suzuka Circuit and Twin Ring Motegi racing tracks.

Following the 2011 Tohoku earthquake and tsunami in Japan, Honda announced plans to halve production at its UK plants.^[56] The decision was made to put staff at the Swindon plant on a 2-day week until the end of May as the manufacturer struggled to source supplies from Japan. It's thought around 22,500 cars were produced during this period.

Finances

[edit]

For the fiscal year 2018, Honda reported earnings of US\$9.534 billion, with an annual revenue of US\$138.250 billion, an increase of 6.2% over the previous fiscal cycle. Honda's shares traded at over \$32 per share, and its market capitalization was valued at US\$50.4 billion in October 2018.^[57]

Year	Revenue in million US\$	Net income in million US\$	Total assets in million US\$	Employees
2005	77,851	4,376	83,853	—
2006	89,172	5,373	95,145	—
2007	99,784	5,331	108,329	167,231
2008	108,026	5,400	113,540	178,960
2009	100,112	1,370	118,189	181,876
2010	92,655	3,052	125,594	176,815
2011	107,242	6,762	138,851	179,060
2012	100,941	2,820	149,616	187,094
2013	119,523	4,443	164,988	190,338
2014	118,425	5,741	156,220	198,368
2015	121,286	4,636	167,675	204,730
2016	121,190	2,860	151,303	208,399
2017	130,193	5,734	176,311	211,915
2018	138,250	9,534	174,143	215,638
2019	142,998	5,493	183,772	219,722
2020	137,365	4,193	188,246	218,674
2021	123,803	6,180	206,058	211,374
2022	129,519	6,293	213,361	218,674
2023	125,117	4,820	182,559	197,039
2024	140,959	7,640	205,442	194,993

Honda's Net Sales and Other Operating Revenue by Geographical Regions in 2024^[51]

Geographic Region	Total revenue (in millions of ¥)	in %
North America	10,470,000	51.23%

Asia	4,290,000	21.02%
Japan	1,960,000	9.59%
Europe	943,000	4.62%
Others	1,150,000	5.63%

Products

[edit]

Automobiles


[edit]

Main article: List of Honda automobiles


This section **needs additional citations for verification**. Please help improve this article by adding citations to reliable sources in this section. Unsourced material may be challenged and removed.




Find sources: "Honda" – news · newspapers · books · scholar · JSTOR (September 2017) *(Learn how and when to remove this message)*



Eleventh-generation Honda Accord



Eleventh-generation Honda Civic



Sixth-generation Honda CR-V

Honda's automotive manufacturing ambitions can be traced back to 1963, with the Honda T360, a Kei truck built for the Japanese market.^[58] This was followed by the two-door roadster, the Honda S500 also introduced in 1963. In 1965, Honda built a two-door commercial delivery van, named the Honda L700. Honda's first four-door sedan was not the Honda Accord, but the air-cooled, four-cylinder, gasoline-powered Honda 1300 which was introduced in 1969. The Civic was a hatchback that gained wide popularity internationally, but it wasn't the first two-door hatchback built by Honda. That was the Honda N360, a Kei car that was adapted for international sale as the N600. The Civic, which appeared in 1972 and replaced the N600 also had a smaller sibling that replaced the air-cooled N360, called the Honda Life, which was water-cooled.

The Honda Life represented Honda's efforts in competing in the *kei* car segment, offering sedan, delivery van and small pick-up platforms on a shared chassis. The Life Step Van had a novel approach that, while not initially a commercial success, appeared to be an influence to vehicles with the front passengers sitting behind the engine, a large cargo area with a flat roof and a liftgate installed in back, and utilizing a transversely installed engine with a front-wheel-drive powertrain.

As Honda entered into automobile manufacturing in the late 1960s where Japanese manufacturers such as Toyota and Nissan had been making cars since before WWII, Honda instilled a sense of doing things a little differently than its Japanese competitors. Its mainstay products like the Accord and Civic (with the exception of its USA-market 1993–97 Passport which was part of a vehicle exchange program with Isuzu (part of the Subaru-Isuzu joint venture)) have always employed Front-wheel drive powertrain implementation, which is currently a long-held Honda tradition. Honda also installed new technologies into their products, first as optional equipment, then later standard, like anti-lock brakes, speed-sensitive power steering, and multi-port fuel injection in the early 1980s. This desire to be the first to try new approaches is evident with the creation of the first Japanese luxury chain Acura, and was also evident with the all-aluminum, mid-engined sports car, the Honda NSX, which also introduced variable valve timing technology, which Honda calls VTEC.

The Civic family is a line of compact cars developed and manufactured by Honda. In North America, the Civic is the second-longest continuously running nameplate from a Japanese manufacturer; only its perennial rival, the Toyota Corolla, introduced in 1966, has been in production longer.^[59] The Civic, along with the Accord and Prelude, comprised Honda's vehicles sold in North America until the 1990s, when the model lineup was expanded. Having gone through several generational changes, the Civic has become larger and more upmarket, and it currently slots between the Fit and Accord.

Honda's first hybrid electric vehicle was the 1999 Insight. The Civic was first offered as a hybrid in 2001, and the Accord followed in 2004. In 2008, the company launched the Clarity, a fuel cell car.

In 2008, Honda increased global production to meet the demand for small cars and hybrids in the US and emerging markets. The company shuffled US production to keep factories busy and boost car output while building fewer minivans and sport utility vehicles as light truck sales fell.^[60]

Its first entrance into the pickup segment, the light-duty Ridgeline, won Truck of the Year from *Motor Trend* magazine in 2006. Also in 2006, the redesigned Civic won Car of the Year from the magazine, giving Honda a rare double win of Motor Trend honors.

It is reported that Honda plans to increase hybrid sales in Japan to more than 20% of its total sales in the fiscal year 2011, from 14.8% in the previous year.^[61]


Five of United States Environmental Protection Agency's top ten most fuel-efficient cars from 1984 to 2010 come from Honda, more than any other automakers. The five models are: 2000–2006 Honda Insight (53 mpg ^{US} or 4.4 L/100 km or 64 mpg ^{imp} combined), 1986–1987 Honda Civic Coupe HF (46 mpg ^{US} or 5.1 L/100 km or 55 mpg ^{imp} combined), 1994–1995 Honda Civic hatchback VX (43 mpg ^{US} or 5.5 L/100 km or 52 mpg ^{imp} combined), 2006– Honda Civic Hybrid (42 mpg ^{US} or 5.6 L/100 km or 50 mpg ^{imp} combined), and 2010– Honda Insight (41 mpg ^{US} or 5.7 L/100 km or 49 mpg ^{imp} combined).^[62] The ACEEE has also rated the Civic GX as the greenest car in America for seven consecutive years.^[63]

Honda currently builds vehicles in factories located in Japan, the United States of America, Canada, China, Pakistan, the United Kingdom, Malaysia, Belgium, Brazil, Indonesia, India, Thailand, Turkey, Argentina, Mexico, Taiwan, and the Philippines.


Motorcycles

[edit]

For a list of motorcycle products, see list of Honda motorcycles.



1953 Honda Cub on display at the Barber Vintage Motorsports Museum, Birmingham, Alabama. The two-stroke single-cylinder motorcycle had a displacement of 58 cc and a top speed of 40 km/h (25 mph).



Honda Gold Wing bike


Honda is the largest motorcycle manufacturer in Japan and has been since it started production in 1955.^[13] At its peak in 1982, Honda manufactured almost three million motorcycles annually. By 2006, this figure had been reduced to around 550,000 but was still higher than its three domestic competitors.^[13]

In 2017, India became the largest motorcycle market for Honda.^[64]^[65] In India, Honda is leading in the scooters segment, with 59% market share.^[66]

During the 1960s when it was a small manufacturer, Honda broke out of the Japanese motorcycle market and began exporting to the United States. Working with the advertising agency Grey Advertising, Honda created an innovative marketing campaign, using the slogan "You meet the nicest people on a Honda." In contrast to the prevailing negative stereotypes of motorcyclists in America as tough, antisocial rebels, this campaign suggested that Honda motorcycles were made for the everyman. The campaign was hugely successful; the ads ran for three years, and by the end of 1963 alone, Honda had sold 90,000 motorcycles.^[14]

Taking Honda's story as an archetype of the smaller manufacturer entering a new market already occupied by highly dominant competitors, the story of their market entry, and their subsequent huge success in the US and around the world has been the subject of some academic controversy. Competing explanations have been advanced to explain Honda's strategy and the reasons for their success.^[67]

The first of these explanations was put forward when, in 1975, the Boston Consulting Group (BCG) was commissioned by the UK government to write a report explaining why and how the British motorcycle industry had been out-competed by its Japanese competitors. The report concluded that the Japanese firms, including Honda, had sought a very high scale of production (they had made a large number of motorbikes) in order to benefit from economies of scale and learning curve effects. It blamed the decline of the British motorcycle industry on the failure of British managers to invest enough in their businesses to profit from economies of scale and scope.^[68]



2004 Honda Super Cub

The second explanation was offered in 1984 by Richard Pascale, who had interviewed the Honda executives responsible for the firm's entry into the US market. As opposed to the tightly focused strategy of low cost and high scale that BCG accredited to Honda, Pascale found that their entry into the US market was a story of "miscalculation, serendipity, and organizational learning" – in other words, Honda's success was due to the adaptability and hard work of its staff, rather than any long-term strategy.^[69] For example, Honda's initial plan on entering the US market was to compete in large motorcycles, around 300 cc. Honda's motorcycles in this class suffered performance and reliability problems when ridden the relatively long distances of the US highways.^[14] When the team found that the scooters they were using to get themselves around their US base of San Francisco attracted positive interest from consumers they fell back on selling the Super Cub instead.^[14]

The most recent school of thought on Honda's strategy was put forward by Gary Hamel and C. K. Prahalad in 1989. Creating the concept of core competencies with Honda as an example, they argued that Honda's success was due to its focus on leadership in the technology of internal combustion engines.^[70] For example, the high power-to-weight ratio engines Honda produced for its racing bikes provided technology and expertise which was transferable into mopeds. Honda's entry into the US motorcycle market during the 1960s is used as a case study for teaching introductory strategy at business schools worldwide.^[71]

ATVs

[edit]

Honda builds utility ATVs under models Recon, Rubicon, Rancher, Foreman and Rincon. Honda also builds sports ATVs under the models TRX 90X, TRX 250X, TRX 400x, TRX 450R and TRX 700.^[72]

Power equipment

[edit]

Honda EU70is Generator

Image not found or type unknown

A Honda Power EU70is power generator

Power equipment^[73] production started in 1953 with H-type engine (prior to motorcycles).^[74]

Honda power equipment reached record sales in 2007 with 6.4 million units sold annually.^[75]

By 2010 (Fiscal year ended 31 March) this figure had decreased to 4.7 million units.^[76]

Cumulative production of power products has exceeded 85 million units annually (as of September 2008).^[77]

In September 2023, Honda ceased sales of gasoline lawn mowers and some other power equipment in the US.^[78]


Honda power equipment includes:

- Engine
- Brush Cutters
- Tillers
- Marine Outboard Motors
- Water Pumps
- Cultivator
- Lawn mower
- Robotic lawn mower
- Riding mower
- Trimmer
- Mower
- Blower
- Sprayer
- Hedge trimmer
- Snowthrower
- Generator, welding power supply
- Pump
- Outboard engine

- Inflatable boat
- Electric 4-wheel Scooter
- Compact Household Cogeneration Unit

Engines

[edit]



Honda Outboard motors


Honda engines powered the entire 33-car starting field of the 2010 Indianapolis 500^[79] and for the fifth consecutive race, there were no engine-related retirements during the running of the Memorial Day Classic.^[80]

In the 1980s Honda developed the GY6 engine for use in motor scooters. Although no longer manufactured by Honda, it's still commonly used in many Chinese, Korean and Taiwanese light vehicles.^[81]

Honda, despite being known as an engine company, has never built a V8 engine for passenger vehicles. In the late 1990s, the company resisted considerable pressure from its American dealers for a V8 engine (which would have seen use in top-of-the-line Honda SUVs and Acuras), with American Honda reportedly sending one dealer a shipment of V8 beverages to silence them.^[82] Honda considered starting V8 production in the mid-2000s for larger Acura sedans, a new version of the high-end NSX sports car (which previously used DOHC V6 engines with VTEC to achieve its high power output) and possible future ventures into the American full-size truck and SUV segment for both the Acura and Honda brands, but this was canceled in late 2008, with Honda citing environmental and worldwide economic conditions as reasons for the termination of this project.^[83]

Robots

[edit]



ASIMO at Expo 2005

ASIMO is part of Honda's Research & Development robotics program. It's the eleventh in a line of successive builds starting in 1986 with Honda E0 moving through the ensuing Honda E series and the Honda P series. Weighing 54 kilograms and standing 130 centimeters tall, ASIMO resembles a small astronaut wearing a backpack, and can walk on two feet in a manner resembling human locomotion, at up to 6 km/h (3.7 mph). ASIMO is the world's only humanoid robot able to ascend and descend stairs independently.^[84] However, human motions such as climbing stairs are difficult to mimic with a machine, which ASIMO has demonstrated by taking two plunges off a staircase.

ASIMO is able to walk, dance and navigate steps. In 2010, Honda developed a machine capable of reading a user's brainwaves to move ASIMO. The system uses a helmet covered with electroencephalography and near-infrared spectroscopy sensors that monitor electrical brainwaves and cerebral blood flow signals that alter slightly during the human thought process. The user thinks of one of the limited number of gestures it wants from the robot, which has been fitted with a Brain-Machine Interface.^[85]

Aircraft

[edit]

Main article: Honda HA-420 HondaJet

Honda has also pioneered new technology in its HA-420 HondaJet, manufactured by its subsidiary Honda Aircraft Company, which allows new levels of reduced drag, increased aerodynamics and fuel efficiency thus reducing operating costs.^[86]

Mountain bikes

[edit]

See also: Honda RN-01 G-cross

Honda has also built a downhill racing bicycle known as the Honda RN-01. It is not available for sale to the public. The bike has a gearbox, which replaces the standard derailleur found on most bikes.

Honda has hired several people to pilot the bike, among them Greg Minnaar. The team is known as Team G Cross Honda.

Rockets

[edit]

In 2019, Honda began development of rocket engines.^[87] In June 2025, Honda successfully conducted a launch and landing test of an reusable launch vehicle in Taiki, Hokkaido.^[88]^[89] Honda has stated that they aim to make a sub-orbital spaceflight in 2029.^[90]^[91]

Former products

[edit]

Solar cells

[edit]

Honda's solar cell subsidiary company Honda Soltec (Headquarters: Kikuchi-gun, Kumamoto; President and CEO: Akio Kazusa) started sales throughout Japan of thin-film solar cells for public and industrial use on October 24, 2008, after selling solar cells for residential use in October 2007.^[92] Honda announced in the end of October 2013 that Honda Soltec would cease business operations in the Spring of 2014 except for support for existing customers and the subsidiary would be dissolved.^[93]

Motorsports

[edit]

Main article: Honda in motorsport

See also: Honda Racing Corporation and Honda Racing Corporation USA


Honda has been active in motorsports, like Formula One, MotoGP and others, since the early years of the company. Since 2022, Honda's general motorsport activities have been managed by its motorsport subsidiary Honda Racing Corporation (HRC). Prior to 2022, Honda's motorcycle racing activities were run by HRC since it was founded in 1982, while its automobile racing activities were run as projects within the Honda Motor Company itself.^[94]

Honda Performance Development (HPD) was established in 1993 as the company's North American motorsport subsidiary, and for 2024 HPD became Honda Racing Corporation USA (HRC US) to form a global motorsports organization.^[95] Honda also owns two Japanese race tracks, the Suzuka Circuit and Mobility Resort Motegi (formerly Twin Ring Motegi), which it established in 1962 and 1997, respectively, and which are managed by Honda Mobilityland.

Automobiles

[edit]

See also: Honda in Formula One



Max Verstappen won the 2021 Formula One World Championship with a Honda power unit.

Honda entered Formula One for the first time in 1964, just one year after starting the production of road cars, making both engine and chassis. Honda achieved their first victory at the 1965 Mexican Grand Prix, and another win at the 1967 Italian Grand Prix, before they withdrew after the 1968 season. They returned to the sport in 1983 as an engine manufacturer, remaining until 1992. This period saw Honda dominate Grand Prix racing,^[96] as between 1986 and 1991 they won five consecutive Drivers' Championships with Nelson Piquet, Ayrton Senna and Alain Prost, and six Constructors' titles with Williams and McLaren.^[97] A third stint from 2000 to 2008, initially as engine maker and later also as team owner, yielded 17 podiums, including one win, and second place in the 2004 constructors' standings. They returned as a power unit supplier for the second year of the hybrid era in 2015 and initially struggled, but intense development saw them become race winners again by 2019, and in 2021 they won the World Drivers' Championship with Max Verstappen and Red Bull Racing.^[98] Honda formally left Formula One after 2021 to focus its resources on carbon neutral technologies, but an arrangement was made for it to extend power unit supply for Red Bull until 2025.^[99]^[100] While no longer a works team, Red Bull Racing still displayed Honda on their engine cover in this extended deal. As the series introduced more sustainable regulations, Honda announced it will formally rejoin in 2026 to provide power units to Aston Martin as a works team.^[101]

Honda debuted in the CART IndyCar World Series as an engine supplier in 1994, and the company won six consecutive Drivers' Championships and four Manufacturers' Championships between 1996 and 2001.^[102] In 2003, Honda transferred its effort to the IRL IndyCar Series. In 2004, Honda won the Indianapolis 500 for the first time and claimed the


Drivers' and Manufacturers' Championships, a feat which it repeated in 2005.^[102] From 2006 to 2011, Honda was the series' lone manufacturer, before manufacturer competition returned for 2012. Since 2012, Honda's turbocharged V6 engines have won the Indianapolis 500 several times as well as claimed multiple Drivers' and Manufacturers' titles.^[103] In the Japanese Super Formula Championship, Honda-powered cars have won the championship numerous times since 1981, with their title tally in the double digits. In Formula Two, Honda engines dominated the premier series in 1966 and scored multiple titles in the early 1980s.

In sports car racing, Honda won the 24 Hours of Le Mans in 1995 in the GT2 class,^[104] and in 2010 and 2012 they won in the LMP2 category.^[105] Honda made their factory debut in the Super GT Series (previously known as the All-Japan GT Championship) in 1997, and in 2000 they won their first championships.^[106] Since then, they have won several further titles, uniquely with both mid- and front-engined cars.^[106] Through their Acura and HPD divisions, Honda has also competed in sports prototype racing, beginning with the Spice-Acura prototypes that won the IMSA GT Lights championship in 1991, 1992 and 1993. Acura joined the American Le Mans Series in 2007 and won the 12 Hours of Sebring in class on their debut, before winning the championship in both the LMP1 and LMP2 classes in 2009. The cars were rebranded as HPDs for 2010, after which they won multiple titles in the ALMS and also won the FIA World Endurance Championship in the LMP2 class. Acura returned to prototype racing in 2018 in the DPi class of the IMSA SportsCar Championship, winning championship titles in 2019, 2020 and 2022 as well as the 24 Hours of Daytona overall in 2021, 2022, and 2023.^[107] Honda's GT3 car won both the IMSA GTD and Super GT GT300 titles.^[108]^[109]

During the Group A era of the Japanese Touring Car Championship, Honda won seven manufacturers' titles and six drivers' titles in the sub-1,600 cc division between 1986 and 1993.^[110] The following Super Touring era of touring car racing saw Honda win the Japanese and North American championships in 1996 and 1997, while in Europe Honda's Super Touring cars claimed over 40 wins across the British, German and European series. After the collapse of the Super Touring regulations in the early 2000s, Honda remained involved in the British Touring Car Championship, where their cars would win multiple championships in the mid-2000s and throughout the 2010s. Honda entered the World Touring Car Championship in late 2012, and in 2013 they won the Manufacturers' World Championship. Honda's TCR car won the global TCR Model of the Year award in 2019, 2020, and 2024.^[111]

Motorcycles

[edit]



Honda RC212V raced by Dani Pedrosa

HRC combines participation in motorcycle races throughout the world with the development of high-potential racing machines. Its racing activities are an important source for the creation of leading-edge technologies used in the development of Honda motorcycles. HRC also contributes to the advancement of motorcycle sports through a range of activities that include sales of production racing motorcycles, support for satellite teams, and rider education programs.

Soichiro Honda, being a race driver himself, could not stay out of international motorsport. In 1959, Honda entered five motorcycles into the Isle of Man TT race, the most prestigious motorcycle race in the world. While always having powerful engines, it took until 1961 for Honda to tune their chassis well enough to allow Mike Hailwood to claim their first Grand Prix victories in the 125 and 250 cc classes. Hailwood would later pick up their first Senior TT wins in 1966 and 1967. Honda's race bikes were known for their "sleek & stylish design" and exotic engine configurations, such as the 5-cylinder, 22,000 rpm, 125 cc bike and their 6-cylinder 250 cc and 297 cc bikes.


In 1979, Honda returned to Grand Prix motorcycle racing with the monocoque-framed, four-stroke NR500. The FIM rules limited engines to four cylinders, so the NR500 had non-circular, 'race-track', cylinders, each with 8 valves and two connecting rods, in order to provide sufficient valve area to compete with the dominant two-stroke racers. The experiment failed. For the 1982 season, Honda debuted its first two-stroke race bike, the NS500 and in 1983, Honda won their first 500 cc Grand Prix World Championship with Freddie Spencer. Since then, Honda has become a dominant marque in motorcycle Grand Prix racing, winning a plethora of top-level titles with riders such as Mick Doohan and Valentino Rossi. Honda also head the number of wins at the Isle of Man TT having notched up 227 victories in the solo classes and Sidecar TT,^[112] including Ian Hutchinson's clean sweep at the 2010 races.^[113]

The outright lap record on the Snaefell Mountain Course was held by Honda, set at the 2015 TT by John McGuinness at an average speed of 132.701 mph (213.562 km/h) on a Honda CBR1000RR,^[114] bettered the next year by Michael Dunlop on a BMW S1000RR at 133.962 mph (215.591 km/h).^[115]

In the Motocross World Championship, Honda has claimed seventeen world championships. In the World Enduro Championship, Honda has captured eight titles, most recently with Stefan Merriman in 2003 and with Mika Ahola from 2007 to 2010. In motorcycle trials, Honda has claimed three world championships with Belgian rider Eddy Lejeune.

Electric and alternative fuel vehicles


[edit]



2009 Honda Civic GX hooked up to Phill refueling system

Compressed natural gas

[edit]



Two clean vehicle versions of the Honda Civic.
Top: a Brazilian flexible-fuel vehicle.
Bottom: a US gasoline-electric hybrid.

The Honda Civic GX was for a long time the only purpose-built natural gas vehicle (NGV) commercially available in some parts of the US.^{[116][117]} The Honda Civic GX first appeared in 1998 as a factory-modified Civic LX that had been designed to run exclusively on compressed natural gas. The car looks and drives just like a contemporary Honda Civic LX, but does not run on gasoline. In 2001, the Civic GX was rated the cleanest-burning internal combustion engine in the world by the US Environmental Protection Agency (EPA).^{[118][119]}

First leased to the City of Los Angeles, in 2005, Honda started offering the GX directly to the public through factory trained dealers certified to service the GX. Before that, only fleets were eligible to purchase a new Civic GX. In 2006, the Civic GX was released in New York, making it the second state where the consumer is able to buy the car.^[120]

In June 2015, Honda announced its decision to phase out the commercialization of natural-gas powered vehicles to focus on the development of a new generation of electric vehicles such as hybrids, plug-in electric cars and hydrogen-powered fuel cell vehicles. Since 2008, Honda has sold about 16,000 natural-gas vehicles, mainly to taxi and commercial fleets.^[121]

Flexible-fuel

[edit]


Honda's Brazilian subsidiary launched flexible-fuel versions for the Honda Civic and Honda Fit in late 2006. As other Brazilian flex-fuel vehicles, these models run on any blend of hydrous ethanol (E100) and E20-E25 gasoline.^{[122][123]} Initially, and in order to test the market preferences, the carmaker decided to produce a limited share of the vehicles with flex-fuel engines, 33 percent of the Civic production and 28 percent of the Fit models.^{[122][123]} Also, the sale price for the flex-fuel version was higher than the respective gasoline versions, around US\$1,000 premium for the Civic, and US\$650 for the Fit, despite the fact that all other flex-fuel vehicles sold in Brazil had the same tag price as their gasoline versions.^{[123][124][125]} In July 2009, Honda launched in the Brazilian market its third flexible-fuel car, the Honda City.^[126]

During the last two months of 2006, both flex-fuel models sold 2,427 cars against 8,546 gasoline-powered automobiles,^[127] jumping to 41,990 flex-fuel cars in 2007,^[128] and reaching 93,361 in 2008.^[129] Due to the success of the flex versions, by early 2009 a hundred percent of Honda's automobile production for the Brazilian market is now flexible-fuel, and only a small percentage of gasoline version is produced in Brazil for exports.^[130]

In March 2009, Honda introduced the world's first flex-fuel motorcycle in the Brazilian market. Manufactured by its Brazilian subsidiary, Moto Honda da Amazônia, the CG 150 Titan Mix is priced at approximately US\$2,700.^{[131][132][133]}

Hybrid electric


[edit]



Honda CR-Z, the first sports coupe hybrid to come with a six-speed manual transmission

In late 1999, Honda launched the first commercial hybrid electric car sold in the US market, the Honda Insight, just one month before the introduction of the Toyota Prius, and initially sold for US\$20,000.^[134]^[135] The first-generation Insight was produced from 2000 to 2006 and had a fuel economy of 70 miles per US gallon (3.4 L/100 km; 84 mpg *Acâ, -â€~imp*) for the EPA's highway rating, the most fuel-efficient mass-produced car at the time.^[134]^[135] Total global sales for the Insight amounted to only around 18,000 vehicles.^[135] Cumulative global sales reached 100,000 hybrids in 2005 and 200,000 in 2007.^[136]

Honda introduced the second-generation Insight in Japan in February 2009, and released it in other markets through 2009 and in the US market in April 2009. At \$19,800 as a five-door hatchback it will be the least expensive hybrid available in the US.^[137]



2010 Honda Insight hybrid electric vehicle (second generation)


Since 2002, Honda has also been selling the Honda Civic Hybrid (2003 model) in the US market.^[134] It was followed by the Honda Accord Hybrid, offered in model years 2005 through 2007. Sales of the Honda CR-Z began in Japan in February 2010, becoming Honda's third hybrid electric car in the market.^[138] As of February 2011, Honda was producing around 200,000 hybrids a year in Japan.^[139]

Sales of the Fit Hybrid began in Japan in October 2010, at the time, the lowest price for a gasoline-hybrid electric vehicle sold in the country.^[140] The European version, called Honda Jazz Hybrid, was released in early 2011.^[141] During 2011 Honda launched three hybrid models available only in Japan, the Fit Shuttle Hybrid, Freed Hybrid and Freed Spike Hybrid. [

Honda's cumulative global hybrid sales passed the 1 million unit milestone at the end of September 2012, 12 years and 11 months after sales of the first generation Insight began in Japan November 1999.^[136] A total of 187,851 hybrids were sold worldwide in 2013, and 158,696 hybrids during the first six months of 2014.^{[142][143]} As of June 2014, Honda has sold more than 1.35 million hybrids worldwide.^{[136][142][143]}

Hydrogen fuel cell

[edit]




Honda FCX Clarity hydrogen fuel cell vehicle

In Takanezawa, Japan, on 16 June 2008, Honda Motors produced the first assembly-line FCX Clarity, a hybrid hydrogen fuel cell vehicle. More efficient than a gas-electric hybrid vehicle, the FCX Clarity combines hydrogen and oxygen from ordinary air to generate electricity for an electric motor. In July 2014 Honda announced the end of production of the Honda FCX Clarity for the 2015 model.^[144] The vehicle itself does not emit any pollutants and its only by-products are heat and water. The FCX Clarity also has an advantage over gas-electric hybrids in that it does not use an internal combustion engine to propel itself. Like a gas-electric hybrid, it uses a lithium ion battery to assist the fuel cell during acceleration and capture energy through regenerative braking, thus improving fuel efficiency. The lack of hydrogen filling stations throughout developed countries will keep production volumes low.^[145] Honda will release the vehicle in groups of 150. California is the only US market with infrastructure for fueling such a vehicle, though the number of stations is still limited. Building more stations is expensive, as the California Air Resources Board (CARB) granted \$6.8 million for four H2 fueling stations, costing US\$1.7 million each.^{[146][147][148]} Honda views hydrogen fuel cell vehicles as the long-term replacement of piston cars, not battery cars.^[149]

Honda introduced the CR-V e:FCEV in February 2024 in the US. It is a plug-in hybrid fuel cell version of the CR-V that is equipped with an electric motor, two high-pressure hydrogen tanks with a total capacity of 4.3 kg (9.5 lb) and a 17.7 kWh battery with plug-in charging capability. ^[106] It was also launched in Japan as the only version of the CR-V sold in the country, imported from the Marysville, Ohio assembly plant in the US. This model began production on 5 June 2024.^[150] The later revealed to includes an H2 credit.^[151]

Plug-in electric vehicles

[edit]



Honda Fit EV concept unveiled at the 2010 Los Angeles Auto Show

The all-electric Honda EV Plus was introduced in 1997 as a result of CARB's zero-emissions vehicle mandate and was available only for leasing in California. The EV plus was the first battery electric vehicle from a major automaker with non-lead–acid batteries The EV Plus had an all-electric range of 100 mi (160 km). Around 276 units were sold in the US and production ended in 1999.^[152]^[153]

The all-electric Honda Fit EV was introduced in 2012 and has a range of 82 mi (132 km).^[154] The all-electric car was launched in the US to retail customers in July 2012 with initial availability limited to California and Oregon.^[155] Production is limited to only 1,100 units over the first three years. A total of 1,007 units have been leased in the US through September 2014.^[156]^[157]^[158] The Fit EV was released in Japan through leasing to local government and corporate customers in August 2012. Availability in the Japanese market is limited to 200 units during its first two years.^[159] In July 2014 Honda announced the end of production of the Fit EV for the 2015 model.^[144]

The Honda Accord Plug-in Hybrid was introduced in 2013 and has an all-electric range of 13 mi (21 km)^[160] Sales began in the US in January 2013 and the plug-in hybrid is available only in California and New York.^[161] A total of 835 units have been sold in the US through September 2014.^[156]^[157]^[158] The Accord PHEV was introduced in Japan in June 2013 and is available only for leasing, primarily to corporations and government agencies.^[162]

The Honda e was launched in 2020 and has an electric range of 137 mi (220 km). It is an electric supermini that is retro styled, similar to the first-generation Honda Civic. Following this, the Honda e:Ny1 was launched in 2023, with an electric range of 256 mi (412 km) on the top spec model. It is Honda's first electric SUV.

In April 2022, Honda and General Motors announced a joint venture to develop low-cost electric vehicles based on GM's Ultium architecture in order to beat Tesla vehicles in sales.

In October 2023, the two companies announced that the joint venture has been cancelled due to slower-than-expected demand of electric vehicles and changing market conditions. ^[163] Although the upcoming Honda Prologue and Acura ZDX will use the Ultium architecture and will be manufactured by General Motors, future Honda electric vehicles will be designed solely by Honda and will be manufactured in Honda assembly plants. ^[164]

Batteries

[edit]


In August 2022, Honda and LG Energy Solution revealed a joint venture to establish a new lithium-ion battery factory in the United States, specifically for Honda and Acura electric vehicles. The initial goal was to produce 40 gigawatt hours of battery capacity. ^[165]

Marketing

[edit]


Japanese marketing

[edit]




Honda Clio (Saitama, Japan)

Starting in 1978, Honda in Japan decided to diversify its sales distribution channels and created **Honda Verno**, which sold established products with a higher content of standard equipment and more sporting nature. ^[166]^[167] The establishment of *Honda Verno* coincided with its new sports compact, the Honda Prelude. Later, the Honda Vigor, Honda Ballade, and Honda Quint were added to *Honda Verno* stores. This approach was implemented due to efforts in place by rival Japanese automakers Toyota and Nissan.




Honda Primo (Osaka)

As sales progressed, Honda created two more sales channels, called **Honda Clio** in 1984, and **Honda Primo** in 1985. The *Honda Clio* chain sold products that were traditionally associated with Honda dealerships before 1978, like the Honda Accord, and *Honda Primo* sold the Honda Civic, kei cars such as the Honda Today, superminis like the Honda Capa, along with other Honda products, such as farm equipment, lawnmowers, portable generators, and marine equipment, plus motorcycles and scooters like the Honda Super Cub. A styling tradition was established when *Honda Primo* and *Clio* began operations in that all *Verno* products had the rear license plate installed in the rear bumper, while *Primo* and *Clio* products had the rear license plate installed on the trunk lid or rear door for minivans. The Renault Clio was sold in Japan at Nissan dealerships, but was renamed the Renault Lutecia.^[168] Lutecia is derived from the name of *Lutetia*, an ancient Roman city that was the predecessor of Paris.



Honda Verno (2008)

As time progressed and sales began to diminish partly due to the collapse of the Japanese "bubble economy", "supermini" and "kei" vehicles that were specific to *Honda Primo* were "badge engineered" and sold at the other two sales channels, thereby providing smaller vehicles that sold better at both *Honda Verno* and *Honda Clio* locations. As of March 2006, the three sales chains were discontinued, with the establishment of *Honda Cars* dealerships.^[169] While the network was disbanded, some Japanese Honda dealerships still use the network names, offering all Japanese market Honda cars at all locations.



Honda Wing motorcycle dealership (Japan)

Honda sells genuine accessories through a separate retail chain called *Honda Access* for both their motorcycle, scooter, and automobile products. In cooperation with corporate group partner Pioneer, Honda sells an aftermarket line of audio and in-car navigation equipment that can be installed in any vehicle under the brand name Gathers, which is available at Honda Access locations as well as Japanese auto parts retailers, such as Autobacs. Buyers of used vehicles are directed to a specific Honda retail chain that sells only used vehicles called *Honda Auto Terrace*.

In the spring of 2012, Honda in Japan introduced *Honda Cars Small Store* which is devoted to compact cars like the Honda Fit, and *kei* vehicles like the Honda N-One and Honda S660 roadster.

All cars sold at Honda Verno

- Prelude, Integra, CR-X, Vigor, Saber, Ballade, Quint, Crossroad, Element, NSX, HR-V, Mobilio Spike, S2000, CR-V, That's, MDX, Rafaga, Capa, and the Torneo

All cars sold at Honda Clio


- Accord, Legend, Inspire, Avancier, S-MX, Lagreat, Stepwgn, Elysion, Stream, Odyssey (int'l), Domani, Concerto, Accord Tourer, Logo, Fit, Insight, That's, Mobilio, and the City

All cars sold at Honda Primo


- Civic, Life, Acty, Vamos, Hobio, Ascot, Ascot Innova, Torneo, Civic Ferio, Freed, Mobilio, Orthia, Capa, Today, Z, and the Beat

International marketing

[edit]



A Honda dealership in Ontario, Canada



A Honda dealership in Dreghorn, Scotland

In 2003, Honda released its *Cog* advertisement in the UK and on the Internet. To make the ad, the engineers at Honda constructed a Rube Goldberg Machine made entirely out of car parts from a Honda Accord Touring. To the chagrin of the engineers at Honda, all the parts were taken from two of only six hand-assembled pre-production models of the Accord. The advertisement depicted a single cog which sets off a chain of events that ends with the Honda Accord moving and Garrison Keillor speaking the tagline, "Isn't it nice when things just... work?" It took 100 takes to create the ad.^[170]

Honda has done humor marketing such as its 1985 four-page "How to fit six Hondas in a two-car garage" print ad^[171] or "descending so low in a parking garage, they pass stalagmites and a Gollum-like figure."^[172]

In 2004, they produced the *Grrr* advert, usually immediately followed by a shortened version of the 2005 *Impossible Dream* advert. In December 2005, Honda released *The Impossible Dream* a two-minute panoramic advertisement filmed in New Zealand, Japan, and Argentina which illustrates the founder's dream to build performance vehicles. While singing the song "Impossible Dream", a man reaches for his racing helmet, leaves his trailer on a minibike, then rides a succession of vintage Honda vehicles: a motorcycle, then a car, then a powerboat, then goes over a waterfall only to reappear piloting a hot air balloon, with Garrison Keillor saying "I couldn't have put it better myself" as the song ends. The song is from the 1960s musical *Man of La Mancha*, sung by Andy Williams.

In 2006, Honda released its *Choir* advertisement, for the UK and the internet. This had a 60-person choir who sang the car noises as the film of the Honda Civic is shown.

In the mid to late 2000s in the United States, during model close-out sales for the current year before the start of the new model year, Honda's advertising has had an animated character known simply as Mr. Opportunity, voiced by Rob Paulsen. The casual-looking man talked about various deals offered by Honda and ended with the phrase "I'm Mr. Opportunity, and I'm knockin'", followed by him "knocking" on the television screen or "thumping" the speaker at the end of radio ads. In addition, commercials for Honda's international hatchback, the Jazz, are parodies of well-known pop culture images such as *Tetris* and Thomas the Tank Engine.

In late 2006, Honda released an ad with ASIMO exploring a museum, looking at the exhibits with almost childlike wonderment (spreading out its arms in the aerospace exhibit, waving hello to an astronaut suit that resembles him, etc.), while Garrison Keillor ruminates on progress. It concludes with the tagline: "More forwards please". Honda also sponsored ITV's coverage of Formula One in the UK for 2007. However, they had announced that they would not continue in 2008 due to the sponsorship price requested by ITV being too high.

In May 2007, focuses on their strengths in racing and the use of the Red H badge – a symbol of what is termed as "Hondamentalism". The campaign highlights the lengths that Honda engineers go to in order to get the most out of an engine, whether it is for bikes, cars, powerboats – even lawnmowers. Honda released its Hondamentalism campaign. In the TV spot, Garrison Keillor says, "An engineer once said to build something great is like swimming in honey", while Honda engineers in white suits walk and run towards a great light, battling strong winds and flying debris, holding on to anything that will keep them from being blown away. Finally one of the engineers walks towards a red light, his hand outstretched. A web address is shown for the Hondamentalism website. The digital campaign aims to show how visitors to the site share many of the Hondamentalist characteristics.

At the beginning of 2008, Honda released – the *Problem Playground*. The advert outlines Honda's environmental responsibility, demonstrating a hybrid engine, more efficient solar panels, and the FCX Clarity, a hydrogen-powered car. The 90-second advert has large-scale puzzles, involving Rubik's Cubes, large shapes, and a 3-dimensional puzzle. On 29 May 2008, Honda, in partnership with Channel 4, broadcast a live advertisement. It showed skydivers jumping from an airplane over Spain and forming the letters H, O, N, D, and A in mid-air. This live advertisement is generally agreed to be the first of its kind on British television. The ad lasted three minutes.^[173]

In 2009, American Honda released the *Dream the Impossible* documentary series, a collection of 5- to 8-minute web vignettes that focus on the core philosophies of Honda. Current short films include *Failure: The Secret to Success*, *Kick Out the Ladder* and *Mobility 2088*. They have Honda employees as well as Danica Patrick, Christopher Guest, Ben Bova, Chee Pearlman, Joe Johnston and Orson Scott Card. The film series plays at dreams.honda.com. In the UK, national television ads feature voice-overs from American radio host Garrison Keillor, while in the US the voice of Honda commercials is actor and wrestler John Cena.

In the North American market, Honda starts all of its commercials with a two-tone jingle since the mid-2010s.

Sports

[edit]

Ayrton Senna, the late F1 driver, once remarked that Honda played a pivotal role in his three world championships. He held deep respect for the company's founder, Soichiro Honda, and maintained a strong relationship with Nobuhiko Kawamoto, the chairman of Honda at the time. Senna even referred to Honda as "the greatest company in the world."^[174]

As part of its marketing campaign, Honda is an official partner and sponsor of the North American National Hockey League, the Anaheim Ducks of the NHL, and the arena named after it: Honda Center. Honda also sponsored The Honda Classic golf tournament in the United States until 2023 and is a sponsor of the United States Major League Soccer. The "Honda Player of the Year" award is presented in United States soccer. The "Honda Sports Award" is given to the best female athlete in each of twelve college sports in the United States. One of the twelve Honda Sports Award winners is chosen to receive the Honda-Broderick Cup, as "Collegiate Woman Athlete of the Year".

Honda sponsored La Liga club Valencia CF starting from 2014–15 season.^[175]

Honda has been a presenting sponsor of the Los Angeles Marathon since 2010 in a three-year sponsorship deal, with winners of the LA Marathon receiving a free Honda Accord. Since 1989, the Honda Campus All-Star Challenge has been a quiz bowl tournament for Historically black colleges and universities.

Facilities (partial list)

[edit]

Main article: List of Honda facilities

Sales

[edit]

Calendar year Total US sales^[176]

1992	768,845
1993	716,546
1994	788,230
1995	794,579
1996	843,928
1997	940,386

1998	1,009,600
1999	1,076,893
2000	1,158,860
2001	1,207,639
2002	1,247,834
2003	1,349,847
2004	1,394,398
2005	1,462,472
2006	1,509,358
2007	1,551,542 ^[177]
2008	1,284,261 ^[177]
2009	1,150,784 ^[178]
2010	1,230,480 ^[178]
2011	1,147,000 ^[179]
2012	1,422,000 ^[179]
2013	1,525,312 ^[180]
2014	1,540,872
2015	1,586,551 ^[181]
2016	1,637,942 ^[182]
2017	1,641,429 ^[183]
2018	1,604,828 ^[184]
2019	1,608,170 ^[184]

Production numbers

[edit]

For automobiles:

Calendar year Global production

2009	3,012,000 ^[185]
2010	3,643,000 ^[185]
2011	2,909,000 ^[179]
2012	4,110,000 ^[179]
2013	4,112,000 ^[186]
2014	4,513,769 ^[187]
2015	4,543,838 ^[188]
2016	4,999,266 ^[189]
2017	5,236,842 ^[190]

original on 8 March 2009. Retrieved 28 July 2009.

8. ^ "The History of Honda". *Cars-directory.net*. Retrieved 22 November 2009.
9. ^ "World motor vehicle production OICA correspondents survey without double counts world ranking of manufacturers year 2011" (PDF). Retrieved 29 May 2020.
10. ^ "Honda Sells Its 60 Millionth - Yes, Millionth - Super Cub | Autopia from *Wired.com*". *blog.wired.com*. Archived from the original on 4 April 2009. Retrieved 24 January 2025.
11. ^ "Le top 20 des entreprises les plus innovantes du monde". *challenges.fr* (in French). Archived from the original on 23 October 2013. Retrieved 23 June 2025.
12. ^ Ross, Jeffrey N. (29 January 2014). "Honda is first Japanese carmaker to be a net-exporter from US". *autoblog*. Retrieved 25 July 2014.
13. ^ **a b c d e f g h i j k l** Alexander, Jeffrey W. (2008), *Japan's Motorcycle Wars: An Industry History*, UBC Press, pp. 112–116, 197–211, ISBN 978-0-8248-3328-2
14. ^ **a b c d e f g h** Frank, Aaron (2003). *Honda Motorcycles*. MotorBooks International. ISBN 978-0-7603-1077-9. Retrieved 28 January 2012.
15. ^ **a b** Falloon, Ian (2005), *The Honda Story*, Haynes, pp. 9–13, ISBN 1-85960-966-X
16. ^ **a b** Sakiya, Tetsuo (1982), Porter, Timothy (ed.), *Honda Motor: the men, the management, the machines*, Kodansha, ISBN 978-0-87011-522-6
17. ^ "1951 Honda Dream Type D". *americanmotorcyclist.com*. Archived from the original on 1 December 2017. Retrieved 17 November 2017.
18. ^ "HONDA'S FIRST GOLDEN DECADE AT THE GRAND PRIX • Total Motorcycle". *Total Motorcycle*. 9 July 2020. Archived from the original on 13 August 2020. Retrieved 5 August 2020.
19. ^ "History". *Honda Global*. Archived from the original on 22 November 2024. Retrieved 22 November 2024.
20. ^ "Honda Worldwide, History". *World.honda.com*. Archived from the original on 28 November 2005. Retrieved 1 January 2011.
21. ^ Niedermeyer, Paul (30 March 2010). "Honda's Wild 9000 RPM Mid-Engine T360 Pickup Of 1963". *The Truth about Cars*. Archived from the original on 26 October 2010.
22. ^ "Sporting Hondas – Classic Buyer's Guide". *New Zealand Classic Car magazine*. 21 September 2010. Archived from the original on 11 November 2011.
23. ^ "Let's Build a Sportscar!". *Honda*. Archived from the original on 7 April 2005. Retrieved 1 July 2012.
24. ^ "The trouble with excellence". *The Economist*. 4 July 1998. Archived from the original on 27 November 2024. Retrieved 5 April 2013.
25. ^ Sorge, Marjorie (1998). "1998 executive of the year – Honda Motor Co. president Nobuhiko Kawamoto". *Automotive Industries*. Archived from the original on 30 May 2012. Retrieved 20 May 2013.
26. ^ "The History of Honda Motor Company". *GearHeads*. 18 May 2012. Archived from the original on 30 May 2012. Retrieved 1 July 2012.
27. ^ Maynard, Micheline (25 July 2006). "Honda Enters the Aviation Market". *The New York Times*. Archived from the original on 27 November 2024.
28. ^ Alcock, Charles (23 December 2015). "Honda Aircraft Begins HondaJet Deliveries". *Aviation International News Online*. Archived from the original on 26 December 2015.

29. ^ "Honda Names Takahiro Hachigo New President; Replaces Takanobu Ito, who took over as chief executive in 2009". *Wall Street Journal*. 23 February 2015. Archived from the original on 23 February 2015.
30. ^ "Honda and Hitachi to Merge Four Car Parts Makers, Yomiuri Says". *Bloomberg News*. 29 October 2019. Archived from the original on 27 December 2019.
31. ^ Wayland, Michael (27 January 2020). "Coronavirus prompts automakers to evacuate workers, weigh production delays at Chinese factories". *CNBC*. Archived from the original on 27 January 2020. Retrieved 27 January 2020.
32. ^ DePompei, Elizabeth. "Honda to start resuming production at U.S. plants Monday". *IndyStar.com*. Archived from the original on 13 May 2020. Retrieved 3 June 2020.
33. ^ Whiston, David (3 September 2020). "GM-Honda North American Alliance May Free Up Capital". *Morningstar.com*. Archived from the original on 4 September 2020. Retrieved 4 September 2020.
34. ^ LaReau, Jamie L. "GM forms alliance with Honda to develop future products in North America". *Detroit Free Press*. Archived from the original on 4 September 2020. Retrieved 4 September 2020.
35. ^ Takenaka, Kiyoshi (30 November 2022). "Sony and Honda reveal plans to jointly make and sell electric vehicles". *Reuters*. Archived from the original on 30 November 2022.
36. ^ Etherington, Darrell (4 March 2022). "Sony and Honda reveal plans to jointly make and sell electric vehicles". *Tech Crunch*. Archived from the original on 4 March 2022. Retrieved 4 March 2022.
37. ^ "Sony Honda Mobility Inc. Established. – Move people, through the pursuit of innovation with diverse inspirations. –". *shm-afeela.com*. Archived from the original on 19 June 2024. Retrieved 5 January 2023.
38. ^ Hawkins, Andrew J. (5 January 2023). "Sony and Honda just announced their new electric car brand, Afeela". *The Verge*. Archived from the original on 5 January 2023. Retrieved 5 January 2023.
39. ^ "Honda to start producing new hydrogen fuel cell system co-developed with GM". *Reuters*. 2 February 2023. Archived from the original on 2 February 2023. Retrieved 2 February 2023.
40. ^ "Honda recalling 500,000 vehicles to fix seat belt problem". *AP*. 15 March 2023. Archived from the original on 15 March 2023. Retrieved 15 March 2023.
41. ^ "Honda recalls 2.5 million cars because of stalling risk. See if your car is one of them. - CBS News". *www.cbsnews.com*. 21 December 2023. Archived from the original on 21 December 2023. Retrieved 22 December 2023.
42. ^ "Honda and Nissan officially begin merger talks to create world's third-largest automaker". *CNBC*. 23 December 2024. Archived from the original on 23 December 2024. Retrieved 23 December 2024.
43. ^ **a b** Komiya, Kantaro (23 December 2024). "Honda, Nissan aim to merge by 2026 in historic pivot". *Reuters*.
44. ^ "Honda, Nissan end merger talks, scuttling \$60bn deal". *Al Jazeera*. Retrieved 13 February 2025.
45. ^ **a b** "Executives". *Honda Newsroom*.

46. ^ "Nobuhiko Kawamoto". *grandprix.com*. Retrieved 3 August 2025.
47. ^ <https://global.honda/en/newsroom/worldnews/1998/c980427.html>
48. ^ <https://global.honda/en/newsroom/news/2003/c030422-eng.html>
49. ^ "Takanobu Ito". *Forbes*. US. Archived from the original on 6 October 2012.
50. ^ "Honda Motor Co., Ltd. Announces New President & CEO" (Press release). Japan: Honda. 23 February 2015. Retrieved 3 July 2025.
51. ^ **a b** "Honda Motor Co., Ltd.: Business Segments and Geographical Breakdown of Revenue". *www.marketscreener.com*. Retrieved 10 May 2025.
52. ^ Ohnsman, Alan (20 August 2010). "Honda's Dream of U.S. Production Protects Profits as Yen Surges". *Bloomberg*. Archived from the original on 22 August 2010. Retrieved 1 January 2011.
53. ^ Mangion, Patrick (27 August 2007). "Markham saves Honda deal". *York Region News*. p. 1. Retrieved 14 October 2017.
54. ^ "Ã ÂÃÃ Ã, -Ã ÃÃÃ Ã¹ Ã ÃÃÃ Ã¹Ã ÃÃ Ã¼". Archived from the original on 29 April 2010. Retrieved 11 June 2009.
55. ^ "Honda is looking for your energy or mobility startup". *GrenBiz*. 29 January 2019. Retrieved 11 December 2019.
56. ^ "Honda to cut UK car production after Japan quake leaves parts shortfall". *The Guardian*. 6 April 2011. Archived from the original on 2 October 2015. Retrieved 10 August 2016.
57. ^ "Honda Revenue 2006–2018 | HMC". *www.macrotrends.net*. Retrieved 1 November 2018.
58. ^ Barr, Jonathan, ed. (July–September 2003). "1965 Honda T500F Flat Bed Utility". *The Japanese Restorer in Australia* (4). Bald Hills, Queensland, Australia: 15.
59. ^ "Toyota Corolla History" (PDF). US: Toyota. Archived from the original (PDF) on 2 June 2010.
60. ^ Vlastic, Bill; Bunkley, Nick (20 June 2008). "The Smaller the Better, Automakers Are Finding". *The New York Times*. ISSN 0362-4331. Retrieved 23 June 2025.
61. ^ "Report: Honda planning to double hybrid sales in Japan to more than 20% next fiscal year". *Green Car Congress*. 27 November 2010. Retrieved 25 July 2014.
62. ^ ""EPA Lists Top 10 Most Fuel-Efficient Cars From 1984 to Present; Older Models Rule" *Green Car Advisor*". *blogs.edmunds.com*. Archived from the original on 20 October 2010. Retrieved 23 June 2025.
63. ^ "the greenest vehicles of 2008". *greencars.org*. Archived from the original on 10 September 2007. Retrieved 1 January 2011.
64. ^ "Honda to launch Benly e in India? Scooter spied testing, check launch date, features and other details". *Zee News*. 6 June 2021.
65. ^ "India becomes largest 2 wheeler markt for Honda globally, dethrones Indonesia". *The Times of India*. 22 August 2017. Retrieved 6 November 2017.
66. ^ "Honda eyes 17% share in bike market; 70% new outlets to be in rural areas". *The Business Standard*. 11 September 2017. Retrieved 6 November 2017.
67. ^ Rumelt, Richard P. (10 July 1995). "The Many Faces of Honda". Archived from the original on 3 April 2012. Retrieved 25 July 2014.

68. ^ Morrison, Allen J. (1993). *Transnational corporations and business strategy*. Taylor & Francis. pp. 65–66. ISBN 978-0-415-08537-3. Retrieved 1 April 2012.
69. ^ Morrison, Allen J. (1993). *Transnational corporations and business strategy*. Taylor & Francis. pp. 64–92. ISBN 0-415-08537-3. [dubious – discuss]
70. ^ Hamel, Gary; Prahalad, C. K. (1 July 1994). *Competing for the future*. Harvard Business Press. p. 204. ISBN 978-0-87584-416-9. Retrieved 1 April 2012.
71. ^ Clarke, Sally H.; Lamoreaux, Naomi R.; Usselman, Steven W. (10 March 2009). *The Challenge of Remaining Innovative: Insights from Twentieth-Century American Business*. Stanford University Press. p. 223. ISBN 978-0-8047-5892-5. Retrieved 1 April 2012.
72. ^ "Honda ATV - Your Complete Guide". *World of ATVs*. Retrieved 1 August 2020.
73. ^ "Honda India Power Products Ltd". Retrieved 10 July 2022.
74. ^ "Honda Worldwide, Timeline – Power Products". *World.honda.com*. Retrieved 12 August 2010.
75. ^ "Annual Report 2007" (PDF). Retrieved 29 May 2020.
76. ^ "Annual Report 2010" (PDF). Retrieved 29 May 2020.
77. ^ "Honda Worldwide, Power Products, Overview". *World.honda.com*. Retrieved 12 August 2010.
78. ^ Day, Lewin (15 May 2023). "Honda Won't Sell Gasoline Mowers in the US Anymore". *The Drive*. US. Retrieved 9 May 2024.
79. ^ "Honda Racing Engines". *Racing.honda.com*. Archived from the original on 12 July 2011. Retrieved 27 September 2010.
80. ^ "Indy 500". *Indianapolis Motor Speedway*.
81. ^ "HONDA GY6 ENGINE 50cc to 150cc". *GOKARTS USA*. Retrieved 16 February 2015.
82. ^ "Green-car era poses test for Honda, The Car Tech blog". *CNET*. 17 October 2008. Archived from the original on 20 October 2008. Retrieved 22 November 2009.
83. ^ Abuelsamid, Sam (6 January 2009). "Honda S2000, CR-Z convertible follow Acura NSX and V8 to scrap heap". Archived from the original on 30 June 2013. Retrieved 25 October 2010.[dubious – discuss]
84. ^ "Frequently asked questions about ASIMO" (PDF). *Honda*. Retrieved 25 July 2014.
85. ^ "Japan Plans Mind Reading Devices". Archived from the original on 29 May 2010.
86. ^ "Honda Aircraft Company Receives FAA Production Certificate". *www.hondajet.com*. Archived from the original on 9 February 2018. Retrieved 8 February 2018.
87. ^ Berger, Eric (29 October 2021). "Honda has already developed a prototype engine for a rocket". *Ars Technica*. Retrieved 19 June 2025.
88. ^ Clark, Stephen (18 June 2025). "Honda's hopper suddenly makes the Japanese carmaker a serious player in rocketry". *Ars Technica*. Retrieved 19 June 2025.
89. ^ Liszewski, Andrew (18 June 2025). "Honda successfully launched and landed its own reusable rocket". *The Verge*. Retrieved 19 June 2025.
90. ^ "Honda hails successful test of reusable rocket as it looks to get into the space business". *CBS News*. Agence France-Presse. 18 June 2025. Retrieved 19 June 2025.
91. ^ Benson, Chris (18 June 2025). "Honda successfully launches its first reusable rocket". *UPI*. Retrieved 19 June 2025.

92. ^ "Honda Soltec Begins Sales of Thin-Film Solar Cells for Public and Industrial Use" (Press release). World.honda.com. 23 October 2008. Archived from the original on 25 October 2008. Retrieved 10 January 2012.
93. ^ "Honda to Discontinue Operations of Honda Soltec, a Photovoltaic Subsidiary" (Press release). World.honda.com. 30 October 2013. Archived from the original on 5 November 2013. Retrieved 30 October 2013.
94. ^ "Interview with Koji Watanabe, President of HRC". Honda.Racing. 10 August 2023. Retrieved 9 January 2024.
95. ^ "Honda Racing Corporation USA Launches". Honda Racing Newsroom. 19 December 2023. Retrieved 9 January 2024.
96. ^ "Formula for Success: The Honda RA168E". Motor Sport Magazine. 7 July 2014. Retrieved 23 December 2021.
97. ^ "Engine Honda • STATS F1". www.statsf1.com. Retrieved 23 December 2021.
98. ^ "Honda Wins F1 Championship in Its Final Season". nippon.com. 13 December 2021. Archived from the original on 13 December 2021. Retrieved 23 December 2021.
99. ^ "Honda and Red Bull extend power unit support deal until 2025 | Formula 1®". www.formula1.com. Retrieved 28 October 2022.
100. ^ "Honda to leave F1 at the end of 2021 | Formula 1®". www.formula1.com. Retrieved 23 December 2021.
101. ^ "Honda to make full-scale F1 return in 2026 as they join forces with Aston Martin | Formula 1®". www.formula1.com. Retrieved 24 May 2023.
102. ^ **a b** "Honda". IndyCar.com. Archived from the original on 23 December 2021. Retrieved 23 December 2021.
103. ^ "Honda clinches IndyCar manufacturers' title in Monterey". RACER. 20 September 2021. Retrieved 23 December 2021.
104. ^ "Kunimitsu Takahashi Honoured By Japanese Government For Lifelong Sporting Achievements | dailysportscar.com". www.dailysportscar.com. Archived from the original on 12 March 2022. Retrieved 23 December 2021.
105. ^ "Japan at the 24 Hours of Le Mans 1991-2021 [1/2]". 24h-lemans.com. Retrieved 23 December 2021.
106. ^ **a b c** "Honda's History In GT500, In Pictures | dailysportscar.com". www.dailysportscar.com. Archived from the original on 5 August 2021. Retrieved 23 December 2021.
107. ^ "INSIGHT: How WTR is unlocking the full potential of Acura's DPi". RACER. 14 September 2021. Retrieved 23 December 2021.
108. ^ "MSR Closes Out Four-Year Run With Acura NSX GT3 – Sportscar365". sportscar365.com. 21 November 2020. Retrieved 23 December 2021.
109. ^ "ARTA win Super GT titles with NSX GT3 Evo". JAS Motorsport. Retrieved 23 December 2021.
110. ^ "Honda | Honda Racing Gallery | Honda Racing Newsroom". Honda Racing Newsroom. Retrieved 23 December 2021.

111. ^ "Honda Civic Type R named TCR 'Model of the Year'". *TouringCarTimes*. 23 December 2020. Retrieved 23 December 2021.
112. ^ "Machine Profile – Honda". *IOMTT.com*. Duke Marketing Ltd. Retrieved 3 May 2016.
113. ^ "Competitor Profile: Ian Hutchinson". *IOMTT.com*. Duke Marketing Ltd. Retrieved 3 May 2016.
114. ^ "Isle of Man TT Records". *IOMTT.com*. Duke Marketing Ltd. Retrieved 3 May 2016.
115. ^ "Current Isle of Man TT Lap Records - iomtt.com: The World's #1 TT Website". *www.iomtt.com*. Retrieved 23 June 2025.
116. ^ Gable, Christine; Gable, Scott. "2008 Natural Gas Vehicles (NGVs) Available". *About.com: Hybrid Cars & Alt Fuels*. Archived from the original on 11 October 2008. Retrieved 18 October 2008.
117. ^ "2009 Honda Civic GX Natural Gas Vehicle". *Honda*. Archived from the original on 10 August 2011. Retrieved 18 October 2008.
118. ^ "Sixth Biannual Report On The Early Action Compact For Northeast Texas", p.5.
119. ^ "Natural Gas Myths - Yahoo! Autos". *autos.yahoo.com*. Archived from the original on 29 September 2011. Retrieved 23 June 2025.
120. ^ "Honda - Press Releases - Honda Announces Natural Gas-Powered Civic GX on Sale At Retail Dealers in New York State". *corporate.honda.com*. Archived from the original on 29 October 2006. Retrieved 23 June 2025.
121. ^ Boudette, Neal E. (15 June 2015). "Honda will drop CNG vehicles to focus on hybrids, EVs". *Automotive News*. Retrieved 28 May 2016.
122. ^ **a b** Ghigonetto, Ricardo (2 November 2006). "Honda apresenta tecnologia Flex" (in Portuguese). *Honda (Brazil)*. Archived from the original on 16 November 2008. Retrieved 16 April 2009.
123. ^ **a b c** Moura, Marcelo (January 2007). "Testes: Honda Civic EXS Flex x Honda Civic EXS" (in Portuguese). *Revista Quatro Rodas*. Archived from the original on 20 February 2009. Retrieved 16 April 2009.
124. ^ Felipe Figueiredo, Luís (9 February 2009). "Honda Fit LXL Flex, um japonês versátil" [*Honda Fit LXL Flex, a versatile Japanese.*] (in Portuguese). *WebMotors*. Archived from the original on 12 February 2007. Retrieved 16 April 2009.
125. ^ Polo (Jr), Alberto (12 December 2006). "Versão Flex do Honda Fit chega na sexta por R\$46.340" [*Flex version of the Honda Fit arrives on Friday for R\$46,340.*] (in Portuguese). *Interpress Motor*. Archived from the original on 14 December 2006. Retrieved 16 April 2009.
126. ^ "Honda starts building flex-fuel City sedan in Brazil". *AutoblogGreen*. 29 July 2009. Archived from the original on 3 August 2009. Retrieved 3 August 2009.^[dubious – discuss]
127. ^ "Tabela 08 – Vendas Atacado Mercado Interno por Tipo e Empresa – Combustível Flex Fuel – 2006" (PDF) (in Portuguese). ANFAVEA – Associação Nacional dos Fabricantes de Veículos Automotores (Brazil). Archived from the original (PDF) on 20 November 2008. Retrieved 16 April 2009. See Table 08 for flex-fuel sales and Table 07 for gasoline sales.
128. ^ "Tabela 08 – Vendas Atacado Mercado Interno por Tipo e Empresa – Combustível Flex Fuel – 2007" (PDF) (in Portuguese). ANFAVEA – Associação Nacional dos

- Fabricantes de Veículos Automotores (Brazil)*. Archived from the original (PDF) on 20 November 2008. Retrieved 16 April 2009. See Table 08.
129. ^ "Tabela 08 – Vendas Atacado Mercado Interno por Tipo e Empresa – Combustível Flex Fuel – 2008" (PDF) (in Portuguese). ANFAVEA – Associação Nacional dos Fabricantes de Veículos Automotores (Brazil). Archived from the original (PDF) on 6 July 2011. Retrieved 16 April 2009. See Table 08.
130. ^ "Autoveículos – Produção em 2009" (in Portuguese). ANFAVEA – Associação Nacional dos Fabricantes de Veículos Automotores (Brazil). Archived from the original on 13 August 2006. Retrieved 16 April 2009. Up to February 2009. See "Produção por Tipo, Empresa e Combustível " Tables 6 (gasoline) and 7 (flex-fuel). All gasoline vehicles were exported (see Table 01 *Exportação de Autoveículos por Empresa, Tipo e Modelo – 2009*).
131. ^ "Honda lança primeira moto bicomcombustível do mundo" [Honda launches the world's first dual-fuel motorcycle.] (in Portuguese). G1 Portal de Notícias da Globo. 11 March 2003. Archived from the original on 24 February 2012. Retrieved 11 March 2003.
132. ^ Agência EFE (11 March 2003). "Honda lançará moto flex ainda neste mês no Brasil" [Honda will launch a flex-fuel motorcycle later this month in Brazil.] (in Portuguese). Folha Online. Retrieved 11 March 2003.
133. ^ "Honda lança no Brasil primeira moto flex do mundo" [Honda launches the world's first flex-fuel motorcycle in Brazil.] (in Portuguese). UNICA. 11 March 2003. Archived from the original on 29 June 2012. Retrieved 11 March 2003.
134. ^ **a b c** Sperling, Daniel and Deborah Gordon (2009). *Two billion cars: driving toward sustainability*. Oxford University Press, New York. pp. 28, 64–65, and 168–168. ISBN 978-0-19-537664-7.
135. ^ **a b c** Garrett, Jerry (27 August 2006). "The Once and Future Mileage King". *The New York Times*.
136. ^ **a b c d** Honda Press Release (15 October 2012). "Cumulative worldwide sales of Honda hybrids passes 1 million units". Green Car Congress. Retrieved 16 October 2012.
137. ^ "Honda Insight: America's most affordable hybrid at \$19,800". Honda. Motor Authority. 10 March 2009. Archived from the original on 14 March 2009. Retrieved 21 March 2009.
138. ^ "Honda CR-Z Hybrid Now on Sale in Japan; Targeting 1,000 Units Per Month". Green Car Congress. 27 February 2010. Retrieved 13 March 2010.
139. ^ Takahashi, Yoshio (2 February 2011). "Honda Exports From Japan Unlikely To Decline Soon". Dow Jones newswire.[dead link]
140. ^ Loveday, Eric (8 October 2010). "Honda prices 2011 Fit Hybrid at \$19,310; cheapest gas-electric in Japan". Autoblog Green. Archived from the original on 6 October 2014. Retrieved 5 October 2014.
141. ^ Williams, Stephen (25 August 2010). "Honda Jazz Hybrid Will Get Paris Premiere". *New York Times*. Retrieved 26 August 2010.
142. ^ **a b** Schreffler, Roger (14 July 2014). "Toyota Strengthens Grip on Japan EV, Hybrid Market". Ward's AutoWorld. Archived from the original on 2 May 2014. Retrieved 30 April 2014. Honda sold 187,851 hybrids in 2013.

143. ^ **a b** Schreffler, Roger (20 August 2014). "Toyota Remains Unchallenged Global Hybrid Leader". *Ward's AutoWorld*. Archived from the original on 9 October 2014. Retrieved 4 October 2014. Honda sold 158,696 hybrids during the first six months of 2014.
144. ^ **a b** Voelcker, John (29 July 2014). "Honda Ends Three Green Models For 2015: Insight, Fit EV, FCX Clarity". *Green Car Reports*. Retrieved 23 June 2025.
145. ^ Fackler, Martin (17 June 2008). "Latest Honda Runs on Hydrogen, Not Petroleum". *The New York Times*. ISSN 0362-4331. Retrieved 23 June 2025.
146. ^ Thompson, Clive (16 April 2009). "Batteries Not Included". *The New York Times*. ISSN 0362-4331. Retrieved 23 June 2025.
147. ^ "Vario 125 2025". *xemaynamtien.net*. Retrieved 23 June 2025.
148. ^ Blanco, Sebastian (16 April 2009). "CARB grants \$6.8 million for four hydrogen refueling stations". *www.autobloggreen.com*. Archived from the original on 20 June 2009. Retrieved 23 June 2025.
149. ^ Billington, James (20 September 2016). "Honda says, 'Petrol engines will go extinct, hydrogen is motoring's Holy Grail'". *International Business Times UK*. Retrieved 23 June 2025.
150. ^ *redactoramexico* (28 February 2024). "Honda Reveals 2025 Honda CR-V e:FCEV – America's First Production Plug-in Hydrogen Fuel Cell Electric Vehicle". *Hydrogen Central*. Retrieved 23 June 2025.
151. ^ Bergenson, Angie (1 July 2024). "Honda CR-V Fuel Cell Lease Pricing Revealed, And It Includes An H2 Credit Perk - H2 News". *www.hydrogenfuelnews.com*. Retrieved 23 June 2025.
152. ^ Dixon, Lloyd; Porche, Isaac; Kulick, Jonathan (2002). *Driving Emissions to Zero: Are the Benefits of California's Zero Emission Vehicle Program Worth the Costs?* (PDF). Rand Corporation. ISBN 0-8330-3212-7. Retrieved 4 April 2010. See Appendix E: Table E.1, pp. 124
153. ^ Sherry Boschert (2006). *Plug-in Hybrids: The Cars that will Recharge America*. New Society Publishers, Gabriola Island, Canada. ISBN 978-0-86571-571-4.
154. ^ Honda Media Room (6 June 2012). "2013 Honda Fit EV receives EPA fuel economy rating of 118 MPGe; highest yet". *Green Car Congress*. Retrieved 6 June 2012.
155. ^ McDonald, Zach (20 July 2012). "Honda Registers First Fit EV Delivery". *Plugincars.com*. Retrieved 21 July 2012.
156. ^ **a b** Cobb, Jeff (8 January 2013). "December 2012 Dashboard". *HybridCars.com and Baum & Associates*. Retrieved 9 February 2013. See the section: December 2012 Plug-in Electric Car Sales Numbers
157. ^ **a b** Cole, Jay (6 January 2014). "December 2013 Plug-In Electric Vehicle Sales Report Card". *InsideEvs.com*. Retrieved 7 January 2014.
158. ^ **a b** Cole, Jay (1 October 2014). "September 2014 Plug-In Electric Vehicle Sales Report Card". *InsideEVs.com*. Retrieved 1 October 2014.
159. ^ Honda News (31 August 2012). "Honda begins lease sales of Fit EV in Japan". *Green Car Congress*. Retrieved 11 September 2012.
160. ^ Ingram, Antony (30 November 2012). "2014 Honda Accord Plug-In Hybrid Priced Sub-\$41K, 115 MPGe". *Green Car Reports*. Retrieved 30 November 2012.

161. ^ *Brissette, Pete (21 January 2013). "2014 Honda Accord Plug-in Hybrid Now Available in Calif. And New York". HybridCars.com. Retrieved 21 January 2013.*
162. ^ *"Honda introduces Accord hybrid and plug-in in Japan; hybrid in US in October". Green Car Congress. US. 21 June 2013. Retrieved 22 February 2014.*
163. ^ *"Honda, GM scrap \$5 bln plan to co-develop cheaper EVs". Reuters. 25 October 2023. Retrieved 31 October 2023.*
164. ^ *"Honda changes course and says it will build its own electric vehicles". CNBC. 28 June 2021. Retrieved 31 October 2023.*
165. ^ *Manfredi, Lucas (29 August 2022). "Honda, LG Energy teaming to build \$4.4B EV battery plant in US". FOXBusiness. Retrieved 29 August 2022.*
166. ^ *"Honda's New EV Strategy: Aiming for a \$10,000 Battery Pack". [Honda Global](#). Retrieved 23 June 2025.*
167. ^ *"Honda's New EV Strategy: Aiming for a \$10,000 Battery Pack". [Honda Global](#). Retrieved 23 June 2025.*
168. ^ *"Model lineup: Renault Lutecia presentation" (in Japanese). Renault Japon. Retrieved 12 November 2013.*
169. ^ *"Honda Timeline". World.honda.com. Archived from the original on 7 April 2005. Retrieved 10 January 2012.*
170. ^ *"FEATURE: The Making of Honda 'Cog'". Campaign. 30 May 2003. Retrieved 12 January 2024.*
171. ^ *Honda lawn tractor, Honda portable generator, Honda snow blower, Honda lawn mower, Honda outboard, Honda lawn tiller "How to fit six Hondas in a two-car garage". Newsweek. 17 June 1985.*
172. ^ *Solman, Gregory (27 September 2004). "Honda's Humorous Spots Add 'Personality' To SUVs". AdWeek.*
173. ^ *Sweney, Mark (2 June 2008). "Plane used in Honda skydiving ad crashes in Spain, Media". The Guardian. UK. Retrieved 27 September 2010.*
174. ^ *Qazi Faheem (10 September 2017). "Honda Company Analysis Report". SlideShare.*
175. ^ *Lois, Adrián (10 July 2014). "¿Qué patrocinan las marcas de coches en el mundo del fútbol?" [What do car brands sponsor in the world of football?]. autopista.es (in Spanish). Retrieved 31 December 2017.*
176. ^ *"2012 Digital FactBook" (PDF). Honda. September 2012. Archived from the original (PDF) on 8 March 2013. Retrieved 25 July 2014.*
177. ^ *a b "Honda Media Newsroom – Headlines – American Honda Reports 2008 Annual and December Monthly Sales". 16 December 2010. Archived from the original on 16 December 2010.*

178. ^ **a b** "Honda Media Newsroom – Headlines – American Honda December Sales Up 25.5 Percent". *Hondanews.com*. Archived from the original on 7 January 2011. Retrieved 21 August 2011.
179. ^ **a b c d** "2012 Honda SALES & PRODUCTION RESULTS". Archived from the original on 6 March 2013.
180. ^ "Honda Sets All-Time December Sales Record to Earn 2nd Best Annual Sales Total for American Honda; Acura Light Trucks Post Best Year in Brand History" (Press release). *Hondanews.com*. 3 January 2014. Archived from the original on 4 January 2014. Retrieved 25 July 2014.
181. ^ "American Honda Sets New All-Time Annual Sales Record". *Honda Newsroom*. 5 January 2016.
182. ^ "American Honda Sets All-Time Sales Records Powered by Demand for Cars and Trucks". *Honda Newsroom*. 4 January 2017.
183. ^ "American Honda Sets 3rd Straight Annual Sales Record with Best-Ever December for Trucks". Archived from the original on 21 December 2018. Retrieved 21 December 2018.
184. ^ **a b** "Record Light Truck Sales Lift AHM and Honda Brand to Sales Increases in 2019". *HondaNews* (Press release). Retrieved 18 February 2020.
185. ^ **a b** "2010 Honda SALES & PRODUCTION RESULTS". Archived from the original on 31 January 2011.
186. ^ "2013 Honda SALES & PRODUCTION RESULTS".
187. ^ "Honda Sets All-Time Calendar Year Production Records for Automobile Production, Worldwide, Overseas, in Asia and China for the Year 2014".
188. ^ "Honda Sets All-Time Calendar Year Production Records for Automobile Production, Worldwide, Overseas, in Asia and China for the Year 2015".
189. ^ "Honda Sets All-Time Calendar Year Production Records for Automobile Production, Worldwide, Overseas, in Asia and China for the Year 2016".
190. ^ "Honda Sets All-Time Calendar Year Production Records for Automobile Production, Worldwide, Overseas, in Asia and China for the Year 2017".
191. ^ "Honda Sets All-Time Calendar Year Production Records for Automobile Production, Worldwide, Overseas, in Asia and China for the year 2018".

Sources

[edit]

- ◉ "Move Over, Volvo: Honda Sets New Safety Standard for Itself", an article in the "News" section of the March 2004 issue of *Motor Trend*, on page 32
- ◉ "Annual Reports". *Investor Relations*. *Honda Motor Co*.
- ◉ The story of Honda's entry and growth in the American market is documented in Terry Sanders' film *The Japan Project: Made in Japan*. Honda
- ◉ Honda's Midlife Crisis: Honda's slipping market position and views of Fukui Takeo (Chief Executive magazine, December 2005 issue)
- ◉ Honda's Corporate History

External links

[edit]

 not found or type unknown

Wikimedia Commons has media related to ***Honda***.

 not found or type unknown

Wikiquote has quotations related to ***Honda***.

-
- Business data for Honda:
 - Google
 - Reuters
 - SEC filings
 - Yahoo!
- Official website
- Honda Press Library Archived 16 January 2021 at the Wayback Machine (Japanese, but with graphical timelines of car and bike models)
- *"Company history books (Shashi)". Shashi Interest Group. April 2016.* Wiki collection of bibliographic works on Honda

- v
- t
- e

Honda Motor Company

Divisions and subsidiaries

- Acura
- American Honda
 - Honda Aero
 - Honda Marine
- Honda Australia
- Honda Canada
 - Canada Manufacturing
- Honda Aircraft
- Honda Mobilityland
 - Suzuka Circuit
 - Mobility Resort Motegi
- Honda Performance Development
- Honda India
 - Motorcycles
- Honda Mexico
- Honda Racing
- Honda Racing F1
- Honda Taiwan
- Honda UK

Joint ventures and shareholdings

- Astra Honda Motor (50%)
- Dongfeng Honda (50%)
 - Lingxi
- GE Honda Aero Engines (50%)
- GAC Honda (50%)
 - Everus
- Hitachi Astemo (33.4%)
 - Keihin
 - Nissin
 - Showa
- Honda China (65%)
- Honda Prospect Motor (51%)
- Sony Honda Mobility (50%)

Cars

- Accord/Inspire
- Amaze
- Brio
- City/Ballade
- Civic
 - Civic Type R
 - Integra
- Crider/Envix
- Fit/Jazz/Life
- GT
- Prelude

Pickup trucks

- Ridgeline

Crossovers/SUVs

- Avancier/UR-V
- BR-V
- CR-V/Breeze
- e:NP2/e:NS2
- Elevate/WR-V
- HR-V/Vezel/XR-V
 - e:NS1/e:NP1/e:Ny1
- P7/S7
- Passport
- Pilot
- Prologue
- WR-V
- ZR-V/HR-V

Vans

- Freed
- Odyssey/Elysion
- Odyssey (North America)
- Stepwgn

Kei cars

- N-Box
- N-One
- N-Van
- N-WGN

- 1300
- Airwave
- Ascot
- Ballade
- Beat

Concept

- 0 Saloon
- 0 SUV
- Project 2&4
- Argento Vivo
- CR-Z Concept
- CR-Z Concept 2009
- Dualnote
- EV-N
- FC Sport
- FCEV Concept
- 1999 FCX Concepts
- 2006 FCX concept
- HP-X
- HSC
- J-VX
- N7X
- New Small Concept
- OSM
- Quilt
- Remix
- Small RS
- Spocket
- Sports EV
- SUT Concept
- SUV e: Prototype
- SUV RS
- U-3X
- Urban EV
- WIC
- WOW
- Zero

Motorcycles

- CB series
- CBF series
- CBR series
- CG125
- CJ series
- CL series
- CM/CMX series
- CR series
- CRF series
- CTX series
- CX series
- DN-01
- Fury
- GL series
- NC700 series
- NR series
- NSR series
- RC series
- ST series
- VF/VFR series
- VT series
- VTX series
- XR/XL series
- XRE300
- Transalp
- Africa Twin
- Deauville
- Bros/HawkGT
- NX250
- Pacific Coast
- TL Series (Reflex)
- Valkyrie
- X4

Bikes

- Activa
- Aero
- Big Ruckus
- Dio
- Elite
- EM1
- Express
- Helix
- Juno
- CHF50
- Motocompo

Scooters

Engines

- A-series
- B-series
- B20A
- C-series
- CVCC
- D-series
- E-series
- E07A
- F-series
- F20C
- G-series
- H-series
- J-series
- JNC1
- K-series
- L-series
- Circle L Diesel
- N-series Diesel
- P-engine
- R-series
- VTEC
- I-DSi
- HI3R
- HI4R
- HI5R
- HI6R
- HI7R
- HI8R
- HI9R
- HI10R
- HI11R
- HI12RT
- HI13RT
- HI14TT
- HI15TT
- HI16TT
- HI17TT
- HI18TT
- HR09E
- HR10EG
- HR-414E
- HR-417E
- HR-420E
- HR28TT
- HR35TT
- AR24e

Robots

- Honda E series
- Honda P series
- ASIMO

People

- Soichiro Honda
- Takeo Fujisawa
- Tadashi Kume
- Shoichiro Irimajiri
- Nobuhiko Kawamoto
- Takeo Fukui
- Tadao Baba
- Takahiro Hachigo
- Kenichi Nagahiro

Other

- List of Honda vehicles
 - automobiles
 - motorcycles
- Honda Type R
- Honda Collection Hall
- Honda FC
- Mugen Motorsports
- Internavi
- Super Aguri F1 Team
- Takuma Sato
- Gil de Ferran
- Jenson Button
- *Geier v. American Honda Motor Co.*
- *Honda Motor Co. v. Oberg*
- Honda Malaysia Racing Team

-  **Template** image not found or type unknown
-  **Category** image not found or type unknown
-  **Commons** image not found or type unknown

Links to related articles

- o v
- o t
- o e

Honda road car timeline, North American market, 1980s–present

Type	1980s									1990s									2000s									2010s									2020s																				
	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2														
Subcompact																			Insight																																						
	Civic			Civic			Civic			Civic			Civic												Fit			Fit			Fit																										
Compact																												Insight									Insight																				
	Acc			Accord			Accord			Accord												Civic			Civic			Civic			Civic			C																							
Mid-size										Accord									Accord									Accord									Accord									Accord											
																												FCX Clarity									Clarity																				
Coupe	Prelu			Prelude			Prelude			Prelude																																															
Sport compact				CR-X			CR-X			del Sol																					CR-Z			Civic Type R																							
Sports car																			S2000																																						
Crossover	Subcompact																																					HR-V																			
	Compact																			Element																																					
																				CR-V			CR-V			CR-V			CR-V			CR-V																									
	Mid-size																												Crosstour									Passp																			
																												Pilot									Pilot			Pilot																	
																			Passpc									Passport																													
Minivan																			Odysse									Odyssey									Odyssey									Odyssey									Odyssey		
Pickup truck																												Ridgeline																		Ridgeline											
Notes	 Vehicle exclusive to Southern California (available for leasing purposes o																																																								

- v
- t
- e

Honda motorcycle timeline, 1970s (street) - next »

- Honda
- List of Honda motorcycles

Type	1970s									
	0	1	2	3	4	5	6	7	8	9
Scrambler	CL175			CL200						
	CL350			CL360						
	CL450									
Standard	CB100									
	CB125S									
	CB175		CB200					CM185 Twinstar		
					CB250					
	CB350			CB360		CB400T				
									CM400	
				CB350F		CB400F				
	CB450			CB500T						
			CB500 Four		CB550			CB650		
								CX500		
	CB750									
	Sport									CB900F
						CBX				
Touring						GL1000 Gold Wing				
MotoGP										

- v
- t
- e

« previous - Honda motorcycle timeline, 1980s (street) - next »

- Honda
- List of Honda motorcycles
- Honda Racing Corporation

Type	1980s										
	0	1	2	3	4	5	6	7	8	9	
Standard	CG125										
			CD125 Benly								
			CB125 Super Dream								
	CB250N		CB250 Nighthawk								
	CB250RS										
			VT250-FII				VTR250 Interceptor		VT250 Spada		
	CBX400F								CB-1		
	CB400N Super Dream										
	CB400T		CB450SC/Nighthawk								
			VF400F								
	CX500/GL500			CX650/GL650							
			Honda_Ascot_(motorcycle)								
						XBR500			GB500		
									Honda NT650		
			CB550SC/Nighthawk								
	CB650 / CB650C										
			CB650SC/Nighthawk								
						CB700SC/Nighthawk					
	CB750SC/Nighthawk										
	CB750 C,F,K,SC										
	CB900F										
				CB1100F		Sabre					
	Sport									NSR125	

			CBR250
		CBR400	
			VFR400
			CBR600F
			VFR750R
			CBR750
	MVX250F		
Sport touring		VF500F	
		CBX550F	
		VF750F	VFR750F
			VF1000F
		CBX750	
	CBX		
			CBR1000F
	Honda CB1100R		
Touring			PC800
	GL1100 Gold Wing	GL1200 Gold Wing	GL1500 Gold Wing
Cruiser	CM200 Twinstar		
			CMX250/Rebel
	CM400	CM450	CMX450/Rebel
		Shadow	
		Magna	
	CB900C	CB1000C	
Dual-Sport			NX250
			NX650
			XL600V/XL650V/XL700V Transalp
			XR650/XR750 Twin

- v
- t
- e

« previous - Honda motorcycle timeline, 1990s (street) - next »

- Honda
- List of Honda motorcycles
- Honda Racing Corporation
- Repsol Honda

Type	1990s								
	0	1	2	3	4	5	6	7	8 9
Standard	CG125								
	VTR250 (US)						VTR250 (Asia-Pacific)		
	GB500				CB500 twin				
				Nighthawk 250					
			Nighthawk 750						
	CB250F Jade						CB250F Hornet		
	CB-1/CB400F		CB400SF						
	NT650 Hawk								CB600F Hornet, 599
				CB1000SF					CB1300SF
Sport	NSR125								
	CBR250								
	CBR400RR								
					RVF400				
	CBR600F	CBR600F2				CBR600F3		CBR600F4	
					RVF750				
				CBR900RR Fireblade					
							VTR1000F Superhawk		
	CBR1000F Hurricane						CBR1100XX Super Blackbird		
Touring	CBX750								

VFR750F		VFR800 Interceptor	
PC800 Pacific Coast			
		NT650V Deauville	
ST1100/Pan-European			
GL1500 Gold Wing			
Cruiser	VT1100C	VT1100C Shadow	
		VT600C Shadow	
			VT750C Shadow
			CMX250C Rebel
			CMX250C
			VF750C Magna
			GL1500C Valkyrie
Dual- sport			X4
	NX125 Transcity (<i>US sales ended 1990</i>)		
	NX250		
	NX650 Dominator		
	XL600V/XL650V/XL700V Transalp		
	XRV650/XRV750/Africa Twin		
		XL1000V Varadero	

- o v
- o t
- o e

« previous - Honda motorcycle timeline, 2010s–present

- o Honda
- o List of Honda motorcycles
- o Honda Racing Corporation
- o Repsol Honda

Type	2010s										2020s		
	0	1	2	3	4	5	6	7	8	9	0	1	
Standard/ Naked bike	CG125												
	CBF125					CB125F							
							Grom (MSX125)						
											Monkey		
									CB125R				
					Verza 150				CB150 Verza				
	MegaPro 150												
					CB150R Streetfire								
									CB150R (Thailand)				
	Tiger GL200												
						CB250F				CB250R			
	VTR250FI												
						CB300F				CB300R			
					CB400F								
	CB400SF												
						CB500F							
	CB600F Hornet, 599				CB650F				CB650R				
	CBF600												
				NC700S									
	CB1000R												CB1000R
	CBF1000F												
	CB1100												
	CB1300SF												
	Cruiser/ Chopper	CMX250C Rebel							CMX250 Rebel				

			CMX300 Rebel	
			CMX500 Rebel	
			CMX1100 Rebel	
		NM4 Vultus		
NSA700A DN-01				
			VT750C/VT750DC/VT750RS Shadow	
			VT1300CX Fury	
			VT1300CS Sabre	
			VT1300CR Stateline	
			VT1300CT Interstate	
		F6C Valkyrie		
Sport		CBR125R		
		CBR150R		
		CBR250R		
			CBR250RR	
			CBR300R	
			CBR400R	
			CBR500R	
		CBR600F	CBR650F	CBR650R
			CBR600RR	
			CBR1000RR Fireblade	
			RC213V-S	
Touring/ Sport touring		NT700V Deauville		
		VFR800 Interceptor		
			NT1100	
		VFR1200F		
		ST1300 Pan-European	CTX1300	
		GL1800 Gold Wing	GL1800 Gold Wing	
Dual- sport/		XL125V Varadero		
			CRF150L	
		CRF230X/CRFCRF250X/CRF250L		
		CRF450X		
			CRF450L	
			CB500X	
		XR650L		
			NC700X	

- v
- t
- e

Japan Automotive industry in Japan

- Automotive industry
- Economy of Japan
- Transport in Japan

**Vehicle
producers**

**Native
manufacturers**

- Aspark
- ASL
- Duesen Bayern
- GLM
- Honda
 - Acura
 - *Marusho*
- Isuzu
 - UD Trucks
- Jiotto
- Kawasaki
 - Kawasaki Motors
- Mazda
 - *Amati*
 - *Autozam*
 - *Å;Å°Å¼fini*
 - *Eunos*
 - *M2*
 - *Xedos*
- Mitsubishi
 - Mitsubishi Heavy Industries
 - Mitsubishi Motors (66%)
 - Mitsubishi Fuso (10.71%)
- Mitsuoka
- Nissan
 - *Cony*
 - *Datsun*
 - Infiniti
 - *Kurogane*
 - *Ohta*
 - *Otomo*
 - *Prince*
 - Shatai
 - *Tama*
- Sony Honda Mobility
- Subaru Corporation
 - *Blitzen*
 - Subaru
- Suzuki
 - *Hope*
- Takeoka
- Toyota
 - Daihatsu
 - *Scion*
 - Lexus

Related topics

- Japan Automobile Manufacturers Association
- Tokyo Motor Show
- Tokyo Auto Salon
- Used vehicle exporting
- National Highway
- Expressways
- Kei car/Kei truck

- *Note*: Defunct companies and marques above are shown in *italics*
-

-  **Category**
-  **Commons**

- **v**
- **t**
- **e**

Major and notable Japanese motorcycle marques

Current

- Honda
- Kawasaki
- Suzuki
- Yamaha

- Abe (1928~31)
- Abe Star (1930~59)
- ACE
- Aero
- Aikoku
- Aichi Kikai
- Aioi (c.1950s)
- Aisan (c. 1950)
- Aiwa Motor
- Akebono (1953)
- Akitsu (c.1950s)
- All Nations (c.1950s)
- Amano (c.1950s)
- Asahi
- BF Motor
- BIM
- Blue Bird
- BM
- Bridgestone
- Brother
- Cabton
- Center
- Chiyoda
- Daihatsu
- Fuji
- Fujitsubo
- Giant
- Hirano
- Hodaka
- Hosk
- Hyogo
- Iwasaki
- Kurogane
- Kyoho
- Lilac
- Marusho
- Mazda
- Meguro
- Mitsubishi
- Miyata
- Mizushima
- NS
- New Era
- Nisshin
- Rikuo
- Shin Meiwa
- Showa Fujiiva

Defunct

- v
- t
- e

TOPIX 100 companies of Japan

Core 30

- Astellas
- Daiichi Sankyo
- Daikin
- FANUC
- Hitachi
- Honda
- Hoya
- Itochu
- KDDI
- Keyence
- Mitsubishi Corporation
- Mitsui & Co
- Mizuho
- MUFG
- Murata
- Nidec
- Nintendo
- NTT
- Recruit
- Seven & i Holdings
- Shin-Etsu
- SMC
- SoftBank
- SoftBank Group
- Sony Group
- Sumitomo Mitsui Financial
- Takeda
- Tokio Marine
- Tokyo Electron
- Toyota

- AEON
- Ajinomoto
- ANA
- Asahi Group Holdings
- Asahi Kasei
- Bandai Namco Holdings
- Bridgestone
- Canon
- Chugai Pharmaceutical
- Dai-ichi Life
- Daiwa House
- Denso
- Eisai
- ENEOS
- Fast Retailing
- Fujifilm
- Fujitsu
- Japan Exchange Group
- Japan Post Holdings
- JR Central
- JR East
- JR West
- JT
- Kao
- Kirin
- Komatsu
- Kubota
- Kyocera
- Lasertec
- M3.com
- Marubeni
- Mitsubishi Chemical
- Mitsubishi Electric
- Mitsubishi Estate
- Mitsubishi Heavy Industries
- Mitsui Fudosan
- MS&AD
- Nippon Steel
- Nippon Yusen
- Nissan
- Nitori
- Nomura
- Olympus
- Omron
- Ono Pharmaceutical
- Oriental Land
- Orix

Large 70

- v
- t
- e

 Nikkei 225 companies of Japan

- 7&i
- Advantest
- AËON
- AGC
- Ajinomoto
- Alps
- ANA
- Amada
- Aozora Bank
- Asahi Breweries
- Asahi Kasei
- Astellas
- Bandai Namco Holdings
- Bridgestone
- Canon
- Casio
- Chiba Bank
- Chuden
- Chugai
- Citizen Holdings
- Comsys
- CyberAgent
- Concordia Financial
- Credit Saison
- Dai-ichi Life
- Daiichi Sankyo
- Daikin
- Daiwa House
- Daiwa Securities
- Denka
- DeNA
- Denso
- Dentsu
- Disco
- DNP
- Dowa
- Ebara
- Eisai
- ENEOS
- Fanuc
- Fast Retailing
- Fuji Electric
- Fujifilm
- Fujikura
- Fujitsu
- Fukuoka Financial
- Furukawa Electric

- v
- t
- e

DJSI World companies

- Abbott Laboratories
- AbbVie
- Adobe
- Agilent Technologies
- Alphabet
- American Airlines Group
- Autodesk
- Banco Bradesco
- Banco do Brasil
- Bancolombia
- Biogen
- Canadian National
- CPKC
- Cisco
- Companhia Energética de Minas Gerais - CEMIG
- Cummins
- CVS Health Corporation
- DaVita
- Dow
- eBay
- Ecolab
- Edwards Lifesciences Corporation
- Elevance Health
- Palabella
- Fortinet
- General Mills
- Gilead Sciences
- Grupo Argos
- Grupo Sura
- Grupo Nutresa
- Healthpeak Properties
- Hess Corporation
- Hilton Worldwide
- Host Hotels & Resorts
- HP
- Illumina, Inc.
- Ingersoll Rand
- Itaú Unibanco
- Itaúsa
- Jacobs Solutions
- Kinross Gold Corporation
- Klabin
- Las Vegas Sands
- Lockheed Martin
- Lojas Renner
- Medtronic
- Microsoft

Americas

- Aberdeen Group
- Acciona
- AENA
- Allianz
- Alstom
- Amadeus IT Group
- Anglo American plc
- Arkema
- ASML Holding
- ASR Nederland
- Assicurazioni Generali S.p.A.
- Aviva
- Axa
- Banco Bilbao Vizcaya Argentaria
- Banco Santander
- Bankinter
- Billerud
- bioMérieux
- BNP Paribas SA
- Bureau Veritas
- CaixaBank
- Carrefour SA
- Castellum
- CNH Industrial
- Coca-Cola HBC
- Covivio
- Dassault Systèmes
- Deutsche Börse
- Deutsche Post
- Deutsche Telekom
- Diageo
- EDP Group
- Enagás
- Endesa
- Enel SpA
- Engie
- EQT
- Exxaro
- Ferrovial
- Galp Energia
- GEA Group
- Gold Fields
- Grifols
- GSK
- H&M
- Hera Group
- Hochtief

- Advanced Info Service
- Advantech Co
- Airports of Thailand Public Company Limited
- Ajinomoto Co., Inc.
- ANA Holdings
- ANZ Bank
- ASE Group
- Bangkok Dusit Medical Services
- Brambles Limited
- Bridgestone
- CapitaLand
- Cathay United Bank
- Central Pattana
- Central Retail Corporation
- Chailease Holding Company
- Chang Hwa Bank
- KGI Financial Holding
- Chugai Pharmaceutical Co.
- Chunghwa Telecom Co., Ltd.
- CP All
- CTBC Financial Holding
- Delta Electronics (Thailand) Public Company Limited
- Delta Electronics, Inc.
- Dentsu
- Dexus
- Doosan Enerbility
- Dr. Reddy's Laboratories Limited
- E Ink
- E.SUN Commercial Bank
- Far EasTone
- First Financial
- Fortescue (company)
- Fubon Financial Holding Co., Ltd.
- Fujitsu
- GPT Group
- Hana Financial Group Inc.
- Hindalco Industries
- Honda
- Hyundai Engineering & Construction
- Hyundai Glovis
- Hyundai Mobis
- Hyundai Motor Company
- Hyundai Steel
- Indorama Ventures Public Company Limited
- InnoLux Corporation
- ITOCHU Corporation
- JD.com

- v
- t
- e

500cc/MotoGP World Constructors' Champions

1949	AJS	1960	MV Agusta	1970	
1950	Norton	1961	MV Agusta	1971	
1951	Norton	1962	MV Agusta	1972	
1952	Gilera	1963	MV Agusta	1973	
1953	Gilera	1964	MV Agusta	1974	
1954	Gilera*	1965	MV Agusta	1975	
1955	Gilera	1966	Honda	1976	
1956	MV Agusta	1967	MV Agusta	1977	
1957	Gilera	1968	MV Agusta	1978	
1958	MV Agusta	1969	MV Agusta	1979	
1959	MV Agusta				

* Championship not officially recognized

- v
- t
- e

250cc/Moto2 World Constructors' Champions

1949	Moto Guzzi	1960	MV Agusta	1970	
1950	Benelli	1961	Honda	1971	
1951	Moto Guzzi	1962	Honda	1972	
1952	Moto Guzzi	1963	Honda	1973	
1953	NSU	1964	Yamaha	1974	
1954	NSU*	1965	Yamaha	1975	
1955	MV Agusta	1966	Honda	1976	
1956	MV Agusta	1967	Honda	1977	
1957	Mondial	1968	Yamaha	1978	
1958	MV Agusta	1969	Benelli	1979	
1959	MV Agusta				

* Championship not officially recognized

- v
- t
- e

125cc/Moto3 World Constructors' Champions

1949 Mondial	1960 MV Agusta	197
1950 Mondial	1961 Honda	197
1951 Mondial	1962 Honda	197
1952 MV Agusta	1963 Suzuki	197
1953 MV Agusta	1964 Honda	197
1954 NSU*	1965 Suzuki	197
1955 MV Agusta	1966 Honda	197
1956 MV Agusta	1967 Yamaha	197
1957 Mondial	1968 Yamaha	197
1958 MV Agusta	1969 Kawasaki	197
1959 MV Agusta		

* Championship not officially recognized


Authority control databases Image not found or type unknown **Edit this at Wikidata**

- | | |
|----------------------|---------------------|
| International | ○ ISNI |
| National | ○ Germany |
| | ○ United States |
| | ○ Japan |
| | ○ Czech Republic |
| | ○ Israel |
| Other | ○ MusicBrainz label |
| | ○ Yale LUX |


About tire

For other uses, see Tire (disambiguation).

"Rubber tires" redirects here. For the film, see Rubber Tires.



Assorted new automotive road tires, showing a variety of tread patterns.



Tractor tires have substantial ribs and voids for traction in soft terrain.

A **tire** (North American English) or **tyre** (Commonwealth English) is a ring-shaped component that surrounds a wheel's rim to transfer a vehicle's load from the axle through the wheel to the ground and to provide traction on the surface over which the wheel travels. Most tires, such as those for automobiles and bicycles, are pneumatically inflated structures, providing a flexible cushion that absorbs shock as the tire rolls over rough features on the surface. Tires provide a footprint, called a contact patch, designed to match the vehicle's weight and the bearing on the surface that it rolls over by exerting a pressure that will avoid deforming the surface.

The materials of modern **pneumatic tires** are synthetic rubber,^[1] natural rubber, fabric, and wire, along with carbon black and other chemical compounds. They consist of a tread and a body. The tread provides traction while the body provides containment for a quantity of compressed air. Before rubber was developed, tires were metal bands fitted around wooden wheels to hold the wheel together under load and to prevent wear and tear. Early rubber tires were solid (not pneumatic). Pneumatic tires are used on many vehicles, including cars,

bicycles, motorcycles, buses, trucks, heavy equipment, and aircraft. Metal tires are used on locomotives and railcars, and solid rubber (or other polymers) tires are also used in various non-automotive applications, such as casters, carts, lawnmowers, and wheelbarrows.

Unmaintained tires can lead to severe hazards for vehicles and people, ranging from flat tires making the vehicle inoperable to blowouts, where tires explode during operation and possibly damage vehicles and injure people. The manufacture of tires is often highly regulated for this reason. Because of the widespread use of tires for motor vehicles, tire waste is a substantial portion of global waste. There is a need for tire recycling through mechanical recycling and reuse, such as for crumb rubber and other tire-derived aggregate, and pyrolysis for chemical reuse, such as for tire-derived fuel. If not recycled properly or burned, waste tires release toxic chemicals into the environment. Moreover, the regular use of tires produces micro-plastic particles that contain these chemicals that both enter the environment and affect human health.^[2]

Etymology and spelling


[edit]

The word *tire* is a short form of *attire*, from the idea that a wheel with a tire is a dressed wheel.^[3]^[4]


Tyre is the oldest spelling,^[5] and both *tyre* and *tire* were used during the 15th and 16th centuries. During the 17th and 18th centuries, *tire* became more common in print. The spelling *tyre* did not reappear until the 1840s when the English began shrink-fitting railway car wheels with malleable iron. Nevertheless, many publishers continued using *tire*. *The Times* newspaper in London was still using *tire* as late as 1905.^[6] The spelling *tyre* began to be commonly used in the 19th century for pneumatic tires in the UK. The 1911 edition of the *Encyclopædia Britannica* states that "*The spelling 'tyre' is not now accepted by the best English authorities, and is unrecognized in the US*",^[7] while Fowler's *Modern English Usage* of 1926 describes that "there is nothing to be said for 'tyre', which is etymologically wrong, as well as needlessly divergent from our own [sc. British] older & the present American usage".^[8]] However, over the 20th century, *tyre* became established as the standard British spelling.^[4]

History

[edit]



John Boyd Dunlop on a bicycle, c. 1915



Factory workers making tires, 1918

The earliest tires were bands of leather in Sumer,^[9] then iron (later steel) placed on wooden wheels used on carts and wagons. A skilled worker, known as a wheelwright, would cause the tire to expand by heating it in a forge fire, placing it over the wheel, and quenching it, causing the metal to contract back to its original size to fit tightly on the wheel.

The first patent for what appears to be a standard pneumatic tire appeared in 1847 and was lodged by Scottish inventor Robert William Thomson.^[10] However, this idea never went into production. The first practical pneumatic tire was made in 1888 on May Street, Belfast, by Scots-born John Boyd Dunlop, owner of one of Ireland's most prosperous veterinary practices. It was an effort to prevent the headaches of his 10-year-old son Johnnie while riding his tricycle on rough pavements. His doctor, John, later Sir John Fagan, had prescribed cycling as an exercise for the boy and was a regular visitor. Fagan participated in designing the first pneumatic tires. Cyclist Willie Hume demonstrated the supremacy of Dunlop's tires in 1889, winning the tire's first-ever races in Ireland and then England.^{[11][12]} In Dunlop's tire patent specification dated 31 October 1888, his interest is only in its use in cycles and light vehicles. In September 1890, he was made aware of an earlier development, but the

company kept the information to itself.^[13] In 1892, Dunlop's patent was declared invalid because of the prior art by forgotten fellow Scot Robert William Thomson of London (patents London 1845, France 1846, USA 1847). However, Dunlop is credited with "realizing rubber could withstand the wear and tear of being a tire while retaining its resilience".^[14] John Boyd Dunlop and Harvey du Cros worked through the ensuing considerable difficulties. They employed inventor Charles Kingston Welch and acquired other rights and patents, which allowed them some limited protection of their Pneumatic Tyre business's position. Pneumatic Tyre would become Dunlop Rubber and Dunlop Tyres. The development of this technology hinged on myriad engineering advances, including the vulcanization of natural rubber using sulfur, as well as the development of the "clincher" rim for holding the tire in place laterally on the wheel rim.

Synthetic rubbers were invented in the laboratories of Bayer in the 1920s.^[15] Rubber shortages in the United Kingdom during WWII prompted research on alternatives to rubber tires with suggestions including leather, compressed asbestos, rayon, felt, bristles, and paper.^[16]

In 1946, Michelin developed the radial tire method of construction. Michelin had bought the bankrupt Citroën automobile company in 1934 to utilize this new technology. Because of its superiority in handling and fuel economy,^[17] use of this technology quickly spread throughout Europe and Asia.^[18] In the US, the outdated bias-ply tire construction persisted until the Ford Motor Company adopted radial tires in the early 1970s,^[19] following a 1968 article in an influential American magazine, *Consumer Reports*, highlighting the superiority of radial construction.^{[20][21]} The US tire industry lost its market share to Japanese and European manufacturers,^[22] which bought out US companies.^[23]

Applications

[edit]


Tires may be classified according to the type of vehicle they serve. They may be distinguished by the load they carry and by their application, e.g. to a motor vehicle, aircraft, or bicycle.

Automotive


[edit]

Light–medium duty


[edit]



Studded winter tire



A winter tire without studs, showing tread pattern designed to compact snow in the gaps.^[24]



High-performance rally tires

Light-duty tires for passenger vehicles carry loads in the range of 250 to 500 kilograms (550 to 1,100 lb) on the drive wheel. Light-to-medium duty trucks and vans carry loads in the range of 500 to 1,500 kilograms (1,100 to 3,300 lb) on the drive wheel.^[25] They are differentiated by speed rating for different vehicles, including (starting from the lowest speed to the highest): winter tires, light truck tires, entry-level car tires, sedans and vans, sport sedans, and high-performance cars.^[26] Apart from road tires, there are special categories:


- Snow tires are designed for use on snow and ice. They have a tread design with larger gaps than those on summer tires, increasing traction on snow and ice. Such tires that have passed a specific winter traction performance test are entitled to display a "Three-Peak Mountain Snow Flake" symbol on their sidewalls. Tires designed for winter conditions are optimized to drive at temperatures below 7 °C (45 °F). Some snow tires have metal or ceramic studs that protrude from the tire to increase traction on hard-packed snow or ice. Studs abrade dry pavement, causing dust and creating wear in the wheel path.^[27] Regulations that require the use of snow tires or permit the use of studs vary by country in Asia and Europe, and by state or province in North America.
- All-season tires are typically rated for mud and snow (M+S). These tires have tread gaps that are smaller than snow tires and larger than conventional tires. They are quieter than snow tires on clear roads, but less capable on snow or ice.^[28]
- All-terrain tires are designed to have adequate traction off-road, yet have benign handling and noise characteristics for highway driving.^[29] Such tires are rated better on snow and rain than street tires and "good" on ice, rock, and sand.^[30]
- Mud-terrain tires have a deeper, more open tread for good grip in mud, than all-terrain tires, but perform less well on pavement.^[31]
- High-performance tires are rated for speeds up to 270 kilometres per hour (168 mph) and ultra-high-performance tires are rated for speeds up to 299 kilometres per hour (186 mph), but have harsher ride characteristics and durability.^[32]
- Electric vehicles have unique demands on tires due to the combination of weight (resulting in new load index), higher torque, and requirements for lower rolling resistance.^[33]

Other types of light-duty automotive tires include run-flat tires and race car tires:

- Run-flat tires eliminates the need for a spare tire because they can be traveled on at a reduced speed in the event of a puncture, using a stiff sidewall to prevent damage to the tire rim.^[34] Vehicles without run-flat tires rely on a spare tire, which may be a compact tire, to replace a damaged tire.^[34]
- Race car tires come in three main categories, *DOT* (street-legal), *slick*, and *rain*. Race car tires are designed to maximize cornering and acceleration friction at the expense of longevity. Racing slicks have no tread to maximize contact with the pavement and rain tires have channels to eject water to avoid hydroplaning.^[35]

Heavy duty

[edit]



Off-road tires under transport


Heavy-duty tires for large trucks and buses come in a variety of profiles and carry loads in the range of 1,800 to 2,500 kilograms (4,000 to 5,500 lb) on the drive wheel.^[25] These are typically mounted in tandem on the drive axle.^[34]

- Truck tires come in a variety of profiles that include "low profile" with a section height that is 70 to 45% of the tread width, "wide-base" for heavy vehicles, and a "super-single" tire that has the same total contact pressure as a dual-mounted tire combination.^[34]
- Off-road tires are used on construction vehicles, agricultural and forestry equipment, and other applications that take place on soft terrain. The category also includes machinery that travels over hardened surfaces at industrial sites, ports, and airports.^[36] Tires designed for soft terrain have a deep, wide tread to provide traction in loose dirt, mud, sand, or gravel.^[37]

Other

[edit]

Aircraft, bicycles, and a variety of industrial applications have distinct design requirements.




Tires on the wheels of a bogie on a Boeing 777

- Aircraft tires are designed for landing on paved surfaces and rely on their landing gear to absorb the shock of landing. To conserve the weight and space required, they are typically small in proportion to the vehicle that they support. Most are radial-ply construction. They are designed for a peak load when the aircraft is stationary, although side loads upon landing are an important factor.^[38] Although hydroplaning is a concern for aircraft tires, they typically have radial grooves and no lateral grooves or sipes.^[39] Some light aircraft employ large-diameter, low-pressure tundra tires for landing on unprepared surfaces in wilderness areas.^[40]
- Bicycle tires may be designed for riding on roads or over unimproved terrain and may be mounted on vehicles with more than two wheels. There are three main types: *clincher*, *wired* and *tubular*.^[41] Most bicycle tires are *clincher* and have a bead that presses against the wheel rim. An inner tube provides the air pressure and the contact pressure between the bead and wheel rim.^[42]
- Industrial tires support such vehicles as forklifts, tractors, excavators, road rollers, and bucket loaders. Those used on smooth surfaces have a smooth tread, whereas those used on soft surfaces typically have large tread features.^[43] Some industrial tires are solid or filled with foam.^[44]
- Motorcycle tires provide traction, resisting wear, absorbing surface irregularities, and allow the motorcycle to turn via countersteering. The two tires' contact with the ground affects safety, braking, fuel economy, noise, and rider comfort.^[45]^[self-published source?]

Construction types

[edit]



A cross-section of a tire showing ply orientations

Tire construction spans pneumatic tires used on cars, trucks, and aircraft, but also includes non-automotive applications with slow-moving, light-duty, or railroad applications, which may have non-pneumatic tires.

Automotive

[edit]

Following the 1968 *Consumer Reports* announcement of the superiority of the radial design, radial tires began an inexorable climb in market share, reaching 100% of the North American market in the 1980s.^[20] Radial tire technology is now the standard design for essentially all automotive tires, but other methods have been used.^[26]


Radial (or radial-ply) tire construction utilizes body ply cords extending straight across the tread from bead to bead—so that the cords are laid at approximately right angles to the centerline of the tread, and parallel to one another—as well as stabilizer belts directly beneath the tread. The plies are generally made of nylon, polyester, or steel, and the belts of steel, fiberglass, or Kevlar.^{[46][47]} The tire's footprint, wider than a bias tire's, and flexible sidewalls provide a better grip in turns, and its circumferential belts stabilize it. The advantages of this construction over that of a bias tire are many, including longer tread life, better steering control, lower rolling resistance, improved fuel economy, more uniform wear, higher heat resistance, fewer blowouts, and a steadier, more comfortable ride at speed. Disadvantages, besides a higher cost than that of bias tires, are a harder ride at low speeds and generally worse performance on rough terrain.^{[48][49][26]} Radial tires are also seldom seen in diameters of greater than 42 inches, as such tires are difficult to make.^[50]

Bias tire (bias-ply, or cross-ply) construction utilizes body ply cords that extend diagonally from bead to bead, usually at angles in the range of 30 to 40 degrees from the direction of travel.^[51] Successive plies are laid at opposing angles, forming a crisscross pattern to which the tread is applied. Such a design is resistant to sidewall deformation and punctures (and to punctures' expansion, or "torque splitting") and therefore durable in severe use.^[52] Since the tread and sidewalls share their casing plies, the tire body flexes as a whole, providing the main advantage of this construction, better traction and smoother motion on uneven surfaces, with a greater tendency to conform to rocky ground and throw off mud and clay, especially because the rubber is usually of a softer compound than that used on radial tires. However, this conformity increases a bias tire's rolling resistance, and its stiffness allows less control, traction, and comfort at higher speeds, while shear between its overlapping plies causes friction that generates heat.^{[48][53][54][26]} Still, bias tires benefit from simpler structure and so cost less than like-size radials, and they remain in use on heavy equipment and off-road vehicles, although the earthmoving market has shifted to radials.^{[26][55]}

A belted bias tire starts with two or more bias plies to which stabilizer belts are bonded directly beneath the tread. This construction provides a smoother ride that is similar to the bias tire, while lessening rolling resistance because the belts increase tread stiffness. The design was introduced by Armstrong, while Goodyear made it popular with the "Polyglas" trademark tire featuring a polyester carcass with belts of fiberglass.^[56] The "belted" tire starts two main plies of polyester, rayon, or nylon annealed as in conventional tires, and then placed on top are circumferential belts at different angles that improve performance compared to non-belted bias tires. The belts may be fiberglass or steel.^[56]

Other

[edit]



Airless tire

Tubeless tires are pneumatic tires that do not require a separate inner tube.

Semi-pneumatic tires have a hollow center, but they are not pressurized. They are lightweight, low-cost, puncture-proof, and provide cushioning.^[57] These tires often come as a complete assembly with the wheel and even integral ball bearings. They are used on lawn mowers, wheelchairs, and wheelbarrows. They can also be rugged, typically used in industrial applications,^[58] and are designed to not pull off their rim under use.

An airless tire is a non-pneumatic tire that is not supported by air pressure. They are most commonly used on small vehicles, such as golf carts, and on utility vehicles in situations where the risk of puncture is high, such as on construction equipment. Many tires used in industrial and commercial applications are non-pneumatic, and are manufactured from solid rubber and plastic compounds via molding operations. Solid tires include those used for lawnmowers, skateboards, golf carts, scooters, and many types of light industrial vehicles, carts, and trailers. One of the most common applications for solid tires is for material handling equipment (forklifts). Such tires are installed utilizing a hydraulic tire press.

Wooden wheels for horse-drawn vehicles usually have a wrought iron tire. This construction was extended to wagons on horse-drawn tramways, rolling on granite setts or cast iron rails.

The wheels of some railway engines and older types of rolling stock are fitted with railway tires to prevent the need to replace the entirety of a wheel. The tire, usually made of steel, surrounds the wheel and is primarily held in place by interference fit.

Aircraft tires may operate at pressures that exceed 1,400 kilopascals (14 bar; 200 psi).^[59] Some aircraft tires are inflated with nitrogen to "eliminate the possibility of a chemical reaction between atmospheric oxygen and volatile gases from the tire inner liner producing a tire explosion".^[60]

Manufacturing

[edit]

Main article: Tire manufacturing


Pneumatic tires are manufactured in about 450 tire factories around the world. Tire production starts with bulk raw materials such as rubber, carbon black, and chemicals and produces numerous specialized components that are assembled and cured. Many kinds of rubber are used, the most common being styrene-butadiene copolymer.^[61]

Forecasts for the global automotive tire market indicate continued growth through 2027. Estimates put the value of worldwide sales volume around \$126 billion in 2022, it is expected to reach the value of over \$176 billion by 2027.^[62] Production of tires is also experiencing growth. In 2015, the US manufactured almost 170 million tires.^[63] Over 2.5 billion tires are manufactured annually, making the tire industry a major consumer of natural rubber. It was estimated that for 2019 onwards, at least 3 billion tires would be sold globally every year.^[64] However, other estimates put worldwide tire production of 2,268 million in 2021 and is predicted to reach 2,665 million tires by 2027.^[65]


As of 2011, the top three tire manufacturing companies by revenue were Bridgestone (manufacturing 190 million tires), Michelin (184 million), Goodyear (181 million); they were followed by Continental, and Pirelli.^[66]^[67] The Lego group produced over 318 million toy tires in 2011 and was recognized by Guinness World Records as having the highest annual production of tires by any manufacturer.^[68]^[69]

Components


[edit]



Components of a radial tire



Mountain bicycle tires with an open-lug pattern for grip in soft soil



Absence of grooves maximizes dry-pavement friction on a set of slick Formula One tires

A tire comprises several components: the tread, bead, sidewall, shoulder, and ply.

Tread

[edit]

The tread is the part of the tire that comes in contact with the road surface. The portion that is in contact with the road at a given instant in time is the contact patch. The tread is a thick rubber, or rubber/composite compound formulated to provide an appropriate level of traction that does not wear away too quickly.^[70]

The tread pattern is characterized by a system of circumferential grooves, lateral sipes, and slots for road tires^[26] or a system of lugs and voids for tires designed for soft terrain or snow. Grooves run circumferentially around the tire and are needed to channel away water. Lugs are that portion of the tread design that contacts the road surface. Grooves, sipes, and slots allow tires to evacuate water.

The design of treads and the interaction of specific tire types with the roadway surface affects roadway noise, a source of noise pollution emanating from moving vehicles. These sound intensities increase with higher vehicle speeds.^[71] Tires treads may incorporate a variety of distances between slots (*pitch lengths*) to minimize noise levels at discrete frequencies. Sipes

are slits cut across the tire, usually perpendicular to the grooves, which allow the water from the grooves to escape sideways and mitigate hydroplaning.^[26]

Different tread designs address a variety of driving conditions. As the ratio of tire tread area to groove area increases, so does tire friction on dry pavement, as seen on Formula One tires, some of which have no grooves. High-performance tires often have smaller void areas to provide more rubber in contact with the road for higher traction, but may be compounded with softer rubber that provides better traction, but wears quickly.^[72] Mud and snow (M&S) tires employ larger and deeper slots to engage mud and snow.^[26] Snow tires have still larger and deeper slots that compact snow and create shear strength within the compacted snow to improve braking and cornering performance.^[73]

Wear bars (or wear indicators) are raised features located at the bottom of the tread grooves that indicate the tire has reached its wear limit. When the tread lugs are worn to the point that the wear bars connect across the lugs, the tires are fully worn and should be taken out of service, typically at a remaining tread depth of 1.6 millimetres (0.063 in).^[74]

Other

[edit]

The tire bead is the part of the tire that contacts the rim on the wheel. This essential component is constructed with robust steel cables encased in durable, specially formulated rubber designed to resist stretching. The precision of the bead's fit is crucial, as it seals the tire against the wheel, maintaining air pressure integrity and preventing any loss of air. The bead's design ensures a secure, non-slip connection, preventing the tire from rotating independently from the wheel during vehicle motion. Additionally, the interplay between the bead's dimensions and the wheel's width significantly influences the vehicle's steering responsiveness and stability, as it helps to maintain the tire's intended shape and contact with the road.

The sidewall is that part of the tire, or bicycle tire, that bridges between the tread and bead. The sidewall is largely rubber but reinforced with fabric or steel cords that provide for tensile strength and flexibility. The sidewall contains air pressure and transmits the torque applied by the drive axle to the tread to create traction but supports little of the weight of the vehicle, as is clear from the total collapse of the tire when punctured.

Sidewalls are molded with manufacturer-specific detail, government-mandated warning labels, and other consumer information.^{[75][76]}

Sidewall may also have sometimes decorative ornamentation that includes whitewall or red-line inserts as well as tire lettering.^[77]

The shoulder is that part of the tire at the edge of the tread as it makes the transition to the sidewall.^[78]

Plies are layers of relatively inextensible cords embedded in the rubber^[79] to hold its shape by preventing the rubber from stretching in response to the internal pressure. The orientations of the plies play a large role in the performance of the tire and are one of the main ways that tires are categorized.^[80]

Blems

[edit]

Blem (short for "blemished") is a term used for a tire that failed inspection during manufacturing - but only for superficial/cosmetic/aesthetic reasons. For example, a tire with white painted lettering which is smudged or incomplete might be classified as a "blem". Blem tires are fully functional and generally carry the same warranty as flawless tires - but are sold at a discount.^[81]

Materials

[edit]

The materials of modern pneumatic tires can be divided into two groups, the cords that make up the ply and the elastomer which encases them.


Cords

[edit]

The cords, which form the ply and bead and provide the tensile strength necessary to contain the inflation pressure, can be composed of steel, natural fibers such as cotton or silk, or synthetic fibers such as nylon or kevlar. Good adhesion between the cords and the rubber is important. To achieve this the steel cords are coated in a thin layer of brass,^[82] various additives will also be added to the rubber to improve binding, such as resorcinol/HMMM mixtures.

Elastomer

[edit]



About 50% of tires use the Styrene-butadiene copolymer as a primary ingredient [15]

The elastomer, which forms the tread and encases the cords to protect them from abrasion and hold them in place, is a key component of pneumatic tire design. It can be composed of various composites of rubber material – the most common being styrene-butadiene copolymer – with other chemical compounds such as silica and carbon black.

Optimizing rolling resistance in the elastomer material is a key challenge for reducing fuel consumption in the transportation sector. It is estimated that passenger vehicles consume approximately 5~15% of their fuel to overcome rolling resistance, while the estimate is understood to be higher for heavy trucks. [83] However, there can be a trade-off between rolling resistance and wet traction and grip, based on the viscoelastic properties of the rubber compound. A low dissipation factor, which is often written as the tangent of the phase angle delta ($\tan(\delta)$), reduces rolling resistance, whereas a high $\tan(\delta)$ can improve wet traction and grip. Fortunately, this tradeoff is not inherent: rolling resistance is affected by $\tan(\delta)$ at low frequencies (on the order of 100 Hz) whereas the improvement in traction comes from high $\tan(\delta)$ at much higher frequencies. Historically, direct measurement of $\tan(\delta)$ at high frequencies was difficult, and it became common to instead use measured low-frequency $\tan(\delta)$ at a low temperature (0 °C) as a predictor of wet traction because of its correlation to high-frequency $\tan(\delta)$. For rolling resistance, $\tan(\delta)$ value at 60 °C is directly relevant and often used as a predictor of low rolling resistance. [84] [31]

Designing an elastomer material that can achieve both high wet traction and low rolling resistance is key in achieving safety and fuel efficiency in the transportation sector. More recent research has found that compounds using dual-phase fillers exhibit a poor correlation between low-temperature $\tan(\delta)$ and wet traction, indicating an opportunity to circumvent the tradeoff assumed in the traditional approach. New approaches to understanding wet traction incorporate consideration of the effect of water lubrication on the interactions between surfaces and have pointed the way to developing compounds that can provide high wet traction and low rolling resistance. [85]


The most common elastomer material used today is a styrene-butadiene copolymer. It combines the properties of polybutadiene, which is a highly rubbery polymer ($T_g = -100$ °C) having high hysteresis and thus offering good wet grip properties, with the properties of polystyrene, which is a glassy polymer ($T_g = 100$ °C) having low hysteresis and thus offering low rolling resistance in addition to wear resistance. Therefore, the ratio of the two monomers in the styrene-butadiene copolymer is considered key in determining the glass transition temperature of the material, which is correlated to its grip and resistance properties. [86]

Non-exhaust emissions of particulate matter, generated by the wearing down of brakes, clutches, tires, and road surfaces, as well as by the suspension of road dust, constitute a little-known but rising share of emissions from road traffic and significantly harm public health.^[87]

On the wheel

[edit]

Main articles: Wheel, Bicycle wheel, and Motorcycle wheel



A bicycle inner tube with valve stem


Associated components of tires include the wheel on which it is mounted, the valve stem through which air is introduced, and, for some tires, an inner tube that provides the airtight means for maintaining tire pressure.

- *Wheel*: Pneumatic tires are mounted onto wheels that most often have integral rims on their outer edges to hold the tire. Automotive wheels are typically made from pressed and welded steel, or a composite of lightweight metal alloys, such as aluminum or magnesium. There are two aspects to how pneumatic tires support the rim of the wheel on which they are mounted.^[88] First, the tension in the cords pull on the bead uniformly around the wheel, except where it is reduced above the contact patch.^[89] Second, the bead transfers that net force to the rim.^{[90][89]} Tires are mounted on the wheel by forcing its beads into the channel formed by the wheel's inner and outer rims.^{[91][92]}
- *Valve stem*: Pneumatic tires receive their air through a valve stem—a tube made of metal or rubber, with a check valve, typically a Schrader valve on automobiles and most bicycle tires, or a Presta valve on high-performance bicycles. They mount directly to the rim, in the case of tubeless tires, or are an integral part of the inner tube. Most modern passenger vehicles are now required to have a tire pressure monitoring system which usually consists of a valve stem attached to an electronic module.^[34]
- *Inner tube*: Most bicycle tires, many motorcycle tires, and many tires for large vehicles such as buses, heavy trucks, and tractors are designed for use with inner tubes. Inner tubes are torus-shaped balloons made from an impermeable material, such as soft, elastic synthetic rubber, to prevent air leakage. The inner tubes are inserted into the tire and inflated to retain air pressure. Large inner tubes can be reused for other purposes, such as swimming and rafting (see swim ring), tubing (recreation), sledding, and

skitching. Purpose-built inflatable tori are also manufactured for these uses, offering a choice of colors, fabric covering, handles, decks, and other accessories, and eliminating the protruding valve stem.

Performance characteristics

[edit]



Tire performance envelope by Goodyear

The interactions of a tire with the pavement are complex. A commonly used (empirical) model of tire properties is Pacejka's "Magic Formula".^[93] Some are explained below, alphabetically, by section.

Dynamics

[edit]

- *Balance*: Wheel-tire combinations require an even distribution of mass around their circumferences to maintain tire balance, while turning at speed. Tires are checked at the point of manufacture for excessive static imbalance and dynamic imbalance using automatic tire balance machines. Tires are checked again in the auto assembly plant or tire retail shop after mounting the tire to the wheel. Assemblies that exhibit excessive imbalance are corrected by applying balance weights to the wheels to counteract the tire/wheel imbalance. An alternative method to tire balancing is the use of internal tire balancing agents. These agents take advantage of centrifugal force and inertia to counteract the tire imbalance.^[94] To facilitate proper balancing, most high-performance tire manufacturers place red and yellow marks on the sidewalls to enable the best possible match-mounting of the tire/wheel assembly. There are two methods of match-mounting high-performance tire-to-wheel assemblies using these red (uniformity) or yellow (weight) marks.^[95]
- *Centrifugal growth*: A tire rotating at higher speeds tends to develop a larger diameter, due to centrifugal forces that force the tread rubber away from the axis of rotation. This

may cause speedometer error. As the tire diameter grows, the tire width decreases. This centrifugal growth can cause rubbing of the tire against the vehicle at high speeds.

Motorcycle tires are often designed with reinforcements aimed at minimizing centrifugal growth.^[26]

- *Pneumatic trail*: Pneumatic trail of a tire is the trail-like effect generated by compliant tires rolling on a hard surface and subject to side loads, as in a turn. More technically, it is the distance that the resultant force of side-slip occurs behind the geometric center of the contact patch.^[96]
- *Slip angle*: Slip angle or sideslip angle is the angle between a rolling wheel's actual direction of travel and the direction towards which it is pointing (i.e., the angle of the vector sum of wheel translational velocity v and sideslip velocity v_s).^[26]
- *Relaxation length*: Relaxation length is the delay between when a slip angle is introduced and when the cornering force reaches its steady-state value.^[26]
- *Spring rate*: Vertical stiffness, or spring rate, is the ratio of vertical force to vertical deflection of the tire, and it contributes to the overall suspension performance of the vehicle. In general, the spring rate increases with inflation pressure.^[97]
- *Stopping distance*: Performance-oriented tires have a tread pattern and rubber compounds designed to grip the road surface, and so usually have a slightly shorter stopping distance. However, specific braking tests are necessary for data beyond generalizations.^[26]

Forces

[edit]

- *Camber thrust*: Camber thrust and camber force are the force generated perpendicular to the direction of travel of a rolling tire due to its camber angle and finite contact patch.^[26]
- *Circle of forces*: The circle of forces, traction circle, friction circle, or friction ellipse is a useful way to think about the dynamic interaction between a vehicle's tire and the road surface.^[98]
- *Contact patch*: The contact patch, or footprint, of the tire, is the area of the tread that is in contact with the road surface. This area transmits forces between the tire and the road via friction. The length-to-width ratio of the contact patch affects steering and cornering behavior.^[26]
- *Cornering force*: Cornering force or side force is the lateral (i.e. parallel to the road surface) force produced by a vehicle tire during cornering.^[26]
- *Dry traction*: Dry traction is the measure of the tire's ability to deliver traction, or grip, under dry conditions. Dry traction is a function of the tackiness of the rubber compound.^[26]
- *Force variation*: The tire tread and sidewall elements undergo deformation and recovery as they enter and exit the footprint. Since the rubber is elastomeric, it is deformed during this cycle. As the rubber deforms and recovers, it imparts cyclical forces into the vehicle.

These variations are collectively referred to as tire uniformity. Tire uniformity is characterized by radial force variation (RFV), lateral force variation (LFV), and tangential force variation. Radial and lateral force variation is measured on a force variation machine at the end of the manufacturing process. Tires outside the specified limits for RFV and LFV are rejected. Geometric parameters, including radial runout, lateral runout, and sidewall bulge, are measured using a tire uniformity machine at the tire factory at the end of the manufacturing process as a quality check.^[26]

- *Rolling resistance*: Rolling resistance is the resistance to rolling caused by deformation of the tire in contact with the road surface. As the tire rolls, the tread enters the contact area and is deformed flat to conform to the roadway. The energy required to make the deformation depends on the inflation pressure, rotating speed, and numerous physical properties of the tire structure, such as spring force and stiffness. Tire makers seek lower rolling resistance tire constructions to improve fuel economy in cars and especially trucks, where rolling resistance accounts for a high proportion of fuel consumption. Pneumatic tires also have a much lower rolling resistance than solid tires. Because the internal air pressure acts in all directions, a pneumatic tire is able to "absorb" bumps in the road as it rolls over them without experiencing a reaction force opposite to the direction of travel, as is the case with a solid (or foam-filled) tire.^[26]
- *Self aligning torque*: Self-aligning torque, also known as the aligning torque, SAT or Mz, is the torque that a tire creates as it rolls along that tends to steer it, i.e. rotate it around its vertical axis.^[26]
- *Wet traction*: Wet traction is the tire's traction, or grip, under wet conditions. Wet traction is improved by the tread design's ability to channel water out of the tire footprint and reduce hydroplaning. However, tires with a circular cross-section, such as those found on racing bicycles, when properly inflated have a sufficiently small footprint to not be susceptible to hydroplaning. For such tires, it is observed that fully slick tires will give superior traction on both wet and dry pavement.^[99]

Load

[edit]

- *Load sensitivity*: Load sensitivity is the behavior of tires under load. Conventional pneumatic tires do not behave as classical friction theory would suggest. Namely, the load sensitivity of most real tires in their typical operating range is such that the coefficient of friction decreases as the vertical load, F_z , increases.^[26]
- *Work load*: The work load of a tire is monitored so that it is not put under undue stress, which may lead to its premature failure.^[100] Work load is measured in *Ton Kilometer Per Hour* (TKPH). The measurement's appellation and units are the same. The recent shortage and increasing cost of tires for heavy equipment has made TKPH an important parameter in tire selection and equipment maintenance for the mining industry. For this reason, manufacturers of tires for large earth-moving and mining vehicles assign TKPH ratings to their tires based on their size, construction, tread type, and rubber compound. [


¹⁰¹[[¹⁰²] The rating is based on the weight and speed that the tire can handle without overheating and causing it to deteriorate prematurely. The equivalent measure used in the United States is *Ton Mile Per Hour* (TMPH).

Wear

[edit]

See also: Rubber pollution and Road wear


Tire wear is a major source of rubber pollution. A concern hereby is that vehicle tire wear pollution is unregulated, unlike exhaust emissions.^[103]



Tire showing uneven tread wear to the point of exposing the casing

Tread wear

This occurs through normal contact with roads or terrain; there are several types of abnormal tread wear. Poor wheel alignment can cause excessive wear of the innermost or outermost ribs. Gravel roads, rocky terrain, and other rough terrain cause accelerated wear. Over-inflation above the sidewall maximum can cause excessive wear to the center of the tread. Modern tires have steel belts built in to prevent this. Under-inflation causes excessive wear to the outer ribs. Unbalanced wheels can cause uneven tire wear, as the rotation may not be perfectly circular. Tire manufacturers and car companies have mutually established standards for tread wear testing that include measurement parameters for tread loss profile, lug count, and heel-toe wear.^[26]



Wear bar and tread wear indicator on the snow tire tread

Tread wear indicators (**T.W.I.**)


Raised bars in the tread channels, which indicate that the tread is becoming worn and therefore unsafe. Indicators have been required on all new tires since 1968 in the US. [104] In many countries the Highway Code forbids driving on public roads when the contact surface is flush with any of these bars - this is often defined when the groove depth is approximately 1.5 or 1.6 mm (2/32 inch). TWI can also be used to refer to small arrows or icons on the tire sidewall, indicating the location of the raised wear bars.

Damage by aging

Tire aging or "thermo-oxidative degradation" can be caused by time, ambient and operating temperatures, partial pressure of O₂ in a tire, flex fatigue, or construction and compounding characteristics. For example, prolonged UV exposure leads to rubber's chemicals warping, potentially causing dry rot. Various storage methods may slow the aging process, but will not eliminate tire degradation. [105]

Sizes, codes, standards, and regulatory agencies

[edit]



Tire identification diagram with tire codes

Further information: Tire code

Automotive tires have a variety of identifying markings molded onto the sidewall as a tire code. They denote size, rating, and other information pertinent to that individual tire.

Americas

[edit]

The National Highway and Traffic Safety Administration (NHTSA) is a U.S. government body within the Department of Transportation (DOT) tasked with regulating automotive safety in the

United States.^[106] NHTSA established the Uniform Tire Quality Grading System (UTQG), is a system for comparing the performance of tires according to the Code of Federal Regulations 49 CFR 575.104; it requires labeling of tires for tread wear, traction, and temperature. The DOT Code is an alphanumeric character sequence molded into the sidewall of the tire and allows the identification of the tire and its age. The code is mandated by the U.S. Department of Transportation^[106] but is used worldwide.^[107] The DOT Code is also useful in identifying tires subject to product recall^[108] or at end of life due to age. The *Tire and Rim Association* (T&RA) is a voluntary U.S. standards organization that promotes the interchangeability of tires, rims, and allied parts. Of particular interest, they publish key tire dimensions, rim contour dimensions, tire valve dimension standards, and load/inflation standards.

The National Institute of Metrology Standardization and Industrial Quality (INMETRO) is the Brazilian federal body responsible for automotive wheel and tire certification.^[109]

Europe

[edit]

The European Tyre and Rim Technical Organisation (ETRTO) is the European standards organization "to establish engineering dimensions, load/pressure characteristics and operating guidelines".^[110] All tires sold for road use in Europe after July 1997 must carry an E-mark. The mark itself is either an upper case "E" or lower case "e" – followed by a number in a circle or rectangle, followed by a further number. An (upper case) "E" indicates that the tire is certified to comply with the dimensional, performance, and marking requirements of ECE regulation 30. A (lowercase) "e" indicates that the tire is certified to comply with the dimensional, performance, and marking requirements of Directive 92/23/EEC. The number in the circle or rectangle denotes the country code of the government that granted the type approval. The last number outside the circle or rectangle is the number of the type approval certificate issued for that particular tire size and type.^[111]

The British Rubber Manufacturers Association (BRMA) recommended practice, issued June 2001, states, "BRMA members strongly recommend that unused tires should not be put into service if they are over six years old and that all tires should be replaced ten years from the date of their manufacture."^[112]

Asia


[edit]

The Japanese Automobile Tire Manufacturers Association (JATMA) is the Japanese standards organization for tires, rims, and valves.^[113] It performs similar functions as the T&RA and ETRTO.

The China Compulsory Certification (CCC) is a mandatory certification system concerning product safety in China that went into effect in August 2002. The CCC certification system is operated by the State General Administration for Quality Supervision and Inspection and Quarantine of the People's Republic of China (AQSIQ) and the Certification and Accreditation Administration of the People's Republic of China (CNCA).^[114]

Maintenance

[edit]




A tire repair shop in Niger

To maintain tire health, several actions are appropriate, tire rotation, wheel alignment, and, sometimes, retreading the tire.

- *Rotation*: Tires may exhibit irregular wear patterns once installed on a vehicle and partially worn. Front-wheel drive vehicles tend to wear the front tires at a greater rate compared to the rear tires. Tire rotation is moving the tires to different car positions, such as front-to-rear, in order to even out the wear, with the objective of extending the life of the tire.^[115]
- *Alignment*: Wheel alignment helps prevent wear due to rotation in a direction other than the path of the vehicle. When mounted on the vehicle, the wheel and tire may not be perfectly aligned to the direction of travel, and therefore may exhibit irregular wear. If the discrepancy in alignment is large, then the irregular wear will become substantial if left uncorrected. Wheel alignment is the procedure for checking and correcting this condition through adjustment of camber, caster, and toe angles. The adjustment of the angles should be done as per the OEM specifications.^[116]

Inflation

[edit]




Rolling resistance as a function of tire inflation

Inflation is key to proper wear and rolling resistance of pneumatic tires. Many vehicles have monitoring systems to assure proper inflation. Most passenger cars are advised to maintain a tire pressure within the range of 220 to 240 kilopascals (32 to 35 psi) when the tires are not warmed by driving.^{[117][118]}


- *Specification*— Vehicle manufacturers provide tire specifications, including a recommended cold inflation pressure, to ensure safe operation within the designated load rating and vehicle loading capacity. While many tires feature a maximum pressure rating stamped on them, passenger vehicles and light trucks typically include inflation guidance on a decal located just inside the driver's door and in the vehicle owner's handbook.^[119]
- *Ground contact*: The tire contact patch is readily changed by both over- and underinflation. Overinflation may increase the wear on the center contact patch, and underinflation will cause a concave tread, resulting in less center contact, though the overall contact patch will still be larger.^[120] Most modern tires will wear evenly at high tire pressures, but will degrade prematurely if underinflated. Increased tire pressure may decrease rolling resistance, and may also result in shorter stopping distances^[121] If tire pressure is too low, the tire contact patch is greatly increased. This increases rolling resistance, tire flexing, and friction between the road and the tire. Under-inflation can lead to tire overheating, premature tread wear, and tread separation in severe cases. ^[122]
- *Monitoring*: Tire pressure monitoring systems (TPMS) are electronic systems that monitor the tire pressures on individual wheels on a vehicle and alert the driver when the pressure goes below a warning limit. There are several types of designs to monitor tire pressure. Some actually measure the air pressure, and some make indirect measurements, such as gauging when the relative size of the tire changes due to lower air pressure.

Hazards


[edit]



Tire bubble



Tire showing weather-cracking over long-term exposure to the weather



A flat tire on a passenger car

Tire hazards may occur from failure of the tire, itself, or from loss of traction on the surface over which it is rolling. Structural failures of a tire can result in flat tires or more dangerous blowouts. Some of these failures can be caused by manufacture error and may lead to recalls, such as the widespread Firestone tire failures on Ford vehicles that lead to the Firestone and Ford tire controversy in the 1990s.

Tire failure

[edit]

Tires may fail for any of a variety of reasons, including:[¹²³]

- *Belt separation* which may be belt-to-belt, tread and belt, or separation of the edge of the belt. Belt-to-belt separation may occur having the tire deflect too much, from high pavement temperatures, road hazard impacts, or other causes that have to do with maintenance and storage.
- *Non-belt separations* include those at the tire tread, in the bead area, in the lower sidewall, between reinforcing plies, and of the reinforcing steel or fabric materials.
- Other types of failure include run-flat damage, chemical degradation, cracking, indentations and bulges.

Vehicle operation failures

[edit]

- *Melting rubber*: As tire rubber compounds heat, owing to the friction of stopping, cornering, or accelerating, they may begin to melt, lubricate the tire-road contact area, and become deposited on the pavement. This effect is stronger with increased ambient temperature.^[26]
- *Hydroplaning*: Motor vehicles or aircraft tires passing over a wet pavement may lose contact with sufficient speed or water depth for a given tread design. In this case, the tire contact area is riding on a film of water and loses the friction needed for braking or cornering and begins to *hydroplane* (or *aquaplane*). Hydroplaning may occur as *dynamic hydroplaning* where standing water is present with a depth of at least 3 millimetres (0.12 in) above the texture of the pavement and speed is sustained above a threshold level. It may also occur as *viscous hydroplaning* whereby tire rubber melts for a brief interval and causes slippage. This may leave deposits of rubber on a runway as airplanes land.^[124] Dynamic hydroplaning causes decreased friction and contact with increased tire speed.^[125]
- *Snow*: The degree to which a tire can maintain traction in snow depends on its ability to compact snow, which material then develops strength against slippage along a shear plane parallel to the contact area of the tire on the ground.^[126] At the same time, the bottom of the tire treads compress the snow on which they are bearing, also creating friction. The process of compacting snow within the treads requires it to be expelled in time for the tread to compact snow anew on the next rotation. The compaction/contact process works both in the direction of travel for propulsion and braking, but also laterally for cornering.^[73]
- *Ice*: Ice is typically close to its melting point when a tire travels over it. This, combined with a smooth texture, promotes a low coefficient of friction and reduced traction during braking, cornering or acceleration.^[26]

- *Soft ground*: Soil can become lubricated with water, which reduces its ability to maintain shear strength when a tire tries to apply force in acceleration, braking, or cornering. Dry sand also has low shear strength, owing to poor cohesiveness among sand particles. [127]

Health impacts

[edit]

Further information: Rubber pollution

Tires contain a number of trace toxic chemicals including heavy metals and chemical agents used to increase the durability of the tires.^[2] These typically include polycyclic aromatic hydrocarbon, benzothiazoles, isoprene and heavy metals such as zinc and lead.^[2]


As tires are used for vehicle operations, the natural wear of the tire leaves microfine particles equivalent to PM0.1, PM2.5, and PM10 as tire residue.^[2] This residue accumulates near roadways and vehicle use areas, but also will travel into the environment through surface runoff.^[2] Both humans and animals are exposed to these chemicals at the sites of accumulation (i.e. walking on the road surface) and through bioaccumulation in natural environments and foodchains.^[2] A 2023 literature review from Imperial College London, warned of both the toxic chemicals and microplastics produced from tire wear as having potential widespread serious environmental and health consequences.^[2]

Moreover, burning of tires releases these chemicals as air pollutants that can harm first responders and leaves toxic residues that endanger local communities.^[128]

End of use

[edit]

Main article: Tire recycling




Tires recycled into water tanks on the roof in Cherchen, Xinjiang

Once tires are discarded, they are considered scrap tires. Scrap tires are often re-used for things from bumper car barriers to weights to hold down tarps. Tires are not desired at

landfills, due to their large volumes and 75% void space, which quickly consumes valuable space. Rubber tires are likely to contain some traces of heavy metals or other serious pollutants, but these are tightly bonded within the actual rubber compound so they are unlikely to be hazardous unless the tire structure is seriously damaged by fire or strong chemicals. [129] Some facilities are permitted to recycle scrap tires by chipping and processing them into new products or selling the material to licensed power plants for fuel. Some tires may also be retreaded for re-use.

Environmental issues

[edit]



Toxic fumes emerging from a fire at a tire dump.

Americans generate about 285 million scrap tires per year. [130] Many states regulate the number of scrap tires that can be held at any site out of concern with dumping, fire hazards, and mosquitoes. In the past, millions of tires were simply discarded into open fields. Outdoor tire heaps create breeding grounds for mosquitoes, which are a nuisance and may spread disease, since the tires often hold water inside and remain warm enough for mosquito breeding. It also creates a fire hazard. Tires very seldom catch fire inadvertently, requiring a temperature of 400 °C (752 °F) to combust, [131] but once burning in a mass are hard to extinguish, for a large tire pile is a lot of fuel, and water used to douse fires does not adequately penetrate or cool burning tires. Some tire fires have burned for months, sometimes liquefying and releasing hydrocarbons and other contaminants to the ground and even groundwater, and black smoke, an air pollutant that is a hazard to downwind properties, to the air.

The use of scrap tire chips for landscaping has become controversial because of the leaching of metals and other contaminants from the tire pieces. Zinc is concentrated (up to 2% by weight) to levels high enough to be highly toxic to aquatic life and plants. [132] Of particular concern is evidence that some of the compounds that leach from tires into the water contain hormone disruptors and cause liver lesions. [133]

Tires are a major source of microplastic pollution, found in a 2020 study to contribute 78% of the total mass of microplastics found in the ocean.^{[134][135]} The commonly used compound 6PPD-quinone, found entering stormwater runoff via tire-wear particles, has been identified as toxic to coho salmon, brook trout, and rainbow trout.^[136]

Retreading

[edit]

Main article: retread

Tires that are fully worn can be retreaded, re-manufactured to replace the worn tread.^[137] This is known as retreading or recapping, a process of buffing away the worn tread and applying a new tread.^[138] There are two main processes used for retreading tires, called mold-cure and pre-cure methods. Both processes start with the inspection of the tire, followed by non-destructive inspection method such as shearography^[139] to locate non-visible damage and embedded debris and nails. Some casings are repaired and some are discarded. Tires can be retreaded multiple times if the casing is in usable condition. Tires used for short delivery vehicles are retreaded more than long haul tires over the life of the tire body. Casings fit for retreading have the old tread buffed away to prepare for retreading.^[140]

During the retreading process, retread technicians must ensure the casing is in the best condition possible to minimize the possibility of a casing failure. Casings with problems such as capped tread, tread separation, irreparable cuts, corroded belts or sidewall damage, or any run-flat or skidded tires, will be rejected. The mold cure method involves the application of raw rubber on the previously buffed and prepared casing, which is later cured in matrices. During the curing period, vulcanization takes place, and the raw rubber bonds to the casing, taking the tread shape of the matrix. On the other hand, the pre-cure method involves the application of a ready-made tread band on the buffed and prepared casing, which later is cured in an autoclave so that vulcanization can occur.^[140]

Recycling

[edit]

Tires can be recycled into, among other things, the hot melt asphalt, typically as crumb rubber modifier—recycled asphalt pavement (CRM—RAP),^{[141][142]} and as an aggregate in portland cement concrete.^[143] Shredded tires can create rubber mulch on playgrounds to diminish fall injuries.^[144] There are some "green" buildings that are being made both private and public buildings that are made from old tires.^[145]

The tire pyrolysis method for recycling used tires is a technique that heats whole or shredded tires in a reactor vessel containing an oxygen-free atmosphere and a heat source. In the reactor, the rubber is softened after which the rubber polymers continuously break down into

smaller molecules.

Other uses

[edit]

Other downstream uses have been developed for worn-out tires, including:

- *Building elements*: Tires filled with earth have been used as garden containers^[146] house foundations,^[147] bullet-proof walls^[148] and to prevent soil erosion in flood plains.^[149] Tire walls are a common feature of motor racing circuits for safety.
- *Recreational equipment*: Used tires are employed as exercise equipment for athletic programs such as American football.^[150] One classic conditioning drill that hones players' speed and agility is the "Tire Run" where tires are laid out side by side, with each tire on the left a few inches ahead of the tire on the right in a zigzag pattern. Athletes then run through the tire pattern by stepping in the center of each tire. The drill forces athletes to lift their feet above the ground higher than normal to avoid tripping on the tires.^[151] Old tires are sometimes converted into a swing for play.^[152]
- *Burning tires as protest*: Protestors, worldwide, have burned tires to create black smoke.^[153]^[154]
- Necklacing is the use of tires to kill people, typically by lynch mobs. A tire is soaked in gasoline, placed around the victim's neck, and set on fire.

Children on a tire swing

○

Image not found or type unknown

Children on a tire swing
Burning tires in protest

○

Image not found or type unknown

Burning tires in protest

See also

[edit]

- Dry steering
- List of auto parts
- List of inflatable manufactured goods
- Off-road tire
- Outline of tires
- Rubber-tyred metro
- Rubber-tyred trams
- Shinosaur

References

[edit]

- ¹ [^] *PubChem*. "1,3-Butadiene". *pubchem.ncbi.nlm.nih.gov*. Retrieved 8 May 2024.
- ² [^] **a b c d e f g** Tan, Z.; Berry, A.; Charalambides, M.; Mijic, A.; Pearse, W.; Porter, A.; Ryan, M.; Shorten, R.; Stettler, M.; Tetley, T.; Wright, S.; Masen, M. (10 February 2023). "Tyre wear particles are toxic for us and the environment". *Imperial Zero Pollution*. doi:10.25561/101707. hdl:10044/1/101707.
- ³ [^] Harper, Douglas. "tire". *Online Etymology Dictionary*. Retrieved 18 January 2024.
- ⁴ [^] **a b** "tire, n.2." OED Online. Oxford University Press, December 2016. Web. 26 January 2017.
- ⁵ [^] Harper, Douglas. "tyre". *Online Etymology Dictionary*. Retrieved 28 April 2024.
- ⁶ [^] Peters, Pam (2004). *The Cambridge Guide to English Usage*. Cambridge University Press. p. 553. ISBN 978-0-521-62181-6.
- ⁷ [^] Chisholm, Hugh, ed. (1911). "Tire" . *Encyclopædia Britannica*. Vol. 26 (11th ed.). Cambridge University Press. pp. 1006–1009, see page 1007. "...The spelling " tyre " is not now accepted by the best English authorities, and is unrecognized in America... "
- ⁸ [^] Fowler, H.W. (2009). David Crystal (ed.). *A Dictionary of Modern English Usage: The Classic First Edition*. Oxford University Press. p. 655. ISBN 978-0-19-953534-7. Retrieved 18 January 2024.
- ⁹ [^] Bertman, Stephen (2005). *Handbook to Life in Ancient Mesopotamia*. Oxford University Press. p. 35. ISBN 9780195183641. Retrieved 2 August 2014.
- ¹⁰ [^] "Original document: US5104 (A) Ãâ–â¢ 1847-05-08 - R.W. Thompson Carriage Wheel". *Espacenet patent search*. Retrieved 6 December 2023.[permanent dead link]
- ¹¹ [^] "William Hume, 1938". *thepedalclub.org*. Archived from the original on 3 April 2012. Retrieved 3 January 2023.
- ¹² [^] "Technology & Innovation". *dunlop.eu*. Archived from the original on 2 April 2011. Retrieved 27 February 2018.

13. ^ Du Cros, Arthur (1938). *Wheels of Fortune, a salute to pioneers*. London: Chapman & Hall.
14. ^ Dunlop, John Boyd (2008). *Hutchinson Dictionary of Scientific Biography*. AccessScience. Retrieved 9 July 2009.
15. ^ **a b** Obrecht, Werner; Lambert, Jean-Pierre; Happ, Michael; Oppenheimer-Stix, Christiane; Dunn, John; Krüger, Ralf (2003). "Rubber, 4. Emulsion Rubbers". *Ullmann's Encyclopedia of Industrial Chemistry*. Wiley-VCH. doi:10.1002/14356007.o23_o01. ISBN 978-3-527-30385-4.
16. ^ "Tyre Substitutes". *The Autocar*. London: Iliffe & Sons. 28 March 1947. p. 736.
17. ^ Michelin. "Radial or bias, the right choice / Properly use your tires - Michelin Agricultural Tires". *michelinag.com*. Archived from the original on 11 July 2016. Retrieved 4 August 2017.
18. ^ "History". *jags.org*. Archived from the original on 6 March 2015. Retrieved 12 May 2015.
19. ^ Schultz, Mort (June 1985). "Tires: A century of progress". *Popular Mechanics*. Vol. 162, no. 6. pp. 60–64. Retrieved 2 January 2023 – via Google Books.
20. ^ **a b** Welch, Ted (4 May 2006). "A Tale of Two Tires". *Bloomberg*. Retrieved 5 May 2019.
21. ^ Renn, Aaron M. (16 July 2018). "Middle City, USA". *City Journal*. Retrieved 6 May 2019.
22. ^ Milner, Helen V. (21 September 1989). *Resisting Protectionism: Global Industries and the Politics of International Trade*. Princeton University Press. p. 151. ISBN 9780691010748. "radial tire market share."
23. ^ Morris, Peter (2010). *Cheap Car Tyre*. Berkshire Publishing. p. 2218.
24. ^ Heiβing, Bernd; Ersoy, Metin (2010). *Chassis Handbook: Fundamentals, Driving Dynamics, Components, Mechatronics, Perspectives*. Springer Science & Business Media. p. 591. ISBN 9783834897893.
25. ^ **a b** Duffy, Owen C.; Wright, Gus (20 July 2015). *Fundamentals of Medium/Heavy Duty Commercial Vehicle Systems*. Jones & Bartlett Publishers. pp. 663–672. ISBN 9781284041170.
26. ^ **a b c d e f g h i j k l m n o p q r s t u v w** Gent, Alan N.; Walter, Joseph D. (2006). *The Pneumatic Tire (PDF)*. DOT HS 810 561. Washington, DC: National Highway Transportation Safety Administration. Archived from the original (PDF) on 9 March 2021. Retrieved 3 May 2019.
27. ^ "Prall Tester - Studded Tyre Wear Test". *cooper.co.uk*. Cooper Research Technology. Retrieved 1 September 2014.
28. ^ Newton, Richard (2007). *Wheel and Tire Performance Handbook*. St. Paul: MotorBooks International. p. 35. ISBN 9781610592512.
29. ^ Allen, Jim. *Jeep 4X4 Performance Handbook*. MotorBooks International. ISBN 9781616730536.
30. ^ Hanseen, Michael (15 August 2018). *Jeep TJ 1997-2006: How to Build & Modify*. CarTech. ISBN 9781613254288.

31. ^ **a b** "Dynamic Mechanical Properties Of Passenger And Light Truck Tire Treads". Report No. **DOT HS 811 270**. National Highway Traffic Safety Administration, U.S. Department of Transportation. **2010**.
32. ^ Alexander, Don (15 February 2013). *High-Performance Handling for Street or Track*. Motorbooks. ISBN 9780760339947.
33. ^ Gitlin, Jonathan M. (16 December 2021). "Electric vehicles ask a lot of their tires—here's why". *Ars Technica*. Retrieved 22 December 2021.
34. ^ **a b c d e** Erjavec, Jack (2005). *Automotive Technology: A Systems Approach*. Cengage Learning. p. 1100. ISBN 9781401848316.
35. ^ Newton, Richard. *Wheel and Tire Performance Handbook*. MotorBooks International. p. 52. ISBN 9781610592512.
36. ^ Haines, Elizabeth. *Certain Off-the-Road Tires from China (701-TA-448 and 731-TA-1117 ed.)*. U.S. International Trade Commission. p. 4. ISBN 9781457817304.
37. ^ "Global Off The Road Tire Market: Development History, Current Analysis and Estimated Forecast to 2025". *Industrial Journalism*. 8 May 2019. Retrieved 9 May 2019. [perma
38. ^ Currey, Norman S. (1988). *Aircraft Landing Gear Design: Principles and Practices*. AIAA. pp. 123–5. ISBN 9781600860188.
39. ^ McKenny, Earl F. (May 1964). *Aerospace safety*. Washington, DC: United States Dept of the Air Force. pp. 5–7.
40. ^ Richfield, Paul J. (September 2005). *Tundra Tire Nation*. New York: Flying Magazine. pp. 88–92.
41. ^ Sharp, Archibald, *Bicycles & Tricycles: An Elementary Treatise on Their Design and Construction*, Longmans Green, London and New York, 1896, pages 494–502; reprinted by MIT Press, 1977, ISBN 0-262-69066-7
42. ^ Rinard, Damon (2000). "Tire Bead Test". *sheldonbrown.com*. Retrieved 10 March 2013 . "Conclusion: Clincher tires stay on the rim primarily by the clinch of the hooked sidewall that retains the tire bead, not the circumferential tension in the bead."
43. ^ Jinkya, A. (10 May 2019). "Industrial Tire Market: Size Estimated To Observe Significant Growth By 2018 – 2026". *Market Talk News*. Archived from the original on 10 May 2019. Retrieved 10 May 2019.
44. ^ Tribunal, Canada Anti-dumping (1971). *Industrial Press-on Solid Rubber Tires: Exported Into Canada by Bearcat Tire Company, Chicago, Illinois, United States of America*. Information Canada.
45. ^ Cossalter, Vittore (2006). *Motorcycle Dynamics (Second ed.)*. Lulu.com. pp. 37–72. ISBN 978-1-4303-0861-4.[self-published source]
46. ^ Tuschner, James (30 August 2021). "Tire Casing Construction: Poly Vs Nylon Vs Steel". *AG Tire Talk*. Retrieved 11 September 2024.
47. ^ Creech, Will (12 May 2023). "What Is a Radial Tire?". *TireGrades*. Retrieved 27 July 2024.
48. ^ **a b** Holman, Sean (1 February 2011). "Tire Construction Technology: Bias and Radial". *MotorTrend*. Retrieved 10 September 2024.
49. ^ Smith, David (26 July 2020). "Radial vs Bias Ply – Debate Ends Here!". *Mechanic Insider*. Archived from the original on 24 July 2021. Retrieved 7 September 2024.

50. ^ McGee, Trent. "Comparing Bias Ply to Radial Tires". Interco Tire Corporation. Archived from the original on 3 August 2024. Retrieved 27 July 2024.
51. ^ "What's the difference between radial and bias ply tires? · Help Center". Summit Racing Equipment. Retrieved 10 September 2024.
52. ^ Niklas (9 March 2022). "Radial vs. Bias Ply Tires: Pros & Cons, Differences & Which to Choose". Whirling Wheelz. Archived from the original on 15 September 2024. Retrieved 14 September 2024.
53. ^ "Bias vs Radial Construction". Mudthrowers. Retrieved 10 September 2024.
54. ^ Summit Racing Equipment <https://help.summitracing.com/knowledgebase/article/SR-04655/en-us>. Retrieved 10 September 2024. cite web: Missing or empty |title= (help)
55. ^ Stewart, Larry (28 September 2010). "How Off-Road Radials Are Changing Earthmoving". Construction Equipment. Retrieved 10 September 2024.
56. ^ **a b** "Plies and angles - see how they run". Popular Mechanics. Vol. 136, no. 3. March 1972. p. 62. Retrieved 13 March 2014.
57. ^ Jones, Thomas H. (1980). "Get things moving with casters, glides, and wheels". Popular Science. Vol. 216, no. 5. p. 148. ISSN 0161-7370.
58. ^ "Thomas Net sources for industrial use 'Semi-Pneumatic Wheels'". Thomasnet.com. Archived from the original on 17 July 2011. Retrieved 23 October 2010.
59. ^ Fabre, C. (2009). Tutumluer, Erol; Al-Qadi, Imad L. (eds.). *Bearing capacity of roads, railways and airfields: proceedings of the 8th International Conference on the Bearing Capacity of Roads and Airfields, Champaign, Illinois, USA, June 29-July 2, 2009*. Leiden, Netherlands: CRC Press/Balkema. p. 1405. ISBN 978-0-203-86528-6. OCLC 636611702.
60. ^ "FAA Airworthiness Directive". Archived from the original on 2 February 2017. Retrieved 15 June 2013.
61. ^ Rodgers, Brendan (28 September 2020). *Tire Engineering: An Introduction*. CRC Press. ISBN 978-1-000-19055-7.
62. ^ Placek, Martin (8 June 2023). "Size of the global automotive tire market from 2022 to 2027". statista.com. Retrieved 31 January 2024.
63. ^ Davis, Bruce (17 February 2016). "2015 was strong year for U.S. tire industry". Tire Business. Crain Communications. Retrieved 13 December 2016.
64. ^ "World Tires". freedoniagroup.com. Retrieved 19 May 2017.
65. ^ Raj, CP (28 November 2022). "Tire Market: The Global Tire Industry Analysis". oem.news. Retrieved 31 January 2024.
66. ^ "Research Report on World's Top 50 Tire Enterprises, 2010-2011 Market Research Report", companiesandmarkets.com, Vertical Edge Limited, 2 December 2010, archived from the original on 20 January 2011
67. ^ "The world's largest tire manufacturers in Q1 and Q2 2016, based on tire-related sales (in billion U.S. dollars)", statista.com, 2016
68. ^ "Shift of emphasis". Rubber World. 1 April 2012.
69. ^ Cook, David (2015). *Robot Building for Beginners (Third ed.)*. Apress. p. 458. ISBN 9781484213599.
70. ^ Meyer, W. E. (1983). *Frictional Interaction of Tire and Pavement*. ASTM International.

71. ^ Hogan, C. Michael (September 1973). "Analysis of highway noise". *Journal of Water, Air, & Soil Pollution*. **2** (3). Springer Verlag: 387–392. Bibcode:1973WASP....2..387H. doi:10.1007/BF00159677. ISSN 0049-6979. S2CID 109914430.
72. ^ Ernst, Kurt (12 August 2013). "Montjuic, 1971: When Formula 1 met racing slicks". *Hemmings Daily*. Retrieved 1 May 2019.
73. ^ **a b** Hays, Donald (2013). *The Physics of Tire Traction: Theory and Experiment*. Springer Science & Business Media. p. 428. ISBN 9781475713701. Retrieved 25 December 2016.
74. ^ Duffy, Owen C.; Wright, Gus (20 July 2015). *Fundamentals of Medium/Heavy Duty Commercial Vehicle Systems*. Jones & Bartlett Publishers. p. 678. ISBN 9781284041170.
75. ^ "Reading a Tire Sidewall". *Tire Industry Association*. Retrieved 6 December 2023.
76. ^ Hall, Emme (2 October 2019). "How to read a tire sidewall". *CNET*. Retrieved 6 December 2023.
77. ^ Vranas, Chuck (24 July 2017). "Whitewall Tires 101: How They're Made and Why They're Cool". *Motor Trend*. Retrieved 6 December 2023.
78. ^ "Tire Structure". *hankooktire.com/us/*. nd. Retrieved 27 October 2021.
79. ^ Jazar, Reza N. (2008). *Vehicle dynamics: theory and applications*. Springer. p. 11. ISBN 978-0-387-74243-4. Retrieved 16 March 2011. "Inner layers are made of different fabrics, called plies."
80. ^ "Winter Tires: FAQs & How To's". *TDot Performance*. Retrieved 16 April 2020.
81. ^ "What is a Blem?". *intercotire.com*. Archived from the original on 6 March 2023. Retrieved 5 March 2023.
82. ^ Vanooij, William J.; Harakuni, Prasan B.; Buytaert, Guy (1 July 2009). "Adhesion of Steel Tire Cord to Rubber". *Rubber Chemistry and Technology*. **82** (3): 315–339. doi:10.5254/1.3548251.
83. ^ "Alternative Fuels Data Center: Low Rolling Resistance Tires". *afdc.energy.gov*. Retrieved 31 October 2015.
84. ^ "Structure and properties of tire rubbers prepared by anionic polymerization," Aggarwal, S. L., Hargis, I. G., Livigni, R. A., Fabris, H. J., & Marker, L. F. In *Advances in Elastomers and Rubber Elasticity*, pp. 17–36, 1986, https://link.springer.com/content/pdf/10.1007/978-1-4757-1436-4_2?pdf=chapter+toc
85. ^ "World's greatest living rubber scientist", by David Shaw, Tire Industry Research, 2022, <https://tireindustryresearch.com/2019/07/08/worlds-greatest-living-rubber-scientist/>
86. ^ Hao, P. T., Ismail, H., & Hashim, A. S. (2001). Study of two types of styrene butadiene rubber in tire tread compounds. *Polymer Testing*, 20(5), 539–544.
87. ^ "Non-exhaust Particulate Emissions from Road Transport: An Ignored Environmental Policy Challenge". *oecd.org*. 7 December 2020. Retrieved 27 December 2021.
88. ^ Clark, Samuel K.; Gough, V.E. (1981). *Mechanics of Pneumatic Tires*. U.S. Department of Transportation. p. 245. "Consider two mechanisms of force transmission acting in parallel."
89. ^ **a b** Clark, Samuel K.; Gough, V.E. (1981). *Mechanics of Pneumatic Tires*. U.S. Department of Transportation. p. 246. "The only possible way in which the reaction can

develop at the rim is by the changes in magnitude and direction of the membrane stresses at their points of attachment to the rim, in the region of the membrane near the point where the plate is pressed against it."

90. ^ Clark, Samuel K.; Gough, V.E. (1981). *Mechanics of Pneumatic Tires*. U.S. Department of Transportation. p. 246. "This force pulls the bead coil against the base of the wheel rim above the contact area, thus transmitting the upward force to the wheel."
91. ^ *American Machinist*, Volume 40. 2 April 1914. pp. 597–598. Retrieved 14 March 2012.
92. ^ "Demounting and Mounting Procedures" (PDF). Occupational Safety and Health Administration. 2011. Archived from the original (PDF) on 27 February 2012. Retrieved 14 March 2012.
93. ^ "Tribute: Hans Pacejka 1934-2017". *Tire Technology International*. 19 September 2017. Retrieved 1 October 2017. [permanent dead link]
94. ^ Sabry, Fouad (25 October 2022). *Airless Tire: Reinventing the Wheel*. One Billion Knowledgeable.
95. ^ "Tire Match Mounting and Balancing - Yokohama Tire". *yokohamatire.com*. Archived from the original on 29 September 2007. Retrieved 24 July 2007.
96. ^ Clark, Samuel Kelly (1981). *Mechanics of pneumatic tires* (PDF). U.S. Dept. of Transportation, National Highway Traffic Safety Administration, Washington, D.C.
97. ^ Smith, Nicholas D. (2003). "Understanding Parameters Influencing Tire Modeling" (PDF). Department of Mechanical Engineering, Colorado State University. Archived from the original (PDF) on 20 September 2008. Retrieved 23 November 2014.
98. ^ Wong, Jo Yung (2008). *Theory of ground vehicles* (Second ed.). Wiley. pp. 52–53. ISBN 978-0-470-17038-0.
99. ^ Brown, Sheldon. "Sheldon Brown on tires". Retrieved 1 July 2008.
100. ^ "Ton Kilometer Per Hour (TKPH) J1098_199505". *sae.org*. 1 June 1995. Retrieved 31 January 2024.
101. ^ "How to use TKPH". *firestone.co.za*. Archived from the original on 27 September 2006. Retrieved 7 October 2007.
102. ^ "New temperature prediction model improves on current TKPH formula". *goodyear.com*. Archived from the original on 6 November 2006. Retrieved 7 October 2007.
103. ^ Tamis, Jacqueline E.; Koelmans, Albert A.; Dröge, Rianne; Kaag, Nicolaas H. B. M.; Keur, Marinus C.; Tromp, Peter C.; Jongbloed, Ruud H. (2 July 2021). "Environmental risks of car tire microplastic particles and other road runoff pollutants". *Microplastics and Nanoplastics*. **1** (1): 10. doi:10.1186/s43591-021-00008-w. ISSN 2662-4966. S2CID 237303583.
104. ^ "Tire". *The Rubber Age*. **100** (1). Palmerton Publishing: 102. 1968. Retrieved 7 August 2019. "One requirement provides that ... all new tires shall be equipped with a tread-wear indicator that will show at a glance when the tread depth has been worn to 1/16 of an inch."
105. ^ Kane, Sean (10 December 2014). "Tire Aging and Service Life NTSB Tire Safety Symposium" (PDF). NTSB. Retrieved 7 August 2019.

106. ^ **a b** "49 CFR § 574.5 - Tire identification requirements". LII / Legal Information Institute. Retrieved 18 January 2024.
107. ^ "Dept. of Transportation issues new DOT codes". 9 March 2016. Archived from the original on 7 May 2019. Retrieved 29 December 2018.
108. ^ "Goodyear Tire Recall". goodyear.com.
109. ^ Londono, Carmina (July 1999). *Free Trade Area of the Americas (FTAA) Conformity Assessment Infrastructure (PDF)*. Gaithersburg, MD: National Institute of Standards and Technology.
110. ^ *ETRTO Standards Manual 2007*. Bruxelles, Belgium: ETRTO. 2007. pp. 1.
111. ^ Jazar, Reza N. (19 November 2013). *Vehicle Dynamics: Theory and Application*. Springer Science & Business Media. ISBN 9781461485445.
112. ^ Russell, Richard (31 October 2018). "Have your tires reached their expiration date?". *The Chronicle Herald*. Retrieved 6 May 2019.
113. ^ *JATMA year book: tyre standards*. Tokyo: The Japan Automobile Tyre Manufacturers Association. 2019. ISBN 9784909716026. OCLC 1086187385.
114. ^ Busch, Julian (2013). *A brief guide to CCC: China Compulsory Certification*. CreateSpace Independent Publ. ISBN 9781484115534. OCLC 959836294.
115. ^ Gilles, Tim (2005). *Automotive Chassis: Brakes, Suspension, and Steering*. Santa Barbara: Thompson Delmar Learning. p. 551. ISBN 9781401856304.
116. ^ Kershaw, John F.; VanGelder, Kirk (2018). *Automotive steering and suspension*. Burlington, MA. pp. 460–494. ISBN 9781284102093. OCLC 1002887535.cite book: CS1 maint: location missing publisher (link)
117. ^ Bruzek, Joe (15 May 2018). "How Do I Find the Correct Tire Pressure for My Car?". *Cars.com*. Retrieved 6 March 2023.
118. ^ "What is the ideal tyre pressure?". *carsonline*. 4 October 2023. Retrieved 18 January 2024.
119. ^ Brand, Paul (13 March 2015). "Which tire pressure rating should motorists heed?". *Star Tribune*. Retrieved 19 July 2021.
120. ^ "Air or Tire". Retrieved 15 April 2015.
121. ^ "FEA Chapter III: Tire pressure survey and test results". Archived from the original on 6 October 2008. Retrieved 16 January 2009.
122. ^ "NHTSA test". Archived from the original on 6 October 2008. Retrieved 16 January 2009.
123. ^ Giapponi, Thomas R. (2008). *Tire forensic investigation : analyzing tire failure*. Warrendale, Pa.: SAE International. ISBN 9780768019551. OCLC 213080702.
124. ^ Swatton, Peter J. (30 April 2008). *Aircraft Performance Theory for Pilots*. New York: John Wiley & Sons. pp. 89–91. ISBN 9780470693056.
125. ^ Heisler, Heinz (17 July 2002). *Advanced Vehicle Technology*. Elsevier. ISBN 9780080493442.
126. ^ Blaisdell, George L. (1983). *Driving Traction on Ice with All-season and Mud-and-snow Radial Tires*. US Army Corps of Engineers, Cold Regions Research & Engineering Laboratory.

127. ^ Allen, Jim (2009). *Four-Wheeler's Bible*. MotorBooks International. ISBN 9781616730888.
128. ^ "Tire Fires | Scrap Tires | US EPA". *archive.epa.gov*. Retrieved 26 February 2023.
129. ^ Liu, H., Mead, J., Stacer, R. Chelsea Center For Recycling And Economic Development. (1998). Environmental Impacts Of Recycling Rubber In Light Fill Applications: Summary & Evaluation Of Existing Literature University of Massachusetts
130. ^ "Tire-Derived Fuel". U.S. Environmental Protection Agency. Archived from the original on 21 October 2009. Retrieved 29 December 2011.
131. ^ "Are Tires Flammable? You May Be Surprised...". *Firefighter Insider*. Retrieved 29 June 2025.
132. ^ Sullivan, Joseph P. (2006). "An Assessment of Environmental Toxicity and Potential Contamination from Artificial Turf using Shredded or Crumb Rubber" (PDF). Archived from the original (PDF) on 16 August 2009. Retrieved 1 June 2009.
133. ^ Chalker-Scott, Linda. "The Myth of Rubberized Landscapes" (PDF). Archived (PDF) from the original on 7 October 2009. Retrieved 1 June 2009.
134. ^ "Car tires and brake pads produce harmful microplastics". *Science News*. 12 November 2018. Retrieved 6 October 2019.
135. ^ LaBrecque, Sarah (17 July 2023). "Rising microplastics in seas puts pressure on tyre industry". *Reuters*. Retrieved 15 January 2025.
136. ^ Tian, Zhenyu; Zhao, Haoqi; Peter, Katherine T.; Gonzalez, Melissa; Wetzel, Jill; Wu, Christopher; Hu, Ximin; Prat, Jasmine; Mudrock, Emma; Hettinger, Rachel; Cortina, Allan E.; Biswas, Rajshree Ghosh; Kock, Flávio Vinicius Crizóstomo; Soong, Ronald; Jenne, Amy (8 January 2021). "A ubiquitous tire rubber-derived chemical induces acute mortality in coho salmon". *Science*. **371** (6525): 185–189. Bibcode:2021Sci...371..185T. doi:10.1126/science.abd6951. PMID 33273063.
137. ^ van Beukering, P.J. (28 February 2001). *Recycling, International Trade and the Environment*. Springer Science & Business Media. ISBN 9780792368984.
138. ^ "What are Retread Tires?". *Best Tires Guide*. Archived from the original on 17 July 2014. Retrieved 6 April 2014.
139. ^ MK Meybodi, I Dobrev, P Klausmeyer, EJ Harrington, C Furlong, "Investigation of thermomechanical effects of lighting conditions on canvas paintings by laser shearography", SPIE Optical Engineering+ Applications, 2012
140. ^ **a b** Bodziak, William (2008). *Tire Tread and Tire Track Evidence: Recovery and Forensic Examination Practical Aspects of Criminal & Forensic Investigations*. CRC Press. p. 90. ISBN 9781420006827.
141. ^ Kandhal PS. (1992). Waste Materials in Hot Mix Asphalt - an overview Archived 13 May 2009 at the Wayback Machine. National Center for Asphalt Technology.
142. ^ T. E. Baker (2003). Evaluation of the Use of Scrap Tires in Transportation Related Applications in the State of Washington Archived 2011-06-10 at the Wayback Machine
143. ^ M Nehdi, A Khan, (2001). Cementitious Composites Containing Recycled Tire Rubber: An Overview of Engineering Properties and Potential Applications Archived 24 July 2011 at the Wayback Machine. *Cement, Concrete, and Aggregates*.

144. ^ *Ask the garden doctor : 1,200 cures for common garden problems.* Schrock, Denny. Hoboken, N.J.: Wiley. 2010. ISBN 9780470878422. OCLC 656770746.cite book: CS1 maint: others (link)
145. ^ Bignozzi, Maria Chiara (2011). "Sustainable Cements for Green Buildings Construction". *Procedia Engineering*. **21**: 915–921. doi:10.1016/j.proeng.2011.11.2094.
146. ^ "A new use for old tires: A garden using tires". *backwoodshome.com*. 22 March 2006.
147. ^ "'Earthships' in the Desert Save Owners Cash". *ABC News*. 30 December 2010.
148. ^ "Five Uses For Old Tires Around Your Retreat". *The Survivalist Blog*. Archived from the original on 18 February 2013. Retrieved 8 July 2013.
149. ^ Rotstein, Arthur H. (28 July 1996). "Tire Dam to Tread on Erosion Problem". *LA Times*.
150. ^ McCormick, Sean. "No Frills Football Conditioning". *about.com*. Archived from the original on 3 April 2013.
151. ^ Ireland, Jae (24 November 2010). "Football Tire Drills". *LiveStrong*. Retrieved 1 April 2013.
152. ^ Sawyers, Harry. "One Day Project: Kid's Backyard Tire Swing". *Popular Mechanics*. Retrieved 18 January 2024.
153. ^ "Yemen: Protesters burn tires and obstruct roads in multiple parts of Aden Governorate late Aug. 22 to denounce power outages". *Yemen: Protesters burn tires and obstruct roads in multiple parts of Aden Governorate late Aug. 22 to denounce power outages | Crisis24*. Retrieved 21 January 2024.
154. ^ S, Roger Powers (1 January 1997). *Protest, Power, and Change: An Encyclopedia of Nonviolent Action from ACT-UP to Women's Suffrage*. Routledge. ISBN 978-1-136-76482-0.

External links

[edit]

 image not found or type unknown

Look up ***inner tube***, ***tire***, or ***tyre*** in Wiktionary, the free dictionary.

 image not found or type unknown

Wikimedia Commons has media related to ***Tires***.

- National Highway Traffic Safety Adm "Tire Safety" Brochure (Archived 28 October 2020 at the Wayback Machine)
- U.S. government tire rating and maintenance site

- v
- t
- e

Tires

Types

- Tubeless tire
- Radial tire
- Low rolling resistance tire
- Run-flat tire
- Michelin PAX System
- Airless tire
- Tweel
- Rain tyre
- Snow tire
- All-terrain tire
- Bar grip
- Knobby tire
- Large tire
- Mud-terrain tire
- Paddle tire
- Orange oil tires
- Whitewall tire
- Aircraft tire
- Tundra tire
- Bicycle tire
- Tubular tire
- Lego tire
- Motorcycle tyre
- Tractor tire
- Racing slick
- Formula One tyres
- Spare tire
- Continental tire

Components

- Bead
- Beadlock
- Tread
- Siping (rubber)
- Valve stem
 - Dunlop valve
 - Presta valve
 - Schrader valve

Attributes

- Camber thrust
- Circle of forces
- Cold inflation pressure
- Contact patch
- Cornering force
- Ground pressure
- Pacejka's Magic Formula
- Pneumatic trail
- Relaxation length
- Rolling resistance
- Self aligning torque
- Slip angle
- Steering ratio
- Tire balance
- Tire load sensitivity
- Tire uniformity
- Lateral Force Variation
- Radial Force Variation
- Traction (engineering)
- Treadwear rating

Behaviors

- Aquaplaning
- Groove wander
- Slip (vehicle dynamics)
- Tramlining

Maintenance

- Tire maintenance
- Tire rotation
- Bicycle pump
- Central Tire Inflation System
- Tire mousse
- Tire-pressure monitoring system
- Tire-pressure gauge
- Direct TPMS
- Bead breaker
- Tire changer
- Tire manipulator
- Tire iron

Life cycle

- Tire manufacturing
- List of tire companies
- Retread
- Waste tires
- Tire recycling
- Tire fire
- Blowout
- Flat tire
- Ozone cracking

Organizations

- European Tyre and Rim Technical Organisation
- Tire Society
- Tire Science and Technology

Identification

- Tire code
- Plus sizing
- Tire label
- Uniform Tire Quality Grading (UTQG)

-  **Outline of tires**
-  **Category**

- v
- t
- e

Rubber

Chemical types

- Latex
- Natural rubber
- Synthetic rubber
 - Butyl rubber
 - Chloroprene rubber
 - EPDM rubber
 - Nitrile rubber
 - Silicone rubber
 - Styrene-butadiene

- Mechanical types**
 - Cold rubber
 - Foam rubber
 - Crumb rubber
 - Micronized rubber powder

- Additives**
 - Biodegradable additives
 - Filler (materials)
 - Plasticizer
 - Polymer additive
 - Polymer stabilizers

- Rubber processing**
 - Rubber tapping
 - Rubber technology
 - Vulcanization

- Industry**
 - Bridgestone
 - Dunlop
 - Goodyear Tire and Rubber Company
 - Michelin
 - Rubber Board
 - Rubber industry in Malaysia
 - Rubber Industry Smallholders Development Authority
 - Rubber Manufacturers Association
 - United States Rubber Company
 - List of tire companies

- Products**
 - Rubber band
 - Rubber mulch
 - Rubberized asphalt
 - Tires
 - codes

Waste

- Airfield rubber removal
- Rubber pollution
 - Dioxins
 - Environmental hazards
 - Great Pacific Garbage Patch
 - Persistent organic pollutant
- Tire-derived fuel
- Tire recycling

-  **Category**
-  **Commons**

- v
- t
- e

Automotive handling

Main topics

- Car handling
- Center of mass
- Downforce
- Drifting
- Electronic Stability Control
- Fishtailing
- Inboard brake
- Oversteer
- Steering
- Suspension
- Tire / Tyre
- Transaxle
- Understeer
- Unsprung mass
- Vehicle dynamics
- Weight transfer

- Spring types**
- Coil
 - Leaf
 - Pneumatic
 - Torsion

- Dependent**
- Beam axle
 - De Dion tube

- Semi-independent**
- Twist beam

Suspension types

- Independent**
- Double wishbone (Jaguar IRS)
 - Dubonnet
 - MacPherson strut (Chapman strut)
 - Multi-link
 - Sliding pillar
 - Swing axle
 - Trailing arm (Semi-trailing arm)

- v
- t
- e

Powertrain

Part of the Automobile series

- Automotive engine**
- Diesel engine
 - Electric
 - Fuel cell
 - Hybrid (Plug-in hybrid)
 - Internal combustion engine
 - Petrol engine
 - Steam engine

Transmission

- Automatic transmission
- Chain drive
- Direct-drive
- Clutch
- Constant-velocity joint
- Continuously variable transmission
- Coupling
- Differential
- Direct-shift gearbox
- Drive shaft
- Dual-clutch transmission
- Drive wheel
- Automated manual transmission
- Electrorheological clutch
- Epicyclic gearing
- Fluid coupling
- Friction drive
- Gearshift
- Giubo
- Hotchkiss drive
- Limited-slip differential
- Locking differential
- Manual transmission
- Manumatic
- Parking pawl
- Park-by-wire
- Preselector gearbox
- Semi-automatic transmission
- Shift-by-wire
- Torque converter
- Transaxle
- Transfer box
- Transmission control unit
- Universal joint

Wheels and tires

- Wheel hub assembly
- Wheel
 - Rim
 - Alloy wheel
 - Hubcap
- Tire
 - Off-road
 - Racing slick
 - Radial
 - Rain
 - Run-flat
 - Snow
 - Spare
 - Tubeless

Hybrid

- Electric motor
- Hybrid vehicle drivetrain
- Electric generator
- Alternator

-  Portal
-  Category

- v
- t
- e

Automotive design

Part of a series of articles on cars

- Backbone chassis
 - Beltline
 - Body-on-frame
 - Bumper
 - Dagmar
 - Cabrio coach
 - Chassis
 - Continental tire
 - Crumple zone
 - Fender
 - ponton
 - skirts
 - Grille
 - Hood
 - scoop
 - shaker
 - Monocoque
 - Overhang
 - Pillar
 - Platform
 - Quarter panel
 - Roof
 - rack
 - Spoiler
 - Stressed member engine
 - Subframe
 - Tonneau
 - Trunk lid
- Framework
- Hood/bonnet
 - Trunk/boot/dickie
- Compartments
- Butterfly
 - Canopy
 - Gull-wing
 - Scissor
 - Sliding
 - Suicide
 - Swan
- Body Doors
- Glass run channel
 - Greenhouse
 - Opera window
 - Power window

Lighting

- Automotive light bulb types
- Daytime running lamp
- Headlamp
 - hidden
 - high-intensity discharge
 - sealed beam
 - trafficators

Exterior equipment

Other elements

- Horn
- Side-view mirror
 - power
- Tow hitch
- Window deflector

Legal

- Registration plate
 - vanity plate
- Theft
- Vehicle identification number (VIN)

-  **Category**
-  **Commons**
-  **Portal**

Authority control databases Edit this at Wikidata

National


- Germany
- United States
- France
- BnF data
- Japan
- Czech Republic
- Israel

Other


- Yale LUX

About Roadster (car)

This article is about a style of automobile. For other uses of the terms, see Roadster (disambiguation) and Spyder (disambiguation).



2016 Mazda MX-5




1931 Ford Model A roadster

A **roadster** (also **spider**, **spyder**) is an open two-seat car with emphasis on sporting appearance or character.^[1]^[2] Initially an American term for a two-seat car with no weather protection, its usage has spread internationally and has evolved to include two-seat convertibles.

The roadster was also a style of racing car driven in United States Auto Club (USAC) Championship Racing, including the Indianapolis 500, in the 1950s and 1960s. This type of racing car was superseded by rear-mid-engine cars.

Etymology

[edit]



Early roadster competing for the Vanderbilt Cup

The term "roadster" originates in the United States, where it was used in the 19th century to describe a horse suitable for travelling.^{[3][4]} By the end of the century, the definition had expanded to include bicycles and tricycles.^[5] In 1916, the United States Society of Automobile Engineers defined a roadster as: "an open car seating two or three. It may have additional seats on running boards or in rear deck."^[6] Since it has a single row of seats, the main seat for the driver and passenger was usually further back in the chassis than it would have been in a touring car.^{[4][7]} Roadsters usually had a hooded dashboard.^[7]

In the United Kingdom, historically, the preferred terms were "open two-seater" and "two-seat tourer".^{[8][9]} Since the 1950s, the term "roadster" has also been increasingly used in the United Kingdom. It is noted that the optional 4-seat variant of the Morgan Roadster would not be technically considered a roadster.^[citation needed]

The term "spider" or "spyder," sometimes used in names for convertible models, is said to come from before the automobile era. Some 19th-century lightweight horse-drawn phaetons had a small body and large wooden wheels with thin spokes; they were nicknamed "spiders" because of their appearance; the nickname was transferred to sports cars, although they did not look similar.^[10]

In 1962, Chevrolet introduced the *Monza Spyder*, a turbocharged version of its Corvair compact, available as a convertible or coupe. Although not a true 2 passenger vehicle, it featured upgraded suspension and other equipment to classify it as a "sporty car."

History

[edit]

Auto racing began with the first earnest contests in 1894 in Europe, and in 1895 in the United States. Some of the earliest race cars were purpose-built or stripped for the greatest speed, with minimal or no bodywork at all, leading to a body style aptly named 'speedster'. The cut-down speedster body-style really took form in the 1900s. After removing most of the body (and fenders), an empty platform on the ladder-frame chassis was mounted with one or two seats, a gas tank, and spare tyres.^[11]

American manufacturers Mercer and Stutz started offering ready-made racing speedsters, intentionally built to be driven to race(-track), raced, and driven back by their owner – essentially the first track day cars.^[11]

- 1890s to 1920s speedsters

- Ransom Olds' 1896/1897 "Pirate" racer was one of the first speedsters.

Image not found or type unknown

Ransom Olds'
1896/1897 "Pirate"
racer was one of the
first speedsters.

- Barney Oldfield and Henry Ford with Oldfield's 999 speedster, 1902

Image not found or type unknown

Barney Oldfield and Henry
Ford with Oldfield's 999
speedster, 1902

- 1909 model T speedster announced winner of the 1909 Ocean to Ocean race, disqualified

Image not found or type unknown

1909 model T
speedster –
announced winner of
the 1909 Ocean to
Ocean race,
disqualified because
of an engine change
1910 Mercer 35R Raceabout (1912 specimen)

-

Image not found or type unknown

1910 Mercer 35R
Raceabout (1912
specimen)

The 1912 Stutz Bear Cat / Bearcat, (1914 shown), available doorless through 1916

○

Image not found or type unknown

The 1912 Stutz Bear
Cat / Bearcat, (1914
shown), available
doorless through
1916

The immediate predecessor to the roadster was the runabout, a body style with a single row of seats and no doors, windshield, or other weather protection. Another predecessor was the touring car, similar in body style to the modern roadster except for its multiple rows of seats. By the 1920s roadsters were appointed similarly to touring cars, with doors, windshields, simple folding tops, and side curtains.^[4]

Roadster bodies were offered on automobiles of all sizes and classes, from mass-produced cars like the Ford Model T and the Austin 7 to extremely expensive cars like the Cadillac V-16, the Duesenberg Model J and Bugatti Royale.

- 1920s to 1950s roadsters
- 1926 Ford Model T roadster

Image not found or type unknown

1926 Ford Model T
roadster
1932 Duesenberg J Murphy-bodied roadster

○

Image not found or type unknown

1932 Duesenberg J
Murphy-bodied roadster

1937 Delahaye 135MS roadster

○

Image not found or type unknown

1937 Delahaye 135MS
roadster

- 1949 MG TC open two-seater marketed in USA as a roadster

Image not found or type unknown

1949 MG TC open
two-seater marketed
in USA as a roadster

By the 1970s "roadster" could be applied to any two-seater car of sporting appearance or character.^[12] In response to market demand they were manufactured as well-equipped as convertibles^[13] with side windows that retracted into the doors. Popular models through the 1960s and 1970s were the Alfa Romeo Spider, MGB and Triumph TR4.

- 1950s to 1980s roadsters
1973 MGB

○

Image not found or type unknown

1973 MGB

- Alfa Romeo Spider

Image not found or type unknown

Alfa Romeo Spider

- 1983 Mercedes-Benz 380SL

Image not found or type unknown

1983 Mercedes-Benz 380SL
1987 Cadillac Allanté

○

Image not found or type unknown

1987 Cadillac Allanté

The highest selling roadster is the Mazda MX-5, which was introduced in 1989. ^{[14][15][16]}
The early style of roadster with minimal weather protection is still in production by several low-volume manufacturers and fabricators, including the windowless Morgan Roadster, the doorless Caterham 7 and the bodyless Ariel Atom.

- 1990s to present day roadsters
BMW Z3

○

Image not found or type unknown

BMW Z3

- Pontiac Solstice

Image not found or type unknown

Pontiac Solstice

Mazda MX-5

○

Image not found or type unknown

Mazda MX-5

Porsche Boxster

○

Image not found or type unknown

Porsche Boxster


- o MG Cyberster

Image not found or type unknown

MG Cyberster

IndyCar roadster layout

[edit]



1957 Kurtis Indy roadster

The term *roadster* was used to describe a style of racing cars competing in the AAA/USAC Championship Cars series (the IndyCar equivalents of the time) from 1952 to 1969. The roadster engine and drive shaft are offset from the centerline of the car. This allows the driver to sit lower in the chassis and facilitates a weight offset which is beneficial on oval tracks. ^[17]

One story of why this type of racing car is referred to as a "roadster" is that a team was preparing a new car for the Indianapolis 500. They had it covered in a corner of their shop. If they were asked about their car they would try and obscure its importance by saying that it was just their (hot rod) "roadster". After the Indianapolis racer was made public, the "roadster" name was still attached to it. ^[citation needed]

Frank Kurtis built the first roadster to race and entered it in the 1952 Indianapolis 500. It was driven by Bill Vukovich who led for most of the race until a steering failure eliminated him. The Howard Keck owned team with Vukovich driving went on to win the 1953 and 1954 contests with the same car. Bob Sweikert won the 1955 500 in a Kurtis after Vukovich was killed while leading. A. J. Watson, ^[18] George Salih and Quinn Epperly were other notable roadster constructors. Watson-built roadsters won in 1956, 1959 – 1964 though the 1961 and 1963 winners were actually close copies built from Watson designs. The 1957 and 1958 winner was the same car built by Salih with help by Epperly built with a unique placement of the engine in a 'lay down' mounting so the cylinders were nearly horizontal instead of vertical as traditional design dictated. ^[19] This gave a slightly lower center of mass and a lower profile.

Roadsters continued to race until the late 1960s, although they became increasingly uncompetitive against the new rear-engined racing cars. The last roadster to complete the full race distance was in 1965, when Gordon Johncock finished fifth in the Wienberger Homes Watson car. The last roadster to make the race was built and driven by Jim Hurtubise in the 1968 race and dropped out early.^[20]

Some pavement midget roadsters were built and raced into the early 1970s but never were dominant.^[21]

See also

[edit]

- Barchetta, a related two-seater body style designed primarily for racing
- Convertible, the general term to describe vehicles with retractable roofs and retractable side windows
- Roadster utility
- Tonneau cover, a protective cover for the seats in an open car

References

[edit]

- [^] Pollard, Elaine, ed. (1994). "R". *The Oxford Paperback Dictionary (Fourth ed.)*. Oxford, UK: Oxford University Press. p. 692. ISBN 0-19-280012-4. "**roadster** noun an open car without rear seats."
- [^] Georgano, G. N., ed. (1971). "Glossary". *Encyclopedia of American Automobiles*. New York, NY USA: E. P. Dutton. pp. 215–217. ISBN 0-525-09792-9. LCCN 79147885. "**Roadster**. A two-passenger open car of sporting appearance."
- [^] Webster, Noah; Goodrich, Chauncey A.; Porter, Noah (1861). "Roadster". *An American Dictionary of the English Language*. Springfield, MA US: G. and C. Merriam. p. 959.
- [^] **a b c** Haajanen, Lennart W. (2003). *Illustrated Dictionary of Automobile Body Styles*. Illustrations by Bertil Nydén; foreword by Karl Ludvigsen. Jefferson, NC USA: McFarland. p. 113. ISBN 0-7864-1276-3. LCCN 2002014546.
- [^] Porter, Noah, ed. (1898). "Roadster". *Webster's International Dictionary of the English Language*. Springfield, MA US: G. and C. Merriam. p. 1246. LCCN 98001281.
- [^] Society of Automobile Engineers, Nomenclature Division (August 20, 1916). "What's What in Automobile Bodies Officially Determined" (pdf). *The New York Times*. New York, NY USA. Nomenclature Division, Society of Automobile Engineers. ISSN 0362-4331. OCLC 1645522. Retrieved 2012-05-31. "Here it is, with other body types and distinctions, officially determined recently by the Nomenclature Division of the Society of Automobile Engineers:"

7. [^] **a b** Clough, Albert L. (1913). *A dictionary of automobile terms*. The Horseless Age Company. LCCN 13003001. Retrieved 1 September 2014.
8. [^] Culshaw, David; Horrobin, Peter (2013) [1974]. "Appendix 5 - Coachwork styles". *The complete catalogue of British Cars 1895 - 1975 (e-book ed.)*. Poundbury, Dorchester, UK: Veloce Publishing. pp. 480–484. ISBN 978-1-845845-83-4.
9. [^] "The Used Car Problem". *Garage Organization and Management*. Taylor & Francis. pp. 259–260. Retrieved 2012-10-26. "(for the purposes of this British publication) 'In order to avoid confusion, however, the universally understood terms "Tourer", "Coupé", "Saloon", "Limousine", etc., have been adopted, adding the American term 'Roadster' as the two-seater edition of the tourer.'"
10. [^] Silvestro, Brian (14 May 2018). "Here's Why Convertibles Are Called Spiders". *Road & Track*.
11. [^] **a b** The Cutdown Speedster — ClassicSpeedsters.com
12. [^] Georgano 1971, p. 216.
13. [^] Culshaw & Horrobin 2013, p. 482.
14. [^] "Mazda Produces 900,000th MX-5, Recognized as World's Best-Selling Sports Car". *www.motortrend.com*. Retrieved 23 June 2018.
15. [^] "History of the Mazda MX-5 - picture special". *www.autocar.co.uk*. Retrieved 23 June 2018.
16. [^] "25 Snapshots of the Mazda Miata Through History". *www.cheatsheet.com*. Retrieved 23 June 2018.
17. [^] "The 10 greatest Indy roadsters in history". *www.macsmotorcitygarage.com*. 18 February 2014. Retrieved 28 October 2018.
18. [^] "(USAC) Championship Indy Car Roadster". *www.ewarbirds.org*. Retrieved 28 October 2018.
19. [^] "Brickyard Classic: 1958 Indy 500 – The Salih and Epperly "Laydown" Roadsters". *www.curbsideclassic.com*. Retrieved 28 October 2018.
20. [^] "Robin Miller". *www.racer.com*. Retrieved 28 October 2018.
21. [^] "The Don Edmunds Fully Independent Suspended Roadster Midget". *www.donedmunds.com*. Retrieved 14 April 2019.

External links

[edit]

-  Media related to Roadsters at Wikimedia Commons

- v
- t
- e

Car design

Classification	By size	<ul style="list-style-type: none"> ○ Micro ○ Kei ○ Subcompact ○ Supermini ○ Family ○ Compact ○ Mid-size ○ Full-size 	
	Custom	<ul style="list-style-type: none"> ○ Baja Bug ○ Hot rod ○ Lead sled ○ Lowrider ○ Sandrail ○ T-bucket 	
	Luxury	<ul style="list-style-type: none"> ○ Compact executive ○ Executive ○ Personal 	
	Minivan / MPV	<ul style="list-style-type: none"> ○ Compact ○ Leisure ○ Mini 	
	SUV	<ul style="list-style-type: none"> ○ Compact ○ Crossover (CUV) ○ Mini ○ Coupe SUV 	
	Sports	<ul style="list-style-type: none"> ○ Grand tourer ○ Hot hatch ○ Muscle ○ Pony ○ Sport compact ○ Sports sedan ○ Super ○ Go-kart 	
	Other	<ul style="list-style-type: none"> ○ Antique ○ Classic ○ Economy ○ Ute 	

Body styles

- 2+2
- Baquet
- Barchetta
- Berlinetta
- Brougham
- Cabrio coach
- Cab over
- Cabriolet / Convertible / Drophead coupe
- Coupe
- Coupé de Ville / Sedan de Ville
- Coupé utility
- Fastback
- Hardtop
- Hatchback
- Kammback
- Landaulet
- Liftback
- Limousine
- Microvan
- Minibus
- Multi-stop truck
- Notchback
- Panel van
- Phaeton
- Pickup truck
- Quad coupé
- Retractable hardtop
- Roadster / Spider / Spyder
- Runabout
- Saloon / Sedan
- Sedan delivery/Panel van
- Shooting brake
- Station wagon
- Targa top
- Torpedo
- Touring
- Town (Coupé de Ville)
- T-top
- Vis-à-vis

Specialized vehicles

- All-terrain vehicle
- Amphibious
- Connected
- Driverless (autonomous)
- Dune buggy
- Go-kart
- Gyrocar
- Pedal car
- Personal rapid transit
- Police car
- Flying car
- Taxicab
- Tow truck
- Voiturette

Propulsion

- Alternative fuel
- Autogas
- Biodiesel
- Biofuel
- Biogasoline
- Biogas
- Compressed natural gas
- Diesel
- Electric (battery)
- NEV)
- Ethanol (E85)
- Fossil fuel
- Fuel cell
- Fuel gas
- Natural gas
- Gasoline / petrol (direct injection)
- Homogeneous charge compression ignition
- Hybrid (plug-in)
- Hydrogen
- Internal combustion
- Liquid nitrogen
- Liquified petroleum gas
- Steam

Drive wheels

- Front-wheel
- Rear-wheel
- Two-wheel
- Four-wheel
- Six-wheel
- Eight-wheel
- Ten-wheel
- Twelve-wheel

Engine position

- Front
- Mid
- Rear

**Layout
(engine / drive)**

- Front-front
- Front mid-front
- Rear-front
- Front-rear
- Rear mid-rear
- Rear-rear
- Front-four-wheel
- Mid-four-wheel
- Rear-four-wheel
- Dual motor-four-wheel
- Individual wheel drive

**Engine configuration
(internal combustion)**

- Boxer
- Flat
- Four-stroke
- H-block
- Reciprocating
- Single-cylinder
- Straight
- Two-stroke
- V (Vee)
- W engine
- Wankel

- **Portal**
- **Category**
- **Template:EC car classification**

About Shorewood Home & Auto (Formerly Circle Tractor)

Driving Directions in Will County

auto atv

41.594748226806, -87.999739790257

Starting Point

Shorewood Home & Auto (Formerly Circle Tractor), 13639 W 159th St, Homer Glen, IL 60491, USA

Destination

[Open in Google Maps](#)

ATV Dealer

41.557324506025, -87.928742225499

Starting Point

Shorewood Home & Auto (Formerly Circle Tractor), 13639 W 159th St, Homer Glen, IL 60491, USA

Destination

[Open in Google Maps](#)

ATV Dealer

41.558509620271, -87.95950362543

Starting Point

Shorewood Home & Auto (Formerly Circle Tractor), 13639 W 159th St, Homer Glen, IL 60491, USA

Destination

[Open in Google Maps](#)

atv stores in illinois

41.631170758126, -87.9510205

Starting Point

Shorewood Home & Auto (Formerly Circle Tractor), 13639 W 159th St, Homer Glen, IL 60491, USA

Destination

[Open in Google Maps](#)

judson outdoor power & atv

41.57515764718, -88.032512736562

Starting Point

Shorewood Home & Auto (Formerly Circle Tractor), 13639 W 159th St, Homer Glen, IL 60491, USA

Destination

[Open in Google Maps](#)

atv push mower

41.619926653045, -87.892455610928

Starting Point

Shorewood Home & Auto (Formerly Circle Tractor), 13639 W 159th St, Homer Glen, IL 60491, USA

Destination

[Open in Google Maps](#)

atv illinois for sale

41.661417333599, -87.915319377447

Starting Point

Shorewood Home & Auto (Formerly Circle Tractor), 13639 W 159th St, Homer Glen, IL 60491, USA

Destination

[Open in Google Maps](#)

atv push mower

41.576559514074, -88.017102969337

Starting Point

Shorewood Home & Auto (Formerly Circle Tractor), 13639 W 159th St, Homer Glen, IL 60491, USA

Destination

[Open in Google Maps](#)

used atv mowers for sale

41.606342917118, -87.909382977642

Starting Point

Shorewood Home & Auto (Formerly Circle Tractor), 13639 W 159th St, Homer Glen, IL 60491, USA

Destination

[Open in Google Maps](#)

auto atv

41.58938458501, -87.942080491627

Starting Point

Shorewood Home & Auto (Formerly Circle Tractor), 13639 W 159th St, Homer Glen, IL 60491, USA

Destination

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/place/Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29/@41.58938458501,-87.942080491627,25.2z/data=!4m6!3m5!1s0x880e41f2e579f223:0xe5c5c23b2b8dc77a!8m2!3d41.598588!4d-87.9510205!16s%2F>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/place/Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29/@41.58938458501,-87.942080491627,25.2z/data=!4m6!3m5!1s0x880e41f2e579f223:0xe5c5c23b2b8dc77a!8m2!3d41.598588!4d-87.9510205!16s%2F>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/place/Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29/@41.587,887582235395,25.2z/data=!4m6!3m5!1s0x880e41f2e579f223:0xe5c5c23b2b8dc77a!8m2!3d41.598588!4d87.9510205!16s%2F>

Click below to open this location on Google Maps

[**Open in Google Maps**](#)

Google Maps Location

<https://www.google.com/maps/place/Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29/@41.587,989359069024,25.2z/data=!4m6!3m5!1s0x880e41f2e579f223:0xe5c5c23b2b8dc77a!8m2!3d41.598588!4d87.9510205!16s%2F>

Click below to open this location on Google Maps

[**Open in Google Maps**](#)

Google Maps Location

<https://www.google.com/maps/place/Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29/@41.687,96819704524,25.2z/data=!4m6!3m5!1s0x880e41f2e579f223:0xe5c5c23b2b8dc77a!8m2!3d41.598588!4d87.9510205!16s%2F>

Click below to open this location on Google Maps

[**Open in Google Maps**](#)

Google Maps Location

<https://www.google.com/maps/place/Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29/@41.687,907293353371,25.2z/data=!4m6!3m5!1s0x880e41f2e579f223:0xe5c5c23b2b8dc77a!8m2!3d41.598588!4d87.9510205!16s%2F>

Click below to open this location on Google Maps

[**Open in Google Maps**](#)

Google Maps Location

<https://www.google.com/maps/place/Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29/@41.588,005949138067,25.2z/data=!4m6!3m5!1s0x880e41f2e579f223:0xe5c5c23b2b8dc77a!8m2!3d41.598588!4d87.9510205!16s%2F>

Click below to open this location on Google Maps

[**Open in Google Maps**](#)

Google Maps Location

<https://www.google.com/maps/place/Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29/@41.687.927490499581,25.2z/data=!4m6!3m5!1s0x880e41f2e579f223:0xe5c5c23b2b8dc77a!8m2!3d41.598588!4d87.9510205!16s%2F>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/place/Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29/@41.687.9730747233,25.2z/data=!4m6!3m5!1s0x880e41f2e579f223:0xe5c5c23b2b8dc77a!8m2!3d41.598588!4d87.9510205!16s%2F>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/place/Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29/@41.588.024051861695,25.2z/data=!4m6!3m5!1s0x880e41f2e579f223:0xe5c5c23b2b8dc77a!8m2!3d41.598588!4d87.9510205!16s%2F>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/dir/?api=1&origin=41.6017944719,-88.000192733008&destination=Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29%2C+1363>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/dir/?api=1&origin=41.557324506025,-87.928742225499&destination=Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29%2C+1363>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/dir/?api=1&origin=41.608363577474,-87.913026040309&destination=Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29%2C+13639>

Click below to open this location on Google Maps

[Open in Google Maps](https://www.google.com/maps/dir/?api=1&origin=41.608363577474,-87.913026040309&destination=Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29%2C+13639)

Google Maps Location

<https://www.google.com/maps/dir/?api=1&origin=41.608455488079,-88.008265754223&destination=Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29%2C+13639>

Click below to open this location on Google Maps

[Open in Google Maps](https://www.google.com/maps/dir/?api=1&origin=41.608455488079,-88.008265754223&destination=Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29%2C+13639)

Google Maps Location

<https://www.google.com/maps/dir/?api=1&origin=41.620612367198,-87.990129262512&destination=Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29%2C+13639>

Click below to open this location on Google Maps

[Open in Google Maps](https://www.google.com/maps/dir/?api=1&origin=41.620612367198,-87.990129262512&destination=Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29%2C+13639)

Google Maps Location

<https://www.google.com/maps/dir/?api=1&origin=41.581323565378,-87.961782730256&destination=Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29%2C+13639+ready+pack>

Click below to open this location on Google Maps

[Open in Google Maps](https://www.google.com/maps/dir/?api=1&origin=41.581323565378,-87.961782730256&destination=Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29%2C+13639+ready+pack)

Google Maps Location

<https://www.google.com/maps/dir/?api=1&origin=41.558509620271,-87.95950362543&destination=Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29%2C+13639>

Click below to open this location on Google Maps

[Open in Google Maps](https://www.google.com/maps/dir/?api=1&origin=41.558509620271,-87.95950362543&destination=Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29%2C+13639)

Google Maps Location

<https://www.google.com/maps/dir/?api=1&origin=41.529982967362,-87.97217743365&destination=Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29%2C+13639>

Click below to open this location on Google Maps

[Open in Google Maps](https://www.google.com/maps/dir/?api=1&origin=41.529982967362,-87.97217743365&destination=Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29%2C+13639)

Google Maps Location

<https://www.google.com/maps/dir/?api=1&origin=41.588311116463,-87.958021423633&destination=Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29%2C+13639>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Google Maps Location

<https://www.google.com/maps/dir/?api=1&origin=41.543312099985,-87.94325823519&destination=Shorewood+Home+%26+Auto+%28Formerly+Circle+Tractor%29%2C+13639>

Click below to open this location on Google Maps

[Open in Google Maps](#)

Check our other pages :

- [How to adjust jetting for hot summer temperatures](#)
- [Tips for preventing rust after riding in wet conditions](#)
- [How to maintain your ATV during hunting season use](#)
- [Steps for setting up your ATV for deep snow riding](#)
- [Steps for protecting your ATV from saltwater corrosion](#)

Shorewood Home & Auto

Phone : +17083010222

Email : +17083010222

City : Shorewood

State : IL

Zip : 60404

Address : 1002 W Jefferson St

Google Business Profile

Company Website : <https://www.shorewoodhomeandauto.com/>

USEFUL LINKS

ATV Dealer

[ATV Repair](#)

[Sitemap](#)

[Privacy Policy](#)

[About Us](#)

Follow us