EXHIBIT "A"

All of that tract or parcel of land lying and being in Lula District, GMD 1690 of Hall County, Georgia and being more particularly described as follows:

To reach the **POINT OF BEGINNING** commence at the intersection of the northerly r/w of Whitehall Road (60' r/w) and the westerly r/w of Cagle Mill Road (60 'r/w) and proceed thence along the westerly r/w of Cagle Mill Road (60 'r/w) the following courses and distances:

 thence 151.55 feet along the arc of a curve to the Right, said curve having a radius of 507.59 feet and being subtended by a chord of North 22°06'35" West, 150.99 feet to a point;

2) thence North 13°33'23" West for a distance of 104.11 feet to a point;

- 3) thence 58.45 feet along the arc of a curve to the Left, said curve having a radius of 1470.00 feet and being subtended by a chord of North 14°41'44" West, 58.45 feet to a point;
- 4) thence North 15°50'05" West for a distance of 148.14 feet to a point; thence 119.61 feet along the arc of a curve to the Left, said curve having a radius of 320.68 feet and being subtended by a chord of North 26°31'11" West, 118.92 feet to a point;
- 5) thence North 37°12'18" West for a distance of 38.85 feet to a point; thence 49.79 feet along the arc of a curve to the Left, said curve having a radius of 970.00 feet and being subtended by a chord of North 38°40'32" West, 49.78 feet to a point;

6) thence North 40°08'46" West for a distance of 82.85 feet to a point;

- 7) thence 83.70 feet along the arc of a curve to the Right, said curve having a radius of 376.59 feet and being subtended by a chord of North 33°46'43" West, 83.53 feet to a point;
- 8) thence 92.24 feet along the arc of a curve to the Right, said curve having a radius of 376.59 feet and being subtended by a chord of North 20°23'39" West, 92.01 feet to a point;

9) thence North 13°22'37" West for a distance of 84.13 feet to a point;

10) thence 235.27 feet along the arc of a curve to the Right, said curve having a radius of 2030.00 feet and being subtended by a chord of North 10°03'24" West, 235.14 feet to a point;

11) thence North 06°44'12" West for a distance of 24.35 feet to a point;

- 12) thence 279.03 feet along the arc of a curve to the Right, said curve having a radius of 2399.42 feet and being subtended by a chord of North 03°24'18" West, 278.88 feet to a point;
- 13) thence 149.76 feet along the arc of a curve to the Left, said curve having a radius of 1936.85 feet and being subtended by a chord of North 02°17'19" West, 149.72 feet to a point;

14) thence North 04°30'13" West for a distance of 62.77 feet to a point;

15) thence 163.42 feet along the arc of a curve to the Right, said curve having a radius of 436.90 feet and being subtended by a chord of North 06°12'44" East, 162.47 feet to a point:

16) thence North 16°55'40" East for a distance of 89.71 feet to a point;

17) thence 141.56 feet along the arc of a curve to the Left, said curve having a radius of 556.36 feet and being subtended by a chord of North 09°38'20" East, 141.18 feet to a point;

18) thence North 02°21'00" East for a distance of 115.29 feet to a point;

19) thence 19.50 feet along the arc of a curve to the Right, said curve having a radius of 534.93 feet and being subtended by a chord of North 03°23'39" East, 19.50 feet to a point;

20) thence North 04°26'19" East for a distance of 81.00 feet to a point;

Page 1 of 4 pages

- 21) thence 114.10 feet along the arc of a curve to the Right, said curve having a radius of 237.75 feet and being subtended by a chord of North 18°11'12" East, 113.00 feet to a
- 22) thence 59.16 feet along the arc of a curve to the Right, said curve having a radius of 198.87 feet and being subtended by a chord of North 40°27'27" East, 58.94 feet to a point;
- 23) thence North 48°58'48" East for a distance of 97.01 feet to a point;
- 24) thence 39.52 feet along the arc of a curve to the Left, said curve having a radius of 132.57 feet and being subtended by a chord of North 40°26'21" East, 39.38 feet to a point;
- 25) thence 207.13 feet along the arc of a curve to the Left, said curve having a radius of 216.94 feet and being subtended by a chord of North 04°32'44" East, 199.35 feet to a point;
- 26) thence North 22°48'26" West for a distance of 94.77 feet to a point;
- 27) thence 101.24 feet along the arc of a curve to the Right, said curve having a radius of 106.98 feet and being subtended by a chord of North 04°18'10" East, 97.50 feet to the POINT OF BEGINNING.

From the POINT OF BEGINNING thus established depart the westerly r/w of Cagle Mill Road (60' r/w) and proceed thence South 77°44'26" West for a distance of 196.34 feet to a concrete monument found; Thence North 47°39'17" West for a distance of 1669.14 feet to an iron pin placed (1/2" re-bar); thence North 47°39'17" West for a distance of 48.86 feet to a point on the centerline of the North Oconee River; thence along the centerline of the North Oconee River the following courses and distances:

- 1) thence North 32°05'09" East for a distance of 22.08 feet to a point;
- 2) thence North 58°45'00" East for a distance of 115.15 feet to a point;
- 3) thence North 36°02'20" East for a distance of 62.93 feet to a point;
- 4) thence North 34°03'11" East for a distance of 93.82 feet to a point;
- 5) thence North 50°25'05" East for a distance of 78.88 feet to a point;
- 6) thence North 71°31'50" East for a distance of 224.47 feet to a point;
- 7) thence South 88°11'22" East for a distance of 102.83 feet to a point;
- 8) thence North 81°48'43" East for a distance of 135.47 feet to a point;
- 9) thence North 68°42'22" East for a distance of 131.09 feet to a point;
- 10) thence South 79°37'14" East for a distance of 84.16 feet to a point;
- 11) thence South 47°17'56" East for a distance of 40.43 feet to a point;
- 12) thence North 89°15'54" East for a distance of 38.19 feet to a point;
- 13) thence North 71°20'39" East for a distance of 67.36 feet to a point;
- 14) thence North 59°40'37" East for a distance of 51.46 feet to a point;
- 15) thence South 78°39'47" East for a distance of 155.51 feet to a point;
- 16) thence South 62°17'51" East for a distance of 45.05 feet to a point;
- 17) thence North 50°10'39" East for a distance of 38.70 feet to a point;
- 18) thence South 65°03'21" East for a distance of 72.16 feet to a point;
- 19) thence South 07°17'37" West for a distance of 117.47 feet to a point; 20) thence South 41°27'02" East for a distance of 22.79 feet to a point;
- 21) thence North 73°06'12" East for a distance of 30.10 feet to a point;
- 22) thence North 56°25'08" East for a distance of 31.32 feet to a point;
- 23) thence South 64°42'46" East for a distance of 27.34 feet to a point;
- 24) thence South 25°14'09" West for a distance of 64.72 feet to a point;
- 25) thence South 01°00'34" West for a distance of 57.17 feet to a point;
- 26) thence South 51°35'57" East for a distance of 81.33 feet to a point;
- 27) thence South 60°33'01" East for a distance of 68.13 feet to a point;
- 28) thence South 66°02'26" East for a distance of 129.48 feet to a point;
- 29) thence South 10°07'14" East for a distance of 38.77 feet to a point:

Page 2 of 4 pages

30) thence South 26°11'48" West for a distance of 47.83 feet to a point; 31) thence South 88°24'44" East for a distance of 94.67 feet to a point; 32) thence South 81°07'56" East for a distance of 67.75 feet to a point; 33) thence South 33°23'44" East for a distance of 39.81 feet to a point; 34) thence South 65°09'36" East for a distance of 54.52 feet to a point; 35) thence North 85°29'18" East for a distance of 63.94 feet to a point; 36) thence South 67°45'54" East for a distance of 73.28 feet to a point; 37) thence South 55°50'09" East for a distance of 52.13 feet to a point; 38) thence North 89°06'05" East for a distance of 68.26 feet to a point; 39) thence South 71°14'38" East for a distance of 59.41 feet to a point; 40) thence South 48°38'39" East for a distance of 42.74 feet to a point; 41) thence South 66°48'01" East for a distance of 90.75 feet to a point; 42) thence North 82°11'06" East for a distance of 43.35 feet to a point; 43) thence South 81°42'18" East for a distance of 71.09 feet to a point; 44) thence South 37°17'41" East for a distance of 20.67 feet to a point; 45) thence South 55°16'39" East for a distance of 52.21 feet to a point; 46) thence South 80°44'26" East for a distance of 89.25 feet to a point; 47) thence South 38°36'37" East for a distance of 18.83 feet to a point;

thence departing the centerline of the North Oconee River and proceeding South 08°02'04" West for a distance of 13.05 feet to an iron pin found (1/2"open topo pipe with a 1/2: re-bar in the center);

thence South 08°02'04" West for a distance of 426.95 feet to an iron pin placed (1/25" re-bar) on the northerly r/w of Cagle Mill Road (60' r/w); thence along the northerly r/w of Cagle Mill Road (60' r/w) the following courses and distances:

thence South 33°22'45" West for a distance of 72.22 feet to a point;

 thence 70.61 feet along the arc of a curve to the Right, said curve having a radius of 139.05 feet and being subtended by a chord of South 47°55'32" West, 69.85 feet to a point;

3) thence South 62°28'19" West for a distance of 18.74 feet to a point;

4) thence 95.07 feet along the arc of a curve to the Right, said curve having a radius of 253.93 feet and being subtended by a chord of South 73°11'52" West, 94.52 feet to a point;

5) thence 260.22 feet along the arc of a curve to the Right, said curve having a radius of 1766.83 feet and being subtended by a chord of South 88°08'33" West, 259.99 feet to a point;

6) thence 65.25 feet along the arc of a curve to the Right, said curve having a radius of 261.42 feet and being subtended by a chord of North 80°29'18" West, 65.08 feet to a point;

thence North 73°20'18" West for a distance of 24.99 feet to a point;

8) thence 93.94 feet along the arc of a curve to the Right, said curve having a radius of 1951.14 feet and being subtended by a chord of North 71°57'33" West, 93.93 feet to a point;

9) thence 146.85 feet along the arc of a curve to the Left, said curve having a radius of 150.82 feet and being subtended by a chord of South 81°31'32" West, 141.12 feet to a point;

10) thence South 53°37'51" West for a distance of 40.78 feet to a point;

11) thence 122.86 feet along the arc of a curve to the Right, said curve having a radius of 369.03 feet and being subtended by a chord of South 63°10'08" West, 122.30 feet to a point;

12) thence 56.17 feet along the arc of a curve to the Left, said curve having a radius of 330.45 feet and being subtended by a chord of South 67°50'15" West. 56.10 feet to a point:

Page 3 of 4 pages

13) thence South 62°58'06" West for a distance of 42.78 feet to a point;

14) thence 58.92 feet along the arc of a curve to the Left, said curve having a radius of 106.98 feet and being subtended by a chord of South 47°11'25" West, 58.18 feet to the POINT OF BEGINNING.

Said tract or parcel containing 51.31860 acres, or 2,235,438 square feet.

Page 4 of 4 pages

EXHIBIT "A"

All that tract or

parcel of land, together with all improvements thereon, lying and being in the 9th Land District, GHO 1690, Hall County, Georgia, and being 65.345 acres, as more fully shown and described according to a survey of the property of Billy Banks, prepared by Roy Terrall, Registered Surveyor, dated April, 1982, and being more fully described according to said Terrall Survey as follows:

BERNMING. at a right-of-way marker located on the Southwasterly right-of-way of State Noute 1795, which right-of-way marker is located South 22 degrees 35 intuites Neet 1201.29 feet from the intersaction of Land tot. Nos. 90, 71, 93 and 94; and running themco from said beginning point along the Southern Pail-ton-way of the Southern Reliferation of Land tot. Nos. 90, 71, 93 and 94; and running themco from said beginning point along the Southern Pail-ton-way of the Southern Reliferation of the South 25 degrees 56 minutes East 135.81 feet to a point inceted at a ditch and a springhead; thence running South 3 degrees 52 minutes Neet 193.26 feet to a point inceted at a ditch and a springhead; thence running South 3 degrees 52 minutes Neet 193.26 feet to a point; thence South 3 degrees 40 minutes Neet 193.26 feet to a point; thence South 3 degrees 40 minutes Neet 193.26 feet to a point; thence South 3 degrees 40 minutes Neet 193.27 feet to a point; thence South 3 degrees 40 minutes Neet 193.28 feet to a point; thence South 26 degrees 20 minutes Neet 193.87 feet to a point; thence South 11 degrees 23 minutes Neet 193.87 feet to a point; thence South 6 degrees 55 minutes Neet 193.87 feet to a point; thence South 10 degrees 23 minutes Neet 193.87 feet to a point; thence South 10 degrees 23 minutes Neet 193.87 feet to a point; thence South 10 degrees 23 minutes Neet 193.87 feet to a point; thence South 10 degrees 23 minutes Neet 193.87 feet to a point; thence South 10 degrees 23 minutes Neet 193.87 feet to a point; thence South 35 degrees 20 minutes Neet 193.87 feet to a point; thence South 85 degrees 20 minutes Neet 193.87 feet to a point; thence South 85 degrees 20 minutes Neet 193.87 feet to a point; thence South 86 degrees 50 minutes Neet 193.87 feet to a point; thence South 86 degrees 50 minutes Neet 193.87 feet to a point; thence South 87 degrees 27 minutes Neet 193.87 feet to a point; thence South 87 degrees 27 minutes Neet 193.87 feet to a point; thence South 87 degrees 27 minutes Neet 193.87 feet to a point; the DEGINHING at a right-of-way marker located on the Southeasterly right-of-way of-State Noute f365, which right-of-way marker is located South 22 degrees 35 minutes West 1201-98 Feet from the intersection of Land Lot Nos. 90, 91, 93 and

Subject realty is the same piece of property acquired by Eli Jackson Cagle a/k/a E.J. CAGLE from Milliam N. Bonks by Warranty Oeed dated December 6, 1981, and recorded in Hall County. Georgia Deed Book 820 at page 131-3.