

Anael Dominguez (CDI: Planning)

From: Emily McGahee (Environmental Health)
Sent: Wednesday, March 29, 2023 1:13 PM
To: Randi Doveton (CDI: Planning); Anael Dominguez (CDI: Planning)
Cc: Kelly Hairston (Environmental Health); Chad Harper (Environmental Health)
Subject: HCPC Tentative Agenda 4.17.23

Please find Environmental Health comments below:

Item 1, 6554 Ben Parks Road, Odom: All proposed lots must meet Hall County Board of Health Lot Size Resolution requirements. The applicant was notified of EH requirements on 2.22.23.

Item 2, 3432/0 Cleveland Hwy & 3572 Casper Drive, Carter: All proposed lots must meet Hall County Board of Health Lot Size Resolution requirements.

Item 3, 4225 Arthur Miller Rd, Cagle: Environmental Health approved the new structure on February 16, 2023.

Item 4, 1400 Bradford Street, Ceska: No comment.

Item 5, 4425/4465 Peckerwood Road, Hope: Must meet all Environmental Health residential septic system permitting requirements.

Item 6, 4240 Winder Hwy, Aoun: No comment. Public sewer.

Item 7, 8730 Forrester Road, Crumley: All proposed lots must meet Hall County Board of Health Lot Size Resolution requirements.

Emily McGahee
Hall County Environmental Health
Hall County Government Center
2875 Browns Bridge Road
Mailing: PO Box 5901
Gainesville, GA 30504
(770) 531-3973
(770) 531-6767 (fax)

<http://dph.georgia.gov/environmental-health> (State Website)
<http://www.phdistrict2.org/HallCounty.htm> (District Website)
<http://www.hallcounty.org/devserv/environmental.asp> (County Website & Forms)