



Hall County Government
FINANCIAL SERVICES

Task Order

ADDENDUM# 1

TO#: 2025-021

September 30, 2024

POST OFFICE DRAWER 1435
GAINESVILLE, GA 30503

t: 770.535.8270

DIRECTOR
Taylor Samples, CPA, MBA

For the provision of

LAUREL PARK TRAIL IMPROVEMENTS

A mandatory pre-bid meeting was held at Laurel Park on September 17, 2024 at 10:00 A.M. (EST). The following people were in attendance:

Brent Holloway – Director, Hall County Parks & Community Services

Brandon Smith - Assistant Director, Hall County Parks & Community Services

Mike Hawkins – Buyer, Hall County

Madeline Layson – Multiplex, LLC

Mark Gravitt – Chattahoochee Group

Brent Holloway noted that there are some areas where tree roots might be an issue and that the bridge has been completed internally. He also stated that no approvals from the Corps of Engineers, nor Washington D.C. will be needed for this project. He would like the quotes to include the demolition of the current trail and replacement with either concrete (preferred), or a suitable replacement. The trail should be (6) to (8) feet wide and a uniform width for the entire length of the trail.

The following questions were asked, and the answers follow:

Q – What is the length of the trail?

A – Approximately (1) mile.

Q – What kind of access will there be for demolition and construction of the trail?

A – No concrete trucks will be allowed. All materials will need to be transported via conveyance.

Q – What will the PSI need to be?

A – 3,000 PSI.

Q – The task order states the trail is approximately 5,100 total square feet which at 8' wide would only equate to around an 8th of a mile. Was this supposed to be stated as approximately 5,100 linear feet, as that would be approximately a mile?

A – Yes, that's correct. That should be stated as "approximately 5,100 linear feet."

Q - In the scope of work, it states that for the demolition, they want to "Mill out 2" of existing." Do you indeed want it "Milled" out?

A – Yes, we would need the 2 inches taken out.

Mike Hawkins
Issuing Officer