

POST OFFICE DRAWER 1435 GAINESVILLE, GA 30503

t: 770.535.8270 | f: 770.531.6711

# Hall County Government

FINANCIAL SERVICES PURCHASING DIVISION

Date:

01/23/2025

To:

David Gibbs, Chairman, BOC

From:

Julie Dorough, Buyer

Your signature is requested to execute the attached bid/contract award

documents for:

Proposal:

1201

FINANCIAL SERVICES DIRECTOR Taylor Samples, CPA

ASSISTANT FINANCE DIRECTOR

Elizabeth White

PURCHASING MANAGER

Andy Penick

Proposal Name:

Pierce Enforcer 107' Ascendant Tiller

Department(s) Requesting Contract: Fire Rescue

Award Recipient Name: Ten - 8 Fire & Safety

Contract Description:

Annual Contract

New

Renewal

Prior Year's Spend:

N/A

☐ Price Increase Requested

Increase Percentage: 0

☐ Project/Service Contract

Estimated Amount:

\$0

Product Contract

Estimated Amount:

\$2,169,124.00

### Comments:

Ten- 8 Fire & Safety, LLC has been a vendor of Hall County for over fifteen (15) years and is in good standing with the County. Fie Rescue now has a total of twenty-four (24) Pierce apparatus. This purchase will be made through participating in the NPPGov Consortium Contract #PS20240. The pricing will be valid until February 26, 2025. Ten-8 Fire & Safety, LLC is the sole dealer for Pierce apparatus in Georgia. This purchase will allow Fire Rescue to maintain a standardized fleet and have a certified vendor on contract to complete all work to meet or exceed manufacturer requirements and complete any warranty work.



## **Equipment Proposal**

Proposal # 1201

This Equipment Proposal (the "Proposal") has been prepared by Ten-8 Fire & Safety, LLC ("Company") in response to the undersigned Customer's request for a proposal. This Proposal is comprised of the special terms set forth below, the Proposal Option List, Warranty, and Company's Purchasing Terms and Conditions. Through its signature below or other Acceptance (as defined below), Customer acknowledges having received, read and being bound by this Proposal, all attachments and Company's Purchasing Terms and Conditions.

Date: <u>January 6, 2025</u> ("Proposal Date") Customer: <u>Hall County Board of Commissioners</u> ("Customer")

Customer Address: 2875 Brown's Bridge Road, Gainesville, Ga. 30504

Qty	Product Description & Options	Price
1	Pierce Enforcer 107' Ascendant Tiller per the attached customer's specification	\$2,169,124.00
(a)	Commercial chassis price is an estimate; final chassis price will be determined when chassis is delivered by the manufacturer to the original equipment manufacturer ("OEM"). The OEM will notify Company of its final price, and Company will notify Customer of the final price.  Persistent Inflationary Environment: If the Producer Price Index of Components for Manufacturing [www.bls.gov Series ID: WPUID6112] ("PPI") has increased at a compounded annual growth rate of 5.0% or more between the month the OEM accepts the order ("Order Month") and a month 14 months prior to the	\$2,169,124.00
	then predicted "ready for pick up" date ("Evaluation Month"), then Company may update the pricing in an amount equal to the increase in PPI over 5.0% in each year or fractional year between the Order Month and the Evaluation Month. Company will document any such updated price for Customer's approval, and Company will provide to Customer the option to cancel this Order for 45 days if Customer does not accept the updated price. If Customer accepts or fails to respond within such 45 day period, Customer will be obligated to complete the Product purchase at the updated Total price.	

Delivery Timing: The Product described above in the Product Description and Options Section of this document will be built by and shipped from the manufacturer approximately 45.5-48.5 (months) after Company receives Customer's acceptance of this Proposal as defined below, subject to market and production conditions, Force Majeure, delays from the chassis manufacturer, changes to Order Specifications, or any other circumstances or cause beyond Company's or manufacturer's control.

Other: Payment due upon final delivery and acceptance. Based on purchasing on NPPGov(LOC) consortium contract # PS20240 (ID # 1.12) Pricing valid through February 26th, 2025.

Unless accepted within 52 days from date of proposal, the right is reserved to withdraw this proposal.

ACCEPTANCE OF THIS PROPOSAL CREATES AN ENFORCEABLE BINDING AGREEMENT BETWEEN COMPANY AND CUSTOMER. "ACCEPTANCE" MEANS THAT CUSTOMER DELIVERS TO COMPANY: (A) A PROPOSAL SIGNED BY AN AUTHORIZED REPRESENTATIVE, OR (B) A PURCHASE ORDER INCORPORATING THIS PROPOSAL, WHICH IS DULY APPROVED, TO THE EXTENT APPLICABLE, BY CUSTOMER'S GOVERNING BOARD. ACCEPTANCE OF THIS PROPOSAL IS EXPRESSLY LIMITED TO THE TERMS CONTAINED IN THIS PROPOSAL AND COMPANY'S PURCHASING TERMS AND CONDITIONS. ANY ADDITIONAL OR DIFFERENT TERMS, WHETHER CONTAINED IN CUSTOMER'S FORMS OR OTHERWISE PRESENTED BY CUSTOMER AT ANY TIME, ARE HEREBY REJECTED.


INTENDING TO CREATE A BINDING AGREEMENT, Customer and Company have each caused this Proposal to be executed by their duly authorized representatives as of date of the last signature below.

Customer: Hall County Board of Commissioners	Ten-8 Fire & Safety, LLC
By:	By: Authorized Sales Representative
Title.	litle: Authorized Sales Representative
Print:	Print: Guy R. Binion
Date:	Date: 1_6_25

APPROVED AS TO FORM

Nathaniel R. Anderson.

Senior Assistant County Attorney





## **Option List**

1/6/2025

Customer:

Hall County Emergency Services

Representative Organization: Binion, Guy Ten-8 Fire & Safety

Requirements Manager:

Description:

2024 Hall Co. Tiller

Body: Chassis: ....

Aerial, Tiller, No Pump, Alum Body Enforcer Chassis, Tractor (Tiller) Bid Number: Job Number:

1201

Number of Units:

1 01/30/2025

Bid Date:

Stock Number:

Price Level:

51 (Current: 51)

Enforcer Chassis, Tractor (Tiller) Lane: Line Option Type **Option Description** Qty 1 0766599 Boiler Plates, Tiller 1 Fire Department/Customer - Hall County Emergency Services Operating/In conjunction W-Service Center - Operating Miles - 75 Miles Number of Fire Dept/Municipalities - 5 Bidder/Sales Organization - Ten-8 Fire and Safety, LLC Delivery - Delivery representative Dealership/Sales Organization, Service - Ten-8 Fire and Safety, LLC 2 0018180 Single Source Compliance, Aerials 3 0584456 Manufacture Location, Appleton, Wisconsin 4 0584452 RFP Location: Appleton, Wisconsin 5 0588609 Vehicle Destination, US 6 0816491 Comply NFPA 1900 Changes Effective Jan 1, 2024, With Exceptions 7 0533349 Aerial Fire Apparatus 8 0588613 Vehicle Certification, Aerial w/o Pump 9 0681279 Agency, Apparatus Certification, Aerial w/o Pump, U.L. 10 0816495 Certification, Vehicle Inspection Program, NFPA 1900 11 0799172 FLEET CUSTOMER 12 0733614 Consortium, NPPGov (LOC) 13 0535579 Not Required, Unit of Measure, (no pump, no tank) 14 0529326 Bid Bond, 10%, Pierce Built Chassis 15 0816569 Performance Bond, Not Requested, PPI Terms 16 0000007 Approval Drawing 17 0002928 **Electrical Diagrams** 18 0626490 Enforcer Chassis, Tractor (Tiller) 19 0021010 Maximum Overall Length Size - 58 feet 20 0000110 Wheelbase Wheelbase - 152.00" 21 0000070 **GVW Rating** GVW rating - 73,300 # 22 0729280 Frame Rails, 13.38 x 3.50 x .375, Enforcer 23 0889469 Frame Liner, "C/Inv L" 12.50" x 3.00" x .25", AXT/Vel/Imp/Enf, 56" QVal 24 0630705 Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Enforcer 25 0030264 Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/Vel/Enf/SFR 26 0087572 Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf 27 0000322 Oil Seals, Front Axle 28 0899288 Tires, Front, Goodyear, Armor MAX MSA, 425/65R22.50, 20 ply, Fire Service Speed 29 0019611 Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot 1 30 0530461 Axle, Rear, Meritor RS30-185, 31,000 lb, Saber/Enforcer 31 0544244 Top Speed of Vehicle, 60 MPH/96 KPH 32 0635109 Suspen, Rear, Single Slipper Spring, 31,000 lb, Saber FR/Enforcer 33 0000485 Oil Seals, Rear Axle 34 0585004 Tires, Rear, Goodyear, G289 WHA, 315/80R22.50, 20 ply, Single 35 0641529 Wheels, Rear, Accuride, 22.50" x 9.00", Aluminum, Hub Pilot, Single 36 0568081 Tire Balancing, Counteract Beads 37 0620570 Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle 1 Qty, Tire Pressure Ind - 8 38 0801909 Lug Nut, Covers, Chrome 1 39 0003245 Axle Hub Covers w/center hole, S/S, Front Axle 1 Axle Hub Covers w/center hole, S/S, Tiller Axle 1 40 0003246

	Option	Туре	Option Description	Qty
41	0001960		Axie Hub Covers, Rear, S/S, High Hat (Pair)	1
42	0002045	•	Mud Flap, Front and Rear, Pierce Logo	1
43	0020257		Mud Flap, Tiller Trailer, Pierce Logo	1
44	0646362		Chocks, Wheel, Worden HWGY-SB, Super Gripper, (Up to 46" Diameter Tires)	1
45	0646364		Qty, Pair - 01 Mounting Brackets, Chocks, Worden Safety, Model U815T	1
			Location, Wheel chock - DS under tractor reservoir compartment Qty, Pair - 01	
46	0822289		ABS/ATC Wabco Brake System, Single Axle, Tiller, NFPA 1900/ULC	1
47	0030185		Brakes, Knorr/Bendix 17", Disc, Front, TAK-4	1
48	0803729		Brakes, Meritor, Cam, Rear, 16.50 x 8.63" No Dust Shield	1
49	0735527		Air Compressor, Brake, Wabco 26.8 Cl, Paccar	1
50	0637584		Brake Reservoirs, 5,376 Cubic Inch Minimum Capacity, Saber FR/Enforcer	1
			Paint Color, Air Tanks - Black #98	
	0568012		Air Dryer, Wabco System Saver 1200, Heater, 2010	1
	0000790		Brake Lines, Nylon	1
.53	0636573		Inlet/Outlet, Air, Female Fitting, Milton "M"	1
			Location, Air Coupling(s) - a) DS Step Area	
54	0586772		Qty, Air Coupling (s) - 1 Box, Recessed, Alum Treadplate, for Air Fitting	1
			Location - Driver's step well	•
			Qty, Air Coupling (s) - 1	
55	0070810		All Wheel Lockup (Aerial/Tanker Chassis)	1
56	0014130		Air Tank, Additional for Extra Air Horn Capacity	1
	0007000		Paint Color, Air Tanks - Black #98	_
	0607839		Fittings, Compression Type, Entire Apparatus, Single Axle Tiller	. 1
	0808515		Engine, Paccar MX, 510HP, 1850 lb-ftW/OBD, EPA 2027, Saber FR/Enforcer	1
	0811409		Not Required, Engine Contingency Adjustment	1
	0001244		High Idle w/Electronic Engine, Custom	1
61	0735687		Engine Brake, Fully Integrated, Paccar MX13 Engine	1
62	0644227		Switch, Engine Brake - MX13 Clutch, Fan, Air Actuated, Saber FR/Enforcer	1
	0559736		Engine Starter, Interlock to Engine Running	1
	0644573		Air Intake, Water & Ember Screen, Saber FR/Enforcer	1
	0814375		Exhaust System, Horizontal, Right Side	1
	0014070		Exhaust, Diffuser - Aluminized Steel (Standard)	•
			Exhaust, Material/Finish - Aluminized Steel (Standard)	
			Location, Diffuser Termination - 2.00" Past Rub Rail (Standard)	
			Tip, Exhaust - Straight Tip (Standard)	
66	0788765		Radiator, Saber FR/Enforcer	1
67	0001090		Cooling Hoses, Rubber	1
68	0021125		Fuel Tank, 65 Gallon, Left Side Fill, Tractor Chassis, Sgl Axle	1
69	0001129		Lines, Fuel	1
70	0734655		DEF Tank, 7.3 Gallon, LS Fill, Under Cab, Paccar, Fill Dr, ENF	1
			Door, Material & Finish, DEF Tank - Brushed Stainless	
71	<b>೧೯೯</b> 2702		Latch, Door, Access - SouthCo C2 chrome raised	4
	0552793		Not Required, Fuel Priming Pump	1
	0552712		Not Required, Shutoff Valve, Fuel Line Cooler, Chassis Fuel, Not Reg'd.	1
	0699437		·	1
	0690880		No Selection Required From This Category	1
	0887546		Trans, Allison 6th Gen, 4000 EVS P, w/Prognostics, Imp/Vel/SFR/Enf	1
	0625331		Transmission, Shifter, 6-Spd, Push Button, 4000 EVS	1
	0684459	QD.	Transmission Oil Cooler, Modine, External  Meda Auxiliant Procedure, Maga aggressive) Set to 3rd Goar, 6 Speed	1
	0792887	SP	Mode, Auxiliary Preselect, (less aggressive) Set to 3rd Gear, 6 Speed	1
	0801876		Fluid, 4000 Series Trans, Allison Approved TES-668 Synthetic, IPOS, Custom	1
	0001375		Driveline, Spicer 1810 Stooring, Shappard M110 w/Tilt, TAV 4, Resear Burns, w/Cooler, Resear	1
	0734211		Steering, Sheppard M110 w/Tilt, TAK-4, Paccar Pump, w/Cooler, Paccar	1
	0605356		Steering Wheel, 4 Spoke without Controls, Saber FR/Enforcer	1 1
ಯ	0690274		Logo/Emblem, on Dash	-1
			Text, Row (1) One - Hall Text, Row (2) Two - County	
			Text, Row (3) Three - Fire	

Line Option	Туре	Option Description	Qty
84 0622948		Winch, Warn, Zeon 10-S Kit, 10,000 lb. Portable, Synthetic, Polished Fairlead	1
85 0793544		Bumper, 10" Extended, Painted/Reinforced, Saber FR/Enforcer	1
86 0778092		Lift & Tow Package, Enforcer	1
87 0002270		Tow Hooks, Chrome	1
88 0767249	SP	Receiver, Portable Winch, (3), Front Bumper Extension, Front/Ends	
89 0558109	٠.	Notch, Front For Recessing Of Q2B, Painted Bumper	1
05 0500100		Location - Center	1
90 0698960		Coating, Top Flange, Front Bumper, Outside Exterior, UL-LX Coating, Black	1
91 0625650		Cab, Enforcer, 7000	1
92 0826074		Engine Tunnel, X12, MX13, Foil Insulation w/Mech Fasteners, Extreme Climate, Enf	1
93 0810166		Cab Insulation, Extreme Climate, Foil Insulation, Enforcer/Saber FR	-
94 0633594		Rear Wall, Interior, Adjustable Seating	1
95 0632103			1
35 0032103		Rear Wall, Exterior, Cab, Saber FR/Enforcer	1
96 0639727		Material, Exterior Rear Wall - Brushed Stainless Steel /Cab Lift, Elec/Hyd, Manual Override, Saber FR/Enforcer	4
97 0695930		Grille, Bright Finished, Front of Cab, Enforcer	1
98 0648912		Scuffplates, S/S At Cab Door Jambs and Handralls	1
30 0040312			1
99 0663813		Material Trim/Scuffplate - b) S/S, Brushed Scuffplates, S/S, Pike Poles and Handrails, Cab Sides	2
05 0000010			2
		Location - Each side of cab Qty, - 02	
		Material Trim/Scuffplate - b) S/S, Brushed	
100 0647932		Not Required, Trim, S/S Band, Across Cab Face, AXT/Saber/Enforcer	1
101 0015440		No Chrome Molding, On side of cab	1
102 0521669		Mirrors, Retrac, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex	1
103 0072189		Mirror, 8.00" Convex, Cab Front, Front Cross View	1
104 0589624	SP	Mirror, 8" Round Convex, Tiller Body	1
105 0648173	Ų.	Door, Full Height, Saber FR/Enforcer 4-Door Cab, Level Roof	1
100 0040110		· · · · · · · · · · · · · · · · · · ·	'
(		Key Model, Cab Doors - 751 `Cab, Exterior Door Handle, Finish - 4-Door, Chrome/Black	
106 0655543		Door Panel, Brushed Stainless Steel, Saber/Enforcer 4-Door Cab	1
107 0617333		Controls, Electric Roll-Up Windows, 4dr, 2 Frt Elect, 2 Driver Control, SFR/Enf	1
108 0638310		Steps, 4-Door Cab, Saber FR/Enforcer	1
		Step Well Material - Brushed	•
109 0770194		Handrall, Exterior, Knurled, Alum, 4-Door Cab	1
110 0892638		Lights, Cab & Crw Cab Acs Stps, P25, LED w/Bezel, 6lts	1
		Color, Trim - Chrome Housing	_
111 0057836		Crowns, Front Fender, Rubber, TAK-4	1
112 0825060		Tractor 5th Wheel and Fenders, Single	1
		Material, Fender Crowns - Rubber - Single Axle	
113 0552648		Grab Handle, Black Rubber Covered, Specify Location, Qty	2
		Location - In tiller cab on LS and RS "A" posts	
-		Qty, - 02	
114 0660261		Grab Hole Red Webbed, Added to Front Cab Door Webstrap	1
115 0042105		No Windows, Side of Crew Cab	1
116 0786290		Window Tint, Crew Cab Door, Left Side, Privacy Dark Gray	1
117 0786279		Window Tint, Crew Cab Door, Right Side, Privacy Dark Gray	1
118 0661471		Holder, Pike Pole, Vertical Mount, Cab Exterior	4
		Location - Two on each side of extended cab	
		Qty, - 04	
119 0722796		Dash, Poly, Saber FR/Enforcer	1
120 0607217		Mounting Provisions, 3/16" Alum, Full Engine Tunnel, Saber FR/Enforcer	1
		Mounting Provision Spacing75"	
404 095000		Material Finish, Cab Interior - Painted	-
121 0750824		Cab Interior, Vinyl Headliner, Saber FR/Enforcer, CARE	1
		Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Black	
		Engine Tunnel Cover - Dark Silver Gray Endure Vinyl	
122 0753903	_	Cab Interior Rear Wall Material - Painted Aluminum Cab Interior, Paint Color, Saber FR/Enforcer	1
122 0133303	-		ı
123 0612410		Color, Cab Interior Paint - i) fire smoke gray Floor, Rubber Padded/Treadplate, Cab & Crew Cab, Saber/Enf	1
, ac voiativ		,	•

Line Option	Type	Option Description	Qty
124 0819166		HVAC, Extreme-Duty, Enforcer, Paccar, CARE	1
		Paint Color, A/C Condenser - Painted to Match Cab Roof	
		HVAC System, Filter Access - Tool Free Panel	
		Auxiliary Cab Heater - Both HVAC System, Control Loc Panel Position #12	
125 0639675		Sun Visor, Smoked Lexan, AXT, Imp/Vel, SFR/Enf	1
		Sun Visor Retention - Thumb Latch	
126 0634328		Grab Handles, Driver and Officer Door Posts, Saber FR/Enforcer	1
127 0002526		Light, Engine Compt, All Custom Chassis	1
128 0622545		Fluid Check Access, Restricted Access, Saber FR/Enforcer, Arrow XT	1
129 0583042		Latch, Door, Storage - Southco C2 Chrome Raised Side Roll and Frontal Impact Protection	4
130 0622618		Seating Capacity, 5 Belted Seats	1 1
131 0636955		Seat, Driver, Pierce PSV, Air Ride, High Back, Safety, PRIMARY, SFR/Enf	1
132 0632926		Seat, Officer, Pierce PSV, Air Ride, SCBA, Safety, PRIMARY, SFR/Enf	1
133 0002517		Not Required, Radio Compartment	1
134 0826500		Cabinet, Rear Facing, LS, 23 W x 40.25 H x 26.75 D, Web, SFR/Enf	1
		Light, Short Cabinet - Pierce, Interior, Left Side	
		Material Finish, Shelf - Painted - Cab Interior	
		Shelf/Tray, Cabinet - (1) Shelf, Adjustable, 1.25" Up-Turned Lip Louvers, Cabinet - 0-No Louvers	
		Fastener, Web, Cab Cabinet - Spring Clip and Hook/Bar and Hook, Btm	
135 0102783		Not Required, Seat, Rr Facing C/C, Center	1
136 0826696		Cabinet, Rear Facing, RS, 22 W x 40.25 H x 26.75 D, Web, Strap, SFR/Enf	1
		Light, Short Cabinet - Pierce, Interior, Right Side	
		Material Finish, Shelf - Painted - Cab Interior	
		Shelf/Tray, Cabinet - (1) Shelf, Adjustable, 1.25" Up-Turned Lip Louvers, Cabinet - 0-No Louvers	
		Fastener, Web, Cab Cabinet - Spring Clip and Hook/Bar and Hook, Btm	
137 0623856		Seat, Fwd Fcng C/C, LS Otbrd, Pierce PSV, SCBA, Safety, SECONDARY, SFR/Enf	1
138 0747412	SP	Cabinet, Forward Facing, Center, 38.50 W x 30 H x 28 D, Web, SFR/Enf	1
		Type of fastener - spring clip and hook	
		Restraint Location - Top (towards roof of truck) Light, Short Cabinet - Pierce, Interior, Left Side	
		Material Finish, Shelf - Painted - Cab Interior	
		Shelf/Tray, Cabinet - (1) Shelf, Adjustable, 1.25" Up-Turned Lip	
430 0000040		Louvers, Cabinet - 0-No Louvers	4
139 0623846 140 0737360	SP	Seat, Fwd Fcng C/C, RS Otbrd, Pierce PSV, SCBA, Safety, SECONDARY, SFR/Enf Cabinet, Rear Facing, Top Eng Tnl, 44 W x 18 H x 13 D, Web, Enf	1 1
140 0/3/000	Oi.	Type of fastener - spring clip and hook	•
		Restraint Location - Bottom (towards the ground)	
	*	Light, Short Cabinet - Pierce, Interior, Horizontal	
		Material Finish, Shelf - 0-No Shelving	
		Shelf/Tray, Cabinet - (0) None ` Louvers, Cabinet - 0-No Louvers	
141 0766467		Uphoistery, Seats in Cab, Ali Vinyl, Seats Inc, CARE	5
		Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Silver/Gray	
		Qty, - 05	
142 0543991		Bracket, Air Bottle, Hands-Free II, Cab Seats	3
143 0603866		Qty, - 03 Seat Belt, Dual Retractor, ReadyReach, Saber FR/Enforcer	1
145 0003000		Seat Belt Color - Red	•
144 0817557		Helmet Storage, Provided by Fire Department, NFPA/ULC 2024	1
145 0647647		Lights, Dome, FRP Dual LED 4 Lts	1
		Color, Dome Lt - Red & White	
	•	Color, Dome Lt Bzi - Black	
		Control, Dome Lt White - Door Switches and Lens Switch Control, Dome Lt Color - Lens Switch	
146 0896451		Enhanced Software for Cab and Crew Cab Dome Lts	1
147 0556186		Handlts, (4) Streamlight, Survivor C4 LED, 12v, Orange, 90503 Steady Charge	1
		Location, Lights - In headliner above each seat location	
148 0774457	•	Handlight, Streamlight, Vulcan 180, 44315, 12v, Orange	2
		Qty, Lights - 02	
4/6/2025 7:0	0.004	Location, Lights - To be determined	

Line Option	Туре	Option Description	
149 0622803		Cab Instruments, Black Gauges, Black Bezels, Enforcer MUX	Qty
<b></b>		Emergency Switching - Individual Switches	
150 0509511		Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX	1
151 0567339		Pyrometer, Engine Exhaust	1
152 0543751		Light, Do Not Move Apparatus	1
452 0500040		Alarm, Do Not Move Truck - Pulsing Alarm	
153 0509042 154 0622798		Messages, Open Dr/DNMT, Color Dsply,	1
155 0802940		Switching, Cab Instrument Lower Console & Overhead, Rocker MUX, Enforcer	1
155 0602940		Wiper Control, 2-Speed with Intermittent, Saber FR/Enforcer	1
156 0002565		Location, Wiper Control - Above Ignition Hourmeter, Aerial Inside Cab	_
157 0002615		Switch, Aerial 12V Master	1
158 0032828			1
159 0820894		No PTO switch req'd - w/aerial piggyback Wiring, Spare, 15 A 12V DC, Batt Dir, 1st NFPA1900/ULC	1
100 0020004			1
		Location, Wiring - Officer Dash 12vdc power from - Battery direct	
		Wire termination - 15 amp power point plug	
160 0820897		Wiring, Spare, 15 A 12V DC, Batt Dir, 2nd NFPA1900/ULC	. 1
		Location, Wiring - Engine Tunnel - Officer's Side	•
		12vdc power from - Battery direct	
104 0000000		Wire termination - Butt Splice	
161 0820898		Wiring, Spare, 15 A 12V DC, Batt Dir, 3rd NFPA1900/ULC	1
		Location, Wiring - center console	
		12vdc power from - Battery direct	
162 0821224		Wire termination - Butt Splice Wiring Space 2.0 A 12V DC USB Torm Blue See 1016 1-t NEDA1000 U.S.	4
TOE COLIZE		Wiring, Spare, 2.0 A 12V DC, USB Term Blue Sea 1016 1st NFPA1900/ULC	1
		Qty, - 01 12vdc power from - Battery switched	
		Location - center console	
163 0773343		Box, Mounting, 3 Push Buttons, PS, Painted	1
		Location - officer's side of engine tunnel, facing officer's seat	•
		Qty, - 01	
164 0814201		Vehicle Information Center, 7" Color Display, Touchscreen, MUX, CL714	1
107 0010000		System Of Measurement - US Customary	
165 0816633		Collision Mitigation, HAAS Alert (R2V), HA7	1
166 0606247		Subscription, HAAS R2V - R2V - 5 Year Data Plan Subscription	
167 0893982	SP	Vehicle Data Recorder w/CZ Display Seat Belt Monitor	1
107 0030302	OF-	Intercom, David Clark, Up to 4 Wireless, (D, O, RPTT), 2ibC, TC Wired, U3805	1
		Location 1 - Side of engine tunnel facing driver  Location 2 - Side of engine tunnel facing officer	
168 0637058		David Clark Universal Radio Interfaces Included with Single/Dual System	1
-		Location, Radio Interface - Center console	
169 0589947		Headset, David Clark, H3432 Over The Head, Flex Mic, Push On Push Off	3
		Qty, - 03	
		Location - D, O, and tiller cab	
170 0690646		Headset, David Clark w/ Wireless Radio Belt Station, Under Helmet	2
		Qty, - 02	
474 0074070		Location - two crew cab forward facing seats	
171 0671276	SP	Wiring Only, David Clark, Tractor Cab to Tiller Cab	1
		Location - driver station and should be 100' of cable	
172 0819255		Location 2 - tiller cab station Hangers For Headsets, NFPA/ULC 2024, Each	-
112 0010200			5
		Qty, - 05  Location, Headset Hangers - Driver Seat, Officer Seat, DS Outbrd, Fwrd	
		Forg Seat, PS Outbrd, Fwrd Forg Seat and Tiller Operator	
173 0616382		Install Customer Provided GPS/Multimode Antenna(s)	1
		Qty, - 01	
174 0696443		Antenna Mount, Custom Chassis, Cable Routed to Overhead Switch Area	1
		Location - on the right side	
475 0040450		Qty, - 01	
175 0816158		Camera, Pierce, LS Mux, RS, LS, R, Cameras, AHD	1
		Color - 1) black	
		Camera System Audio - Speaker Behind Driver Camera System	

Line Option	Туре	Option Description	Qty
176 0814861		Camera, Switcher, Pierce, 4 channel, AHD, CVBS	1
177 0808245		Camera, Pierce, 7" HD tiller Cab, RS, LS Fwd Fcng Tiller Cam, AHD	1
178 0890416		Pierce Command Zone, Advanced Electronics & Control System, Enforcer, WiFi	1
		CZT	•
		Color, Antenna - Black Antenna	
470 0000 <i>4E</i> 0		Module Housings - Black Housing with Power and Status Ind	
179 0896456		Prognostics, Electrical System	1
180 0624253		Electrical System, Enforcer MUX	1
181 0079166 182 0008621		Batteries, (4) Stryten/Exide Grp 31, 950 CCA ea, Threaded Stud	1
183 0002698		Battery System, Single Start, All Custom Chassis	1
184 0813848		Battery Compartment, Saber/Enforcer	1
185 0814869		Charger, Sngl Sys, IOTA, DLS-75, 75 amp, IQ4 Controller	1
186 0813791		Location, Cab, Charger, Behind Driver Seat	1
187 0814965		Panel, Charger Display, Kussmaul, 091-94-12, Batt Dir	1
188 0016857		Location, Cab, Ind/Remote, LS Behind Cab Door	1 1
100 0010037		Shoreline, 20A 120V, Kussmaul Auto Eject, 091-55-20-120, Super	1
		Qty, - 01 Color, Kussmaul Cover - b) red	
		Shoreline Connection - battery charger and receptacles	1
189 0026800		Shoreline Location	1
		Location, Shoreline(s) - DS Cab Side	
190 0783395		Transfer Switch, Generator to Shoreline 30 Amp and Under	1
191 0009429		Electric Power Only, Portable Winch	1
		Location - Front	
		Qty, Receptacles - 01	
192 0647728		Alternator, 430 amp, Delco Remy 55SI	1
193 0092582		Load Manager/Sequencer, MUX	1
		Enable/Disable Hi-Idle - e)High Idle enable	_
194 0783153		Headlights, Rect LED, JW Spkr Evo 2, AXT/DCF/Enf/Imp/Sab/Vel	1
405 0005050		Color, Headlight Bez - Chrome Bezel	
195 0625953		Light, Directional, Wln 600 Cmb, Cab Cm, Wrp Bzl Out HD Lts, Enf/Sab	1
196 0620054		Color, Lens, LED's - c)clear Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts	1
197 0735474		Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts, Saber FR/Enforcer	1
181 0133414		Light Guard - No Guards	•
198 0807096		Lights, Marker, Cab Front Side, Truck-Lite 19036Y LED, IPO Add'i Directional Lts	1
199 0511569		Lights, Clearance/Marker/ID, Rear, P25 LED 7Lts	1
100 0011005		Light Guard - Without Guard	
200 0514453		Light, Marker End Outline, Rubber Arm, LED Marker Lamp	1
		Location, Lights - rear most corners	
i.		Qty, Lights, Pair - 1	
201 0804519		Lights, Tail, Win M62BTT* Red Stop/Tail & M62T* Amber Dir Arw w/Flange	1
		Color, Lens, LED's - Clear	
		Color, Trim - Chrome Trim	
202 0806466		Flash Pattern, Directional Lts - Steady On (Arrow)	1
203 0650265		Lights, Backup, Win M62BU, LED, For Tail Lt Housing  Bracket, License Plate & Light, Cast Products LP0004-1-B, LED Light	1
204 0589905		Alarm, Back-up Waming, PRECO 1040	1
205 0805067		Lights, Cornering/Scene, Win M62BU, Sw Fet 1st	2
200 0000001		Location - Front cab corners	_
		Qty, - 02	
		Control, Scene Lts - Directional Light	
		Color, Trim - Chrome Trim	
206 0653959		Lights, Perimeter Cab, Truck-Lite 60354C LED 4Dr, Grommet Mt	1
207 0653930		Lights, Perimeter Body, Truck-Lite 60354C LED 4lts, Turntbl/Rr Stp, Tiller	1
		Control, Perimeter Lts - Parking Brake Applied	_
208 0651767		Lights, Perimeter, Truck-Lite 60354C LED	8
		Location, Lights - TBD	
DDD 0000424		Qty, - 08	4
209 0896454		Enhanced Software for Perimeter Lts	1 1
210 0813525		Lights, Step, P25 LED, Tiller, Control, Trim Feature	1
		Color, Trim - Chrome Control, Step Lts - Park Brake	
		Control oreh Fre - Laur prave	

Line Option	Туре	Option Description	Qty
211 0696870		Lights, Side Scene, TecNiq, E960 LED, Staintess 1st Pr	2
		Location, Lights - one pair in the tiller panels facing the front and one pair in the tiller panels facing the rear	
		Qty, Lights, Pair - 2	
		Switch, Lt Control 1 DC,1 - a) DS Switch Panel	
		Switch, Lt Control 2 DC,2 - Tiller Driver Turn Sgn Arm Out	
		Switch, Lt Control 3 DC,3 - Tiller Cab Swt	
212 0693551		Switch, Lt Control 4 DC,4 - Turn Signal Lights, Tractor Scene, Win M9LZC LED, pair	1
213 0725783		Lights, Centering, Cab Roof, Tir, Cipsbl, Attwood NV2002SS-7, Red/Gm LED	1
		Length - 12.00"	•
214 0772704		Light, Visor, Wln, 12V P*H2* Pioneer LED, Warn 1st	1
		Qty, - 01	
		Location, driver's/passenger's/center - Centered	
		Control, Front Scene Warning - d) DS & PS Separate Sw	
		Color, Win Lt Housing - Black Paint Control, Scene Lts - Cab Sw Panel DS and Cab Sw Panel PS	
		Scene Light Optics - Flood	
215 0768061		Lights, Win, PCPSM2* Pioneer, 12 VDC, 1st	1
		Location - rear of the tiller cab, high as possible above window	
		Qty, - 01	
		Color, Win Lt Housing - Black Cover	
		Control, Scene Lts - Cab Sw Panel DS, Tiller Cab and Body Switch, DS	
216 0768929		Rear SS Lights, Wln, PSL2** Pioneer, 12 VDC, 1st	1
+ · · · · · · · · · · · · · · · · · · ·		Location - front side of tiller cab between the top of windshield and drip	
		rail	
		Qty, - 01	
		Color, Win Lt Housing - Black Paint	_
		Control, Scene Lts - Tiller Cab	
217 0736755		Mount, Win II - Universal Ball PSL2B* Light, Win, 12V PSL2** Sim Ln, 12 VDC 1st	1
211 0100100	•	Location - DS on tiller cab above the front window	•
		Qty, - 01	
		Color, Win Lt Housing - Black Paint	
		Control, Scene Lts - DS Scene Lts	
		Scene Light Optics - flood	
040 0700740		Mount, Win (I - Universal Bail PSL2B*	1
218 0736743		Light, Win, 12V PSL2** Sim Ln, 12 VDC 2nd	,
		Location - PS on tiller cab above the front window	
		Qty, - 01 Color, Win Lt Housing - Black Paint	
		Control, Scene Lts - PS Scene Lts	
		Scene Light Optics - flood	
		Mount, Win II - Universal Bail PSL2B*	
219 0709438	1	Lights, Walk Surf, FRP Flood, LED	1
220 0897573	•	Switch, Momentary, Silence Alarm	1
•		Location - TBD	
,		Qty, - 01 Color - 2) red ,	1
221 0090655		Aerial, Tiller, No Pump, Alum Body	1
222 0554269		Body Skirt Height, 18"	1
223 0013481		Not Required, Hose Bed Capacity	1
224 0013534		Not Required, Running Boards	1
225 0825621		Turntable Steps-Morton Cass, LS/RS, Tiller Single Axle	1
		Body Handrail Finish - knurled aluminum	
226 0690023		Wall, Rear, Smooth Aluminum	1
227 0029503		Tow Eyes (2), Painted Lower Job Color, Aerial	1
228 0090670	O.D.	Construction, Compt, Alum, Tiller	1
229 0679933	SP	Compt, Single Tractor Reservoir, Lap Door, 33"WB	1
230 0749769	SP	Light, Strip - LED strip light 30.00"  Compt, F/H, Trans Roll, Front Shortened, 79.00" Wide, 6.00" Raised, LS Front	1
231 0683228	٥,	Compt, F/H, Trans Front, Roll, 6.00" Raised, LS Center, Tiller	1
232 0030748		Compt, Low, Lap, LS Rear, Tiller	1
		1 · · · · · · · · · · · · · · · · · · ·	

Line Option	Type	Option Description	Qty
233 0749768	SP	Compt, F/H, Trans Roll, Front Shortened, 79.00" Wide, 6.00" Raised, RS Front	1
234 0683224		Compt, F/H, Trans Front, Roll, 6.00" Raised, RS Center, Tiller	1
235 0030746		Compt, Low, Lap, RS Rear, Tiller	1
236 0604540		Doors, Lap with "D" Handle, Aluminum, AMDOR Rollup, Side Compartments	8
		Qty, Door Accessory - 08	
		Color, Roll-up Door - AMDOR Painted to Match Lower Body	
237 0067767		Latch, Roll-up Door - Non-Locking Liftbar	
238 0019845		Bumper, Rear, 5" w/Treadplate Cover, Tiller Guard, Drip Pan, S/S, Rollup Door	1
		Qty, Door Accessory - 08	8
		Location, Door Accessory - All roll up doors	
239 0821860		Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, All Compts	14
		Location - all compartments	14
040 5000		Qty 14	
240 0603420		Shelf Tracks, Painted, Aerial	6
		Qty, Shelf Track - 06	
241 0638569		Location, Shelf Track - LS2, LS3, LS4, RS2, RS3 and RS4	
241 000000		Shelves, Fixed, 500 lb Capacity, Full Width/Depth, Painted Spatter Gray	4
		Qty, Shelf - 04 Location, Shelf - TBD	
242 0099146		Tray, 500 lb Slide-Out, 2" Sides - Adj. Height, 1/2 Trans	3
		Location - one in LS4, two in RS4	
		Qty, Tray (slide-out) - 03	•
243 <b>05</b> 10777		Tray, 215 lb, Tilt/Slide-Out, 30 Deg, Adj, 1/2 Trans	2
		Location - upper section of LS4 and RS4	
244 0083986		Qty, Tray (slide-out) - 02	
244 0003900		Tray, 215 lb, Tilt/Silde-Out, 30 Deg, Adj	1
		Qty, Tray (slide-out) - 01 Location, Tray - RS3	
245 0646005		Tray, Floor Mounted, Utility, Two Way Slide-Out, 500lb, 3" Sides, Full Trans	1
		Qty, - 01	•
		location - LS5/RS5	
		Material Finish, Tray - Painted - Spatter Gray	
246 0646559		Tray, Floor Mounted, Utility, One Way Slide-Out, 500lb, 3" Sides, 1/2 Trans	4
		Qty, - 04	
		location - LS5, RS5, LS4, and RS7	
247 0617248		Material Finish, Tray - Painted - Spatter Gray Tray, Floor Mounted, Slide-Out, 500lb, 2.00" Sides, 3 Slides, 2G	
<b></b>		Qty, - 02	2
		Material - paint to match compt interior	
		Location, Tray Slide-Out, Floor Mounted - RS2 and LS2	
248 0646221		Tray, Floor Mounted, Slide-Out, 500lb, Special Side Height, 2G	2
		Qty, - 02	
		location - LS6 and RS6	
		Material - paint to match compt interior	
		Tray, Side Height, Front - 4" Tray, Side Height, Rear - 4"	
		Tray, Side Height, Right & Left - 4"	
249 0725642		Cabinet, Drawer Assembly, CTECH, Three Drawers, Up To 36" Wide, 24" Deep	1
	•	Qty, - 01	•
		Location - TBD	
		Size, Drawer Height 1 (Top) - 6.00"	
		Size, Drawer Height 2 – 6.75"	
250 0648481		Size, Drawer Height 3 - 6.75"  Toolboard, Alum, Adj, Added to Transverse Slide-Out Tray	
		Finish - Painted, Compt Interior, Spatter Gray	1
		location - TBD	
-		Qty-1	_
251 0648483		Toolboard, Alum, Adj, Added to 1/2 Transverse Slide-Out Tray	2
		Finish - Painted, Compt Interior, Spatter Gray	
		location - TBD	
252 0648486		Qty - 2 Toploard Slide out 2 May Alum 199" Box Board w/6" Adi Tana Full Tana	_
_O_ GOTOTOU		Toolboard, Slide-out, 2-Way, Alum, .188", Peg Board, w/6" Adj Tray, Full Trans	1
<u> </u>		Finish - Painted, Compt Interior, Spatter Gray	
4.10.10.00.00.00		T1 10 4004	

`

location - TBD Qty - 1 253 0799730 SP Conduits, 1", With Pull Wire Location - Coiled under P6 compartment to under tiller cab. Qty, Comp. Accessory - 01 254 0796214 Floor Extension, Compartment, 2.00" Downturned Lip Location - TBD Qty, - 06 255 0004016 Rub Rail, Aluminum Extruded, Side of Body 256 0004035 Fender Crowns, Rear, Rubber	1 6 1 1 1 4
253 0799730 SP Conduits, 1", With Pull Wire  Location - Coiled under P6 compartment to under tiller cab.  Qty, Comp. Accessory - 01  254 0796214 Floor Extension, Compartment, 2.00" Downturned Lip  Location - TBD  Qty, - 06  255 0004016 Rub Rail, Aluminum Extruded, Side of Body	6 1 1 1
Location - Coiled under P6 compartment to under tiller cab.  Qty, Comp. Accessory - 01  254 0796214  Floor Extension, Compartment, 2.00" Downturned Lip  Location - TBD  Qty, - 06  255 0004016  Rub Rail, Aluminum Extruded, Side of Body	6 1 1 1
Qty, Comp. Accessory - 01 254 0796214 Floor Extension, Compartment, 2.00" Downturned Lip Location - TBD Qty, - 06 255 0004016 Rub Rail, Aluminum Extruded, Side of Body	1 1 1
254 0796214 Floor Extension, Compartment, 2.00" Downturned Lip  Location - TBD  Qty, - 06  255 0004016 Rub Rail, Aluminum Extruded, Side of Body	1 1 1
Qty, - 06 255 0004016 Rub Rail, Aluminum Extruded, Side of Body	1 1
255 0004016 Rub Rail, Aluminum Extruded, Side of Body	1 1
	1 1
250 0004055 Felidel Glowils, Real, Rubbel	1
257 0086389 Compt w/Rack, Air Bottle, 8.50" Square, Rear of Tiller, Aluminum Treadplate Door	
258 0657524 Compt, Air Bottle, Single, Round, Fender Panel	7
Qty, Air Bottle Comp - 4 Door Finish, Fender Compt - Brushed Location, Fender Compt - Single - LS Fwd, Single - LS Rear, Single - RS Fwd and Single - RS Rear Latch, Air Bottle Compt - Southco C2 Chrome Raised	
Insert, Air Bottle Compt - Rubber Matting and Strap Loop 259 0062640 Insert, Air Bottle Compt, "W" Shaped	4
Qty, - 04 260 0049220 Ladder, 45' Duo-Safety 1525A 3-Sect w/Poles	1
260 0049220 Ladder, 45' Duo-Safety 1525A 3-Sect w/Poles  Qty, - 01	'
261 0014221 Ladder, 35', Duo-Safety 1200A 2-Section	1
262 0010406 Ladder, 28' Duo-Safety 1200A 2-Section	2
Qty, - 02	
Location, Extension Ladder - torque box 263 0024232 Ladder, 16' Duo-Safety 875A Roof	2
Qty, - 02 264 0654575 Ladder, 10' Duo-Safety 775-DR Roof	1
Qty, - 01	•
Location - fly section	
265 0014232 Ladder, 20' Duo-Safety 875A Roof	1
´Qty, - 1	_
266 0004233 Ladder, 14' Duo-Safety Fresno 701	1
Qty, - 1 267 0004246 Ladder, 10' Duo-Safety Folding, 585A	1
Qty, - 01	
Location, Folding Ladder Aerial - torque box	
268 0524506 Ladder Storage, Vertically Hinged Lap Doors, Smooth Aluminum, Tiller	1
269 0602100 Lights, Torque Box Ladder Storage, Pierce LED Strip Lights, 2 Lts	1
270 0658169 Ladders, Nested, Left Side Ground Ladder Storage	1 1
271 0724818 Compt, Above Rr Compt, T/P, Stokes Storage, Lift Past 90 Doors, Tiller  Door, Material & Finish, Storage - Aluminum Treadplate	•
Latch, Door, Storage - "D" Handle Latch	
Access, Backboard/Stokes/Long Tool Compt - Both	
Size, Stokes Basket, Predefined - 84.50"L x 24"W x 7.50"H	_
272 0775907 Pike Pole, 12' DUO Safety, Fiberglass	2
Qty, - 02 273 0789564 Pike Pole, 8' DUO Safety, Fiberglass, Aerial	2
Qty, - 02 274 0789566 Pike Pole, 6' DUO Safety, Fiberglass, Aerial	1
Qty, - 01	
275 0789586 Pike Pole, 3' DUO Safety, Fiberglass, w/D Handle	2
Qty, - 02	6
276 0770578 Pike Pole Tubes, in Torque Box/Ladder Storage, ABS	6
Qty, - 06 277 0067658 Not Required, Step, Slide-Out Pump Op. Platform	1
278 0665700 Light, Slide-Out Pump Operator Step, Not Required	1
279 0046495 Not Required, Pump Access, No Pump	1
280 0001836 . No Light, No Pump Compartment	1
281 0606694 Air Horns, (2) Hadley, 6" Round, eTone, In Bumper	1
282 0606835 Location, Air Horns, Bumper, Each Side, Outside Frame, Outboard (Pos #1 & #7)	1
283 0757092 Control, Air Horn, Multi Select	1

Bid #: 1201

Line Option	Туре	Option Description	
284 0723391		Control, Air Horn, Chrome Push Button Sw, RS	Qty 1
285 0757081		Control, Air Horn, Ft Sw. LS	_
286 0525667		Siren, WIn 295SLSA1, 100 or 200 Watt	1
287 0510206		Location, Elect Siren, Recessed Overhead In Console	1
		Location, Elec Siren - Overhead, DS Center Sw Pnl	,
288 0076157		Control, Elec Siren, Horn Ring	1
289 0601304		Speaker, (2) Wln, SA315P, w/Pierce Polished Stainless Steel Grille, 100 watt	1
		Connection, Speaker - siren head	•
290 0601558		Location, Speaker, Frt Bumper, Recessed, Ea Side, Outside Frame, Inbrd (Pos 2/6)	1
291 0895310		Siren, Federal Q2B	1
		Finish, Q2B Siren - Chrome	•
292 0006097		Location of Siren, Recessed in Bumper	1
		Location, Siren, Mech - c) center	
293 0748305		Control, Mech Siren, Multi Select	1
294 0731979		Control Mech Siren, Push Button Sw, Chrome, RS	1
295 0748282		Control Mech Siren, Ft Sw LS	1
296 0740391		Sw, Siren Brake, Momentary Chrome Push Button, RS	1
297 0736164		Sw, Siren Brake, Momentary, LS Overhead Sw Pn!	1
298 0746353	,	Not Required, Warning Lights Intensity	1
299 0605736	,	Lightbar, Win, Freedom IV-*, 3-21.5", RRRWR RRRR RWRRR, 30 Deg	1
200 0704724		Filter, Whl Freedom Ltbrs - No Filters	
300 0761731		Lights, Front Zone, Win M6** M6** M6**, 4lts Q Bezel, Cir Fet	1
•		Color, Lens, LED's - c)clear	
		Color, Lt DS Frnt Outside - DS Front Outside Red	
		Color, Lt PS Frnt Outside - PS Front Outside Red Color, Lt DS Front Inside - r) DS Front Inside Red	
		Color, Lt PS Front Inside - r) PS Front Inside Red	
		Color, Q Bezel and Trim - Polished Chrome	
301 0653937	•	Flasher, Headlight Alternating	1
		Headlt flash deactivation - a)w/high beam	
302 0540692		Lights, Side Zone Lower, Win M6*C LÉD, Clear Lens, 3pr, Ovr 25	1
	1	Location, Lights Front Side - c)each side, front custom cab corner	
		Color, Lt Side Front - Red	
		Color, Lt Side Middle - Red	
		Color, Lt Side Rear - Red	
		Location, Lights Mid Side - Rearward of Crew Cab Doors Location, Lights Rear Side - Rear Fender Panel	
303 0896616		Lights, Door Interior Flash, 4 Dr Cab, Weldon 8401-0000-20 Strip Light	1
		Control, Door Int Flash - None (Doors only)	•
•		Location, Light, Door Int Flash - Over Window	
304 0815847		Connectors, Door Interior Flash, All Cabs, Weatherproof	1
305 0622791		Lights, Side, Win M9V2** 2nd	1
		Location, Lights - PS of cab, behind ca door	
		Qty, - 01	
		Color, Lights, Warning - gla) red	
		Control, Light - b) side warning Color, Lens, LED's - c)clear	
		Control, Scene Lts - Cab and Crew Cab Dr Sw, PS	
306 0750405		Lights, Side, Win PS*01FCR LED, Recessed In Rr Bdy Rub Rail	6
		Location, Lights - 3 each side. One forward of body, one centered in body	
	,	as close as possible, and one rearward of tiller axle.	
		Qty, - 06	
		Color, Lights, Warning - Red Flashing	
307 0622914		Color, Trim - Chrome Trim Lights, Side, Wln M9V2** 1st	4
VOLLO17		Location, Lights - DS of cab, behind cab door	1
		Qty, - 01	
		Color, Lights, Warning - gla) red	
		Control, Light - b) side warning	
		Color, Lens, LED's - c)clear	
200 0745040		Control, Scene Lts - Cab and Crew Cab Dr Sw, DS	_
308 0745848		Lights, Side, Win WIONSM** LED, Trim Fet, 3rd	2
		Location, Lights - LS and RS side facing, on diamond plate cover above tractor reservoir compartment	
41010005 7 00		tractor reservoir compartment	

Line Option	Туре	Option Description	Qty
308		Qty, - 02	
		Color, Lights, Warning - Red	
		Control, Light - b) side warning Color, Trim - Chrome Trim	
309 067293	7	Lights, Side, Win WIONSMC* LED, Chrome Flange, Mounted in Rub Rail, 1st	1
•		Location, Lights - In rub rail under RS4	
		Qty, - 01	
		Color, Lights, Warning - d) blue Control, Light - i) park brake	
310 074586	9	Lights, Side, Win WIONSM** LED, Trim Fet, 2nd	2
		Location, Lights - upper corners on back of tiller cab	_
		Qty, - 02	
		Color, Lights, Warning - Red	•
		Control, Light - a) rear upper warning Color, Trim - Chrome Trim	
311 074587	1	Lights, Side, Win WIONSM** LED, Trim Fet, 1st	4
		Location, Lights - 2 each side, upper body compartments	•
`	1	Qty, - 04	
		Color, Lights, Warning - Red	
		Control, Light - b) side warning Color, Trim - Chrome Trim	
312 054078	3	Lights, Rear Zn Lwr, Win M6*C LED	1
•		Color, Lt DS Rear - r) DS Rear Lt Red	
242 000000	2	Color, Lt PS Rear - r) PS Rear Lt Red	
313 0809689	9	Lights, Rear, Win M9** LED, 1st	2
		Location - Rear of trailer, upper section Color, Light - ae) red	
		Qty, - 02	
		Control, Light - a) rear upper warning	
		Color, Lens, LEDs - Clear	
314 0088745	3	Color, Trim - Chrome Trim	
314 0000740	,	Light, Rear Zone Up, Win L31HRFN LED Beacon, Red LED  Color, Dome, Rear Warning - j) both domes clear	1
315 0006551	1	Not Required, Lights, Rear Upper Zone Blocking	1
316 0804284		Light, Traffic Directing, Federal Signal MPSUSM36-BRK-50, 36" LED, 331105-SB Cnt	1
317 0529680	1	Activation, Traffic Dir L - Aux Flash with Emergency Master	_
318 0530282		Location, TDL, Surface Mounted with Treadplate Box  Location, Traf Dir Lt Controller, Overhead Switch Panel DS Right End	1
319 0006646		Electrical System, 120/240VAC, General Design	· 1
320 0529551		Generator, Harrison 10kW 10.0MAS-16R/D-11011/15/1, Hydraulic, Hotshift PTO	1
		Generator Interlocks - No Interlocks	•
		Location, Gen Info Panel - near breaker box	
321 0505796		Location, Hydraulic Generator Above Gooseneck of Tiller	1
322 0658370	='	Starting Sw, Truck Engine Powered Gen, Cab Sw Pnl, Tiller Cab	1
323 0592586	•	Remote Start, Hydraulic Generator, PTO and Field - SAME SWITCH, Location Feature	1
		Qty, - 01	
		Location - Aerial turntable	
324 0016740		Not Required, Fuel System	1
325 0016767		Not Required, Oil Drain Extension, Generator	1
326 0036738	•	Circuit Breaker Panel, Included With PTO Generator	1
327 0016771		Location, Circult Breaker Panel - LS6, Left Wall Low Not Required, Routing Exhaust, Generator	1
328 0605391		Light, Win, 150W 120V, PFP2AC LED Floodit, PBA206U Bail Mount 1st	2
		Location, 120/240 Volt Lt - DS, on top of catwalk. One forward and one	_
		rearward	
		Qty, - 02	
		Switch, Lt Control 1 DC,1 - a) DS Switch Panel Switch, Lt Control 2 DC,2 - e) No Control	
		Switch, Lt Control 2 DC,2 - e) No Control Switch, Lt Control 3 DC,3 - d) No Control	
		Switch, Lt Control 4 DC,4 - d) No Control	
		Color, Win Lt Housing - Black Paint	
		•	

SP	Line Option	Туре	Option Description	Qty
Location, 120/240 Volt Lt - PS on top of catwalk. One forward and one renavard	329 0794103	SP	Light, Wln, 150W 120V, PFP2AC LED Floodit, PBA206U Bail Mount 2nd	2
RestWard   Oxy - 02			Location, 120/240 Volt Lt - PS on top of catwalk. One forward and one	
Switch, Lt Control 7 DC, 1 - a) DS Switch Panel   Switch, Lt Control 3 DC, 2 - e) No Control   Switch, Lt Control 3 DC, 3 - d) No Control   Switch, Lt Control 4 DC, 4 - d) No Control   Cofor, Win Lt Housing - Black Paint     330 0008825				
Switch, Lt Control 2 DC2, 2- e) No Control				
Switch, Lt Control & D.C. 4 of No Control			Switch It Control 2 DC 2 - e) No Control	
Switch, Lt Control 4 DC, 4 - d) No Control   Color, Win Lt Housing - Black Paint   Color, Win Lt Housing - Ps Gooseneck, Outboard, 1 Real   Color, Electric Cord Real - Ps Gooseneck, Outboard, 1 Real   Leights - Blect Cord - 1     Feet of Yellow Cord - c):150     Connection, Cord - Hubbel 20A 120V Twat Lock     Receptacle, 16/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Cab   1     Colyr, - 01     Location 1 - TBD   AC Power Source - Gen to Shoreline Transfer Switch     Cover, Receptacle - Interior SS Wall Plate(s)     Cover, Receptacle - Interior SS Wall Plate(s)     Cover, Receptacle - Interior SS Wall Plate(s)     Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st     Location, Receptacle - Interior SS Wall Plate(s)     Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st     Location, Receptacle - Interior SS Wall Plate(s)     Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st     Location, Receptacle - Interior SS Wall Plate(s)     Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st     Location, Receptacle - Interior SS Wall Plate(s)     Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st     Location, Receptacle - Interior SS Wall Plate(s)     AC Power Source - Gen to Shoreline Transfer Switch     Cover, Receptacle - Exterior File Up Duplex Cover(s)     AC Power Source - Gen to Shoreline Transfer Switch     Cover, Receptacle - Exterior File Up Duplex Cover(s)     AC Power Source - Gen to Shoreline Transfer Switch     Cover, Receptacle - Exterior File Up Duplex Cover(s)     AC Power Source - Gen to Shoreline Transfer Switch     Cover, Receptacle - Exterior File Up Duplex Cover(s)     AC Power Source - Gen to Shoreline Transfer Switch     Cover, Receptacle - Exterior F				
Color, Win Lt Housing - Black Paint   Color, Win Lt Housing - Black Paint   Color, Cord Reels - 1   Reel Guide - 1) Captive roller   Firish, Reel - Painted Job Color Matching Lower Body   Location, Electric Cord - Pel - PS Gooseneck, Outboard, 1 Reel   Cord, Electric, 10/3 Yellow, 3 Wire   Lengths of Elect Cord - 1   Feet of Yellow, 3 Wire   Lengths of Elect Cord - 2   The Color Matching Lower Body   Location, Cord - Hubbel 2004, 120V Twist Lock   Receptacle, 15/20A 120V 3-PF 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Cab   Color, 1				
City, Cord Reels - 1   Reef Guide - 1) Captive roller   Reef Guide - 1) Captive roller   Firishs, Reel - Painted Job Color Matching Lower Body   Location, Electric Cord Reel - PS Gooseneck, Outboard, 1 Reel   Lengths of Elect Cord - 1   Feet of Yellow Cord - 0-150   Connection, Cord - Hubbell 20A 120V Twst Look   Connection, Cord - Hubbell 20A 120V Jeps - Ps Jep			Color, Win Lt Housing - Black Paint	
Reel Guide - I.D. Captive roller   Finish, Reel - Painted Job Color Matching Lower Body   Location, Electric, 10/3 Yellow, 3 Wire   Lengths of Elect Cord - 1   Feet of Yellow Cord - 0;150   Connection, Cord - Hubbel 20A 120V Twst Lock   Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Cab   1   Color - 1   C	330 0006825			1
Finish, Reel - Painted, Job Color Matching Lower Body   Location, Electric Cord Reel - PS Gooseneck, Outboard, 1 Reel   1				
Location, Electric Cord Real - PS Gooseneck, Outboard, 1 Reel				
1				
Lengths of Elect Cord - 1   Feet of Yellow Cord - 0;15   Connection, Cord - Hubbell 20A 120V Twst Lock	331 0006828			4
Feet of Yellow Cord - 0)150   Connection, Cord - 1,tbbole   20A 120V Twist Lock   Receptacle, 18/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Cab   1   Coation 1 - TBD   AC Power Source - Gen to Shoreline Transfer Switch   Cover, Receptacle - Interior SS Wall Plate(s)   2   Qv, -02   Location 1 - TBD   AC Power Source - Gen to Shoreline Transfer Switch   Cover, Receptacle - Interior SS Wall Plate(s)   2   Qv, -02   Location 1 - TBD   AC Power Source - Gen to Shoreline Transfer Switch   Cover, Receptacle - Interior SS Wall Plate(s)   2   Qv, -02   Location 1 - TBD   AC Power Source - Gen to Shoreline Transfer Switch   Cover, Receptacle - Interior SS Wall Plate(s)   2   Location   Cover, Receptacle - Interior SS Wall Plate(s)   2   Location   Cover, Receptacle - Interior SS Wall Plate(s)   2   Location   Cover, Receptacle - Interior SS Wall Plate(s)   2   Location   Cover, Receptacle - Exterior Flip Up Duplex Cover(s)   2   Location, Receptacle - Exterior Flip Up Duplex Cover(s)   335 0519934   Not Required, Brand, Hydraulic Tool System   1   Acron   1   Acron   1   Acron   1   Acron   1   Acro				1
Connection, Cord - Hubbell 20A 120V Twst Lock   Receptacle, 16/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Cab   City, - 01   Location 1 - TBD   ACP ower Source - Gen to Shoreline Transfer Switch   Cover, Receptacle - Interior SS Wall Plate(s)   Receptacle, 16/20A 120V, 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Body   2   Oky, - 02   Location 1 - TBD   ACP ower Source - Gen to Shoreline Transfer Switch   Cover, Receptacle - Interior SS Wall Plate(s)   Receptacle - Interi				
Receptacle, 16/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Cab				
Location 1 - TBD   AC Power Source - Gen to Shoreline Transfer Switch	332 0781579		Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Cab	1
AC Power Source - Gen to Shoreline Transfer Switch Cover, Receptacle - Intentor SS Wall Plate(s) Receptacle, 15/20A 120/3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Body Qly, - 02 Location 1 - TBD AC Power Source - Gen to Shoreline Transfer Switch Cover, Receptacle - Intentor SS Wall Plate(s) Receptacle, 15/20A 120/3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st Location, Receptacle - Intentor SS Wall Plate(s) Receptacle, 15/20A 120/3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st Location, Receptacles - One on driver's side at front of body and one on rear bulkhead Qty, - 02 AC Power Source - Gen to Shoreline Transfer Switch Cover, Receptacle - Exterior Flip Up Duplex Cover(s) AC Power Source - Gen to Shoreline Transfer Switch Cover, Receptacle - Exterior Flip Up Duplex Cover(s) AND Required, Brand, Hydraulic Tool System Interior State			Qty, - 01	
Cover, Receptacle - Interior SS Wall Plate(s)   2   2   2   2   2   2   2   2   2				
Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Body   2   Qty, - 02   Location 1 - TBD   AC Power Source - Gen to Shoreline Transfer Switch   Cover, Receptacle - Interior SS Wall Plate(s)   334 0783678   Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st   2   Location, Receptacle - Power Source - Gen to Shoreline Transfer Switch   Cover, Receptacle - Exterior Filip Up Duplex Cover(s)   AC Power Source - Gen to Shoreline Transfer Switch   Cover, Receptacle - Exterior Filip Up Duplex Cover(s)   Not Required, Brand, Hydraulic Tool System   1   Not Required, PTO Driven Hydraulic Tool System   1   1   1   1   1   1   1   1   1				
Qty, -02   Location 1 - TBD     AC Power Source - Gen to Shoreline Transfer Switch     Cover, Receptacle - Interior SS Wall Plate(s)     Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st   2     Location, Receptacles - One on driver's side at front of body and one on rear bulkhead     Qty, -02	333 0779722			•
Location 1 - TBD	000 0113122		· · · · · · · · · · · · · · · · · · ·	2
AC Power Source - Gen to Shoreline Transfer Switch Cover, Receptacle - Interior SS Wall Plate(s) Receptacle, 15/20A 12V3 - 3Pr 3-W7, NEMA 5-2DR SB Dup, 1st Location, Receptacles - One on driver's side at front of body and one on rear bulkhead City, - 0/2 AC Power Source - Gen to Shoreline Transfer Switch Cover, Receptacle - Exterior Flip Up Duplex Cover(s)  335 0519934 Not Required, Brand, Hydraulic Tool System 1 Not Required, PTO Driven Hydraulic Tool System 1 Reference 1 Refer			· · · · · · · · · · · · · · · · · · ·	
Cover, Receptacle - Interior SS Wall Plate(s)   Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st   Location, Receptacles - One on driver's side at front of body and one on rear bulkhead   Qty 02   AC Power Source - Gen to Shoreline Transfer Switch   Cover, Receptacle - Exterior Filp Up Duplex Cover(s)   1336 0649753   Not Required, Brand, Hydraulic Tool System   1   1336 0649753   Not Required, PTO Driven Hydraulic Tool System   1   1   1   1   1   1   1   1   1				
Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st   Location, Receptacles - One on driver's side at front of body and one on rear bulkhead   Cty 02				
rear bulkhead	334 0783678			2
Otty, - 02			Location, Receptacles - One on driver's side at front of body and one on	
AC Power Source - Gen to Shoreline Transfer Switch Cover, Receptacle - Exterior Filp Up Duplex Cover(s)  335 0519934 Not Required, Brand, Hydraulic Tool System 1 336 0649753 Not Required, PTO Driven Hydraulic Tool System 1 337 0755072 Aerial, 107' ASL, 750/500 Tip, 50 MPH Wind, Tiller 1 338 0762413 Light, Boom Support, Amdor AY-LB-12HW012, 12" LED 1 339 0662680 Skid Plate, Steel, Under Tiller Trailer Rear Body 1 340 0755127 Tie Down, Rope, Per Pair, 9000lb Rating, Trailer Gooseneck, Tiller 2				
Cover, Receptacle - Exterior Flip Up Duplex Cover(s)   1   335 0519934   Not Required, Brand, Hydraulic Tool System   1   1   336 0649753   Not Required, Brand, Hydraulic Tool System   1   1   337 0755072   Aerial, 107' ASL, 750/500 Tip, 50 MPH Wind, Tiller   1   1   1   1   1   1   1   1   1			•	
1				
1   336 0649753   Not Required, PTO Driven Hydraulic Tool System   1   337 0755072   Aerial, 107' ASL, 750/500 Tip, 50 MPH Wind, Tiller   1   1   338 0762413   Light, Boom Support, Amdor AY-LB-12HW012, 12" LED   1   1   339 0662680   Skid Plate, Steel, Under Tiller Trailer Rear Body   1   340 0755127   Tie Down, Rope, Per Pair, 9000lb Rating, Trailer Gooseneck, Tiller   2   Cty, Pair - 02   Finish, Tie Down - nickel plated   Location, Rope Tie Down - Tiller Gooseneck   1   8   8   8   8   8   8   8   8   8	335 0519934			1
Aerial, 107' ASL, 750/500 Tip, 50 MPH Wind, Tiller   1   1   338 0762413	336 0649753			
339 0662680   Skid Plate, Steel, Under Tiller Trailer Rear Body   1	337 0755072			1
Tie Down, Rope, Per Pair, 9000lb Rating, Trailer Gooseneck, Tiller   Qty, Pair - 02   Finish, Tie Down - nickel plated   Location, Rope Tie Down - Tiller Gooseneck   341 0663833   Boom Support, Raised, Tiller   Boom Support - Compt on top of body   Boom Panel, Pair, Amdor AY-LB-12H*-* LED Top Edge, Special Size   1   Color, Light, One - b) white   Control, Aerial Rung Lighting - Headlight   Paint Color, Predefined -#101 black   Size, Boom Panel - 120* Long x 20* High   Steps, Folding, Four, Aerial Device, Trident   1   Coating, Step - black   Light, Aerial Device Folding Step - no integrated light   Finish, Aerial Device Folding Step - bright finish   Steps, Redial Device Folding Step - bright finish   Rung Covers, Aerial Device Folding Step - bright finish   Rung Cover Color - Safety Yellow   346 0623645   Aerial Stability Test, Maximum Tip Options   1   Coation, Aerial Device - left side of tip   Strackets Only, Roof/Wall Ladder, Aerial Fly Section   1   Finish - DA Finish   DA Finish   Steps - Inish   Potental Fly Section   1   Finish - DA Finish   DA Finish   Steps - Inish   Steps - Inish   Potental Fly Section   1   Finish - DA Finish   Steps - Inish   Steps - Inish   Potental Fly Section   1   Finish - DA Finish   Potental Fly Section   1   Finish - DA Finish   Steps - Inish   Steps - Inish   Steps - Inish   Potental Fly Section   1   Finish - DA Finish   Potental Fly Section   1   Finish -	338 0762413		Light, Boom Support, Amdor AY-LB-12HW012, 12" LED	1
Qty, Pair - 02	339 0662680		Skid Plate, Steel, Under Tiller Trailer Rear Body	1
Finish, Tie Down - nickel plated   Location, Rope Tie Down - Tiller Gooseneck	340 0755127		Tie Down, Rope, Per Pair, 9000lb Rating, Trailer Gooseneck, Tiller	2
Location, Rope Tie Down - Tiller Gooseneck   1			•	
Boom Support, Raised, Tiller   1				
Boom Support - Compt on top of body  Boom Panel, Pair, Amdor AY-LB-12H*-* LED Top Edge, Special Size  Color, Light, One - b) white Control, Aerial Rung Lighting - Headlight Paint Color, Predefined - #101 black Size, Boom Panel - 120" Long x 20" High  Not Required, Indicator, Extension  344 0723719  Steps, Folding, Four, Aerial Device, Trident Coating, Step - black Light, Aerial Device Folding Step - no integrated light Finish, Aerial Device Folding Step - bright finish  Rung Covers, Aerial Device Folding Step - bright finish  Rung Cover Color - Safety Yellow  Aerial Stability Test, Maximum Tip Options  Rung Cover Safety Vent Saw Storage, No Depth Gauge, Aerial Ladder Otty, -01 Location, Aerial Device - left side of tip  Brackets Only, Roof/Wall Ladder, Aerial Fly Section  1 Finish - DA Finish	3/1 0663833			
342 0728078  Boom Panel, Pair, Amdor AY-LB-12H*-* LED Top Edge, Special Size  Color, Light, One - b) white  Control, Aerial Rung Lighting - Headlight  Paint Color, Predefined -#101 black  Size, Boom Panel - 120" Long x 20" High  Not Required, Indicator, Extension  1  Steps, Folding, Four, Aerial Device, Trident  Coating, Step - black  Light, Aerial Device Folding Step - no integrated light  Finish, Aerial Device Folding Step - bright finish  Rung Covers, Aerial Device  Rung Cover Color - Safety Yellow  Aerial Stability Test, Maximum Tip Options  1  Scabbard, Temporary Vent Saw Storage, No Depth Gauge, Aerial Ladder  Oty, - 01  Location, Aerial Device - left side of tip  Brackets Only, Roof/Wall Ladder, Aerial Fly Section  1  Finish - DA Finish	041 0000000		· · · · · · · · · · · · · · · · · · ·	1
Color, Light,One - b) white Control, Aerial Rung Lighting - Headlight Paint Color, Predefined - #101 black Size, Boom Panel - 120" Long x 20" High  343 0526890 Not Required, Indicator, Extension 1  Steps, Folding, Four, Aerial Device, Trident 1  Coating, Step - black Light, Aerial Device Folding Step - no integrated light Finish, Aerial Device Folding Step - bright finish  345 0688232 Rung Covers, Aerial Device Folding Step - bright finish  Rung Cover Color - Safety Yellow  346 0623645 Aerial Stability Test, Maximum Tip Options 1  347 0674963 Scabbard, Temporary Vent Saw Storage, No Depth Gauge, Aerial Ladder 1  Qty, - 01 Location, Aerial Device - left side of tip  Brackets Only, Roof/Wall Ladder, Aerial Fly Section 1 Finish - DA Finish	342 0728078		Boom Panel, Pair, Amdor AY-LB-12H*-* LED Ton Edge, Special Size	1
Control, Aerial Rung Lighting - Headlight Paint Color, Predefined - #101 black Size, Boom Panel - 120" Long x 20" High  343 0526890 Not Required, Indicator, Extension 1  Steps, Folding, Four, Aerial Device, Trident 1  Coating, Step - black Light, Aerial Device Folding Step - no integrated light Finish, Aerial Device Folding Step - bright finish  45 0688232 Rung Covers, Aerial Device Rung Cover Color - Safety Yellow  346 0623645 Aerial Stability Test, Maximum Tip Options 1  347 0674963 Scabbard, Temporary Vent Saw Storage, No Depth Gauge, Aerial Ladder 1  Qty, -01 Location, Aerial Device - left side of tip  348 0678539 Brackets Only, Roof/Wall Ladder, Aerial Fly Section 1  Finish - DA Finish		١	· - ·	•
Paint Color, Predefined - #101 black Size, Boom Panel - 120" Long x 20" High  Not Required, Indicator, Extension 1  Steps, Folding, Four, Aerial Device, Trident 1  Coating, Step - black Light, Aerial Device Folding Step - no integrated light Finish, Aerial Device Folding Step - bright finish  Rung Covers, Aerial Device Rung Cover Color - Safety Yellow  Aerial Stability Test, Maximum Tip Options 1  Acrial Stability Test, Maximum Tip Options 1  Qty, - 01 Location, Aerial Device - left side of tip  Brackets Only, Roof/Wall Ladder, Aerial Fly Section 1  Finish - DA Finish				
343 0526890 Not Required, Indicator, Extension 1 344 0723719 Steps, Folding, Four, Aerial Device, Trident 1  Coating, Step - black Light, Aerial Device Folding Step - no integrated light Finish, Aerial Device Folding Step - bright finish  345 0688232 Rung Covers, Aerial Device Folding Step - bright finish  Rung Cover Color - Safety Yellow  346 0623645 Aerial Stability Test, Maximum Tip Options 1  347 0674963 Scabbard, Temporary Vent Saw Storage, No Depth Gauge, Aerial Ladder 1  Qty, - 01 Location, Aerial Device - left side of tip  348 0678539 Brackets Only, Roof/Wall Ladder, Aerial Fly Section 1  Finish - DA Finish			Paint Color, Predefined - #101 black	
Steps, Folding, Four, Aerial Device, Trident  Coating, Step - black Light, Aerial Device Folding Step - no integrated light Finish, Aerial Device Folding Step - bright finish  Rung Covers, Aerial Device Rung Cover Color - Safety Yellow  Aerial Stability Test, Maximum Tip Options 1  Scabbard, Temporary Vent Saw Storage, No Depth Gauge, Aerial Ladder Qty, - 01 Location, Aerial Device - left side of tip  Brackets Only, Roof/Wall Ladder, Aerial Fly Section 1  Finish - DA Finish	040 OF0000		Size, Boom Panel - 120" Long x 20" High	
Coating, Step - black Light, Aerial Device Folding Step - no integrated light Finish, Aerial Device Folding Step - bright finish  345 0688232 Rung Covers, Aerial Device Rung Cover Color - Safety Yellow  346 0623645 Aerial Stability Test, Maximum Tip Options 1 347 0674963 Scabbard, Temporary Vent Saw Storage, No Depth Gauge, Aerial Ladder Qty, - 01 Location, Aerial Device - left side of tip  348 0678539 Brackets Only, Roof/Wall Ladder, Aerial Fly Section 1 Finish - DA Finish	•		•	
Light, Aerial Device Folding Step - no integrated light Finish, Aerial Device Folding Step - bright finish  345 0688232 Rung Covers, Aerial Device 1  Rung Cover Color - Safety Yellow  346 0623645 Aerial Stability Test, Maximum Tip Options 1  347 0674963 Scabbard, Temporary Vent Saw Storage, No Depth Gauge, Aerial Ladder 1  Qty, - 01  Location, Aerial Device - left side of tip  348 0678539 Brackets Only, Roof/Wall Ladder, Aerial Fly Section 1  Finish - DA Finish	344 0/23/19		• • • • • • • • • • • • • • • • • • • •	1
Finish, Aerial Device Folding Step - bright finish  Rung Covers, Aerial Device 1 Rung Cover Color - Safety Yellow 346 0623645 Aerial Stability Test, Maximum Tip Options 1 Scabbard, Temporary Vent Saw Storage, No Depth Gauge, Aerial Ladder 1 Qty, - 01 Location, Aerial Device - left side of tip  Brackets Only, Roof/Wall Ladder, Aerial Fly Section 1 Finish - DA Finish				
Rung Covers, Aerial Device Rung Cover Color - Safety Yellow  346 0623645 Aerial Stability Test, Maximum Tip Options 1 347 0674963 Scabbard, Temporary Vent Saw Storage, No Depth Gauge, Aerial Ladder Qty, - 01 Location, Aerial Device - left side of tip  348 0678539 Brackets Only, Roof/Wall Ladder, Aerial Fly Section Finish - DA Finish		1		
Rung Cover Color - Safety Yellow  346 0623645 Aerial Stability Test, Maximum Tip Options 1  347 0674963 Scabbard, Temporary Vent Saw Storage, No Depth Gauge, Aerial Ladder 1  Qty, - 01  Location, Aerial Device - left side of tip  348 0678539 Brackets Only, Roof/Wall Ladder, Aerial Fly Section 1  Finish - DA Finish	345 0688232			1
346 0623645 Aerial Stability Test, Maximum Tip Options 1 347 0674963 Scabbard, Temporary Vent Saw Storage, No Depth Gauge, Aerial Ladder 1 Qty, - 01 Location, Aerial Device - left side of tip 348 0678539 Brackets Only, Roof/Wall Ladder, Aerial Fly Section 1 Finish - DA Finish			<del>-</del>	•
347 0674963 Scabbard, Temporary Vent Saw Storage, No Depth Gauge, Aerial Ladder  Qty, - 01 Location, Aerial Device - left side of tip  348 0678539 Brackets Only, Roof/Wall Ladder, Aerial Fly Section Finish - DA Finish	346 0623645			1
Location, Aerial Device - left side of tip  348 0678539 Brackets Only, Roof/Wall Ladder, Aerial Fly Section 1  Finish - DA Finish	347 0674963			1
348 0678539 Brackets Only, Roof/Wall Ladder, Aerial Fly Section 1 Finish - DA Finish				
Finish - DA Finish	A4A		Location, Aerial Device - left side of tip	
	348 0678539			1
Roor Ladder, Make/Model - 10' Duo-Safety 775-DR				
			Roor Ladder, Wake/Wodel - 10' Duo-Satety //5-DR	

Separate	Line	Option	Туре	Option Description	Qty
ST 0794717   SP	349	0780041		Egress, Shortened, Ascendant Ladder, 100/105'	
SP	350	0678641			1
Pike Pola Make/Model - Duo Sately 8" Pike Pole   Piato, Páthed Autimium for Lettering, wSpring Clips, Aerial Base   2   City - 02   Size - 20" X 20"   Location - Match Job # 35023   Lights, Tumfable Walkway, P25, LED   1   1   1   1   1   1   1   1   1				· · · · · · · · · · · · · · · · · · ·	
SP   0794717   SP   Piate, Painted Aluminum for Lettening, w/Spring Clips, Aerial Base   2   City, 2   Size - 20" X 20"   12"   12"   12"   12"   12"   13"   14"   14"   15					
Size - 20" X 20"	351	0794717	SP		2
Size - 20" X 20"				Qty, - 02	
1852 0801979				Size - 20" X 20"	
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,					-
1	352	0601972			1
Color, Lights, Warning - c) amber   355 0882074   Box, Ladder Belt Storage, Turntable   1   1   1   1   1   1   1   1   1					1
355 0882074   Box, Ladder Belt Storage, Turnfable   Quantifly - 03	354	0824036		Light, Alignment, Tiller Axle, Reflective, Win 0S*00SCR, Color Fet.	1
Quantity - 03   Cover, Around Aerial Rotation Bearing   1				Color, Lights, Warning - c) amber	
1	355	0682074		Box, Ladder Belt Storage, Turntable	1
Material - treedplate					
197   198	356	0682164		Cover, Around Aerial Rotation Bearing	1
358 0814632   Control Stations, ASL Tiller, MUX, Color Display, CL714   1   1   1   1   1   1   1   1   1		2222242		Material - treadplate	
Stabilizers, ASL Tractor Drawn Steel Aerial, Split Pan, 17' Spread   1   Material, Stabilizer Pad - Composite   Stabilizer Pan Material   Stabilizer Pad - Composite   1   Stabilizer Pan Material   Stabilizer Pan Material   1   Stabilizer Pan Material   Stabilizer Pins   1   Stabilizer Pins   1   Stabilizer Pins   1   Doors, Stabilizer Control Box, Valve/Electrical Distribution Box, Tiller   1   Hinge Location - Bottom   Latch, Stabilizer Door - SouthCo C2 Chrome Raised   Door, Material & Finish, Stabilizer - Brushed Stainless Steel   Door, Material & Finish, Stabilizer - Brushed Stainless Steel   Door, Material & Finish, Access - brushed stainless Steel   Door, Material & Finish, Access - brushed stainless Steel   Door, Material & Finish, Access - Brushed Stainless Steel   Door, Material & Finish, Access - Brushed stainless Steel   Door, Material & Finish, Access - Brushed stainless Steel   Door, Material & Finish, Access - Brushed stainless Steel   Door, Material & Finish, Access - Brushed stainless Steel   Door, Material & Finish, Access - Brushed stainless Steel   Door, Material & Finish, Access - Brushed stainless Steel   Door, Material & Finish, Access - Brushed Stainless Steel   Door, Material & Finish, Access - Brushed Stainless Steel   Door, Material & Finish, Access - Brushed Stabilizer Pan   1   1   1   1   1   1   1   1   1					
Material   Stabilizer Pan Material   Stabilizer Pins   1				· · · · · · · · · · · · · · · · · · ·	
Stabilizer Pan Material   Stabilizer Pan Material   Stabilizer Panels - smooth aluminum, painted to match lower body color   Not Required, Aerial Stabilizer Pins   1   Doors, Stabilizer Control Box, Valve/Electrical Distribution Box, Tiller   1   Hinge Location - Bottom   Latch, Stabilizer Door - SouthCo C2 Chrome Raised   Door, Material & Finish, Stabilizer - Brushed Stainless Steel   Door, Material & Finish, Stabilizer - Brushed Stainless Steel   Door, Material & Finish, Stabilizer - Brushed Stainless Steel   Latch, Door, Access - SouthCo C2 Chrome raised   Stabilizer, Modified to Slide On   1   Stabilizer Pads, Modify - 2 stabilizers   Steel   Door, Material & Finish, Stabilizer   Stabilizer   Steel   Door, Material & Finish, Stabilizer   St	359	0789602			1
Stabilizer Panels - smooth aluminum, painted to match lower body color   361 0530819   Not Required, Aerial Stabilizer Pins   1     362 0779621   Doors, Stabilizer Control Box, Valve/Electrical Distribution Box, Tiller   1					
361 0530819	360	0728961			1
1					
Hinge Location - Bottom   Latch, Stabilizer Door - SouthCo C2 Chrome Raised   Door, Material & Finish, Stabilizer - Brushed Stainless Steel   Door, Material & Finish, Stabilizer - Brushed Stainless Steel   Latch, Door, Access - SouthCo C2 chrome raised				•	-
Latch, Stabilizer Door - SouthCo C2 Chrome Raised   Door, Material & Finish, Stabilizer - Brushed Stainless Steel   Door, Material & Finish, Stabilizer - Brushed Stainless Steel   Latch, Door, Access - SouthCo C2 chrome ralsed	362	0779621			1
Door, Material & Finish, Stabilizer - Brushed Stainless Steel					
Door, Material & Finish, Access - brushed stainless steel   Latch, Door, Access - SouthCo C2 chrome raised					
Latch, Door, Access - SouthCo C2 chrome raised   1					
Stabilizer   Modified to Slide On   1					
Stabilizer Pads, Modify - 2 stabilizers	363	0540405			4
Control	303	0340493			
Location - Under LS6 compartment   1	364	05/0526			1
1	J04	0340320			'
Swivels, D-Series w/Encoder, ASL-Tandem/Tiller, MUX (28 Collector Rings)   1	365	0786011			1
Second Health   Second Healt					
368 0804781   Aerial Scene Lts Separated into Aerial Tip Category and Aerial Tracking Category   1   369 0803462   Lights, Tip, Win MP** LED, 2lts   1   Color, Win Lt Housing - Black Paint   Scene Lt Optics LH Fly - Narrow Flood   Scene Lt Optics RH Fly - Narrow Flood   Mount, Win II - Universal Bail MP**   1   Locations   Color, Win Lt Housing - Black Paint   Scene Lt Optics LH Base - Left Spot   Scene Lt Optics LH Base - Left Spot   Scene Lt Optics LH Base - Right Spot   Mount, Win II - Universal Bail MP**   371 0618906   Lighting, Rung, LED, TecNiq, 4 Section, Base, Lower/Upper Mid, Fly, 3 Colors RWB   1   Control, Aerial Rung Lighting - Turntable Sw w/Master Batt Sw   372 0540737   Lights, Stabilizer Warn (1) Set, Win M6*C LED, Clear Lens   1   Color, Lt Rr Stabilzr Pan - r) Pan Light Red   Lights, Grote Supermova LED, Stabilizer Beam, (1) Set   1   374 0762390   Lights, Stabilizer Scene, (1) set, Amdor AY-LB-12HW012, LED   1   375 0783034   DC Power To Aerial Tip, 13.92 Amps @ 12 Volt DC, ASL   1   1   376 0737181   Intercom, 2-Way Fire Research ICA910 Hands Free   1   377 0540895   Not Required, Breathing Air to Tip, Aerial Ladder   1   378 0024742   Not Required, Mask, Breathing Air To Tip   1   3   380 0808215   LyfePulley, Rescue System   1   1   1   1   1   1   1   1   1					
1					-
Color, Win Lt Housing - Black Paint Scene Lt Optics LH Fly - Narrow Flood Scene Lt Optics RH Fly - Narrow Flood Mount, Win II - Universal Bail MP**  170 0802753 Lights, Tracking, Win MP** LED, 2lts 1 Location, Sw, Arl DC Lts - m) 2 locations Color, Win Lt Housing - Black Paint Scene Lt Optics LH Base - Left Spot Scene Lt Optics RH Base - Left Spot Mount, Win II - Universal Bail MP**  171 0618906 Lighting, Rung, LED, TecNiq, 4 Section, Base, Lower/Upper Mid, Fly, 3 Colors RWB 1 Control, Aerial Rung Lighting - Turntable Sw w/Master Batt Sw 172 0540737 Lights, Stabilizer Warn (1) Set, Win M6*C LED, Clear Lens 1 Color, Lt Rr Stabilizer Pan - r) Pan Light Red 173 0068703 Lights, Grote Supernova LED, Stabilizer Beam, (1) Set 1 174 0762390 Lights, Stabilizer Scene, (1) set, Amdor AY-LB-12HW012, LED 1 175 0783034 DC Power To Aerial Tip, 13.92 Amps @ 12 Volt DC, ASL 1 176 0737181 Intercom, 2-Way Fire Research ICA910 Hands Free 1 177 0540895 Not Required, Breathing Air to Tip, Aerial Ladder 1 178 0024742 Not Required, Breathing Air to Tip, Aerial Ladder 1 179 0066919 Not Required, Raised Pedestal, Tiller 1 180 0808215 LyfePulley, Rescue System 1 181 0604457 Lifting Eye Assembly, Rope Rescue Attachment, ASL, LSL 1 182 0530826 Turntable Access, ManSaver Bars, Yellow 1					
Scene Lt Optics LH Fly - Narrow Flood   Scene Lt Optics RH Fly - Narrow Flood   Nount, Win II - Universal Bail MP**   Scene Lt Optics RH Fly - Narrow Flood   Mount, Win II - Universal Bail MP**   Scene Lt Optics LH Base - Left Spot   Scene Lt Optics LH Base - Left Spot   Scene Lt Optics LH Base - Right Spot   Mount, Win II - Universal Bail MP**   Scene Lt Optics RH Base - Right Spot   Mount, Win II - Universal Bail MP**   Scene Lt Optics RH Base - Right Spot   Mount, Win II - Universal Bail MP**   Scene Lt Optics RH Base - Right Spot   Mount, Win II - Universal Bail MP**   Scene Lt Optics RH Base - Right Spot   Scene RH Base - Right Spot   Scene Lt Optics RH Base - Right Spot   Scene Lt Optics Rh Base - Reght S	309	0003402		• • • • • • • • • • • • • • • • • • • •	•
Scene Lt Optics RH Fly - Narrow Flood Mount, Win II - Universal Bail MP**   370 0802753   Lights, Tracking, Win MP** LED, 2lts   1					
Mount, Win II - Universal Bail MP**   1					
1					
Location, Sw, Arl DC Lts - m) 2 locations Color, Wln Lt Housing - Black Paint Scene Lt Optics LH Base - Left Spot Scene Lt Optics RH Base - Right Spot Mount, Wln II - Universal Bail MP**  371 0618906 Lighting, Rung, LED, TecNiq, 4 Section, Base, Lower/Upper Mid, Fly, 3 Colors RWB Control, Aerial Rung Lighting - Turntable Sw w/Master Batt Sw  372 0540737 Lights, Stabilizer Warn (1) Set, Wln M6*C LED, Clear Lens Color, Lt Rr Stabilzr Pan - r) Pan Light Red  373 0068703 Lights, Grote Supernova LED, Stabilizer Beam, (1) Set 1 Clights, Stabilizer Scene, (1) set, Amdor AY-LB-12HW012, LED 1 COPWER TO Aerial Tip, 13.92 Amps @ 12 Volt DC, ASL 1 COPWER TO AERIA TIP, 13.92 Amps @ 12 Volt DC, ASL 1 COPWER TO AERIA TIP, 13.9	370	0802753			1
Color, Win Lt Housing - Black Paint Scene Lt Optics LH Base - Left Spot Scene Lt Optics RH Base - Right Spot Mount, Win II - Universal Bail MP**  371 0618906 Lighting, Rung, LED, TecNiq, 4 Section, Base, Lower/Upper Mid, Fly, 3 Colors RWB Control, Aerial Rung Lighting - Turntable Sw w/Master Batt Sw  372 0540737 Lights, Stabilizer Warn (1) Set, Win M6*C LED, Clear Lens Color, Lt Rr Stabilizer Pan - r) Pan Light Red  373 0068703 Lights, Grote Supermova LED, Stabilizer Beam, (1) Set 1 Lights, Stabilizer Scene, (1) set, Amdor AY-LB-12HW012, LED 1 CP Ower To Aerial Tip, 13.92 Amps @ 12 Volt DC, ASL 1 Intercom, 2-Way Fire Research ICA910 Hands Free 1 Mot Required, Breathing Air to Tip, Aerial Ladder 1 Not Required, Mask, Breathing Air To Tip 1 Not Required, Raised Pedestal, Tiller 1 LyfePulley, Rescue System 1 Lifting Eye Assembly, Rope Rescue Attachment, ASL, LSL 1 Turntable Access, ManSaver Bars, Yellow					
Scene Lt Optics LH Base - Left Spot					
Scene Lt Optics RH Base - Right Spot					
Lighting, Rung, LED, TecNiq, 4 Section, Base, Lower/Upper Mid, Fly, 3 Colors RWB   Control, Aerial Rung Lighting - Turntable Sw w/Master Batt Sw   Lights, Stabilizer Warn (1) Set, Wln M6*C LED, Clear Lens   1					
Control, Aerial Rung Lighting - Turntable Sw w/Master Batt Sw Lights, Stabilizer Warn (1) Set, Wln M6*C LED, Clear Lens Color, Lt Rr Stabilzr Pan - r) Pan Light Red Lights, Grote Supernova LED, Stabilizer Beam, (1) Set Lights, Grote Supernova LED, Stabilizer Beam, (1) Set Lights, Stabilizer Scene, (1) set, Amdor AY-LB-12HW012, LED Lights, Amdor AY-LB-12HW012, LED Lights, Stabilizer Scene, (1) set, Amdor AY-LB-12HW012, LED					
372 0540737       Lights, Stabilizer Wam (1) Set, Win M6*C LED, Clear Lens       1         Color, Lt Rr Stabilzr Pan - r) Pan Light Red         373 0068703       Lights, Grote Supernova LED, Stabilizer Beam, (1) Set       1         374 0762390       Lights, Stabilizer Scene, (1) set, Amdor AY-LB-12HW012, LED       1         375 0783034       DC Power To Aerial Tip, 13.92 Amps @ 12 Volt DC, ASL       1         376 0737181       Intercom, 2-Way Fire Research ICA910 Hands Free       1         377 0540895       Not Required, Breathing Air to Tip, Aerial Ladder       1         378 0024742       Not Required, Mask, Breathing Air To Tip       1         379 0066919       Not Required, Raised Pedestal, Tiller       1         380 0808215       LyfePulley, Rescue System       1         381 0604457       Lifting Eye Assembly, Rope Rescue Attachment, ASL, LSL       1         382 0530826       Turntable Access, ManSaver Bars, Yellow       1	371	0618906		Lighting, Rung, LED, TecNiq, 4 Section, Base, Lower/Upper Mid, Fly, 3 Colors RWB	1
Color, Lt Rr Stabilzr Pan - r) Pan Light Red  373 0068703					
373 0068703       Lights, Grote Supernova LED, Stabilizer Beam, (1) Set       1         374 0762390       Lights, Stabilizer Scene, (1) set, Amdor AY-LB-12HW012, LED       1         375 0783034       DC Power To Aerial Tip, 13.92 Amps @ 12 Volt DC, ASL       1         376 0737181       Intercom, 2-Way Fire Research ICA910 Hands Free       1         377 0540895       Not Required, Breathing Air to Tip, Aerial Ladder       1         378 0024742       Not Required, Mask, Breathing Air To Tip       1         379 0066919       Not Required, Raised Pedestal, Tiller       1         380 0808215       LyfePulley, Rescue System       1         381 0604457       Lifting Eye Assembly, Rope Rescue Attachment, ASL, LSL       1         382 0530826       Turntable Access, ManSaver Bars, Yellow       1	372	0540737		_ · · · · · · · · · · · · · · · · · · ·	1
374 0762390       Lights, Stabilizer Scene, (1) set, Amdor AY-LB-12HW012, LED       1         375 0783034       DC Power To Aerial Tip, 13.92 Amps @ 12 Volt DC, ASL       1         376 0737181       Intercom, 2-Way Fire Research ICA910 Hands Free       1         377 0540895       Not Required, Breathing Air to Tip, Aerial Ladder       1         378 0024742       Not Required, Mask, Breathing Air To Tip       1         379 0066919       Not Required, Raised Pedestal, Tiller       1         380 0808215       LyfePulley, Rescue System       1         381 0604457       Lifting Eye Assembly, Rope Rescue Attachment, ASL, LSL       1         382 0530826       Turntable Access, ManSaver Bars, Yellow       1					
375 0783034       DC Power To Aerial Tip, 13.92 Amps @ 12 Volt DC, ASL       1         376 0737181       Intercom, 2-Way Fire Research ICA910 Hands Free       1         377 0540895       Not Required, Breathing Air to Tip, Aerial Ladder       1         378 0024742       Not Required, Mask, Breathing Air To Tip       1         379 0066919       Not Required, Raised Pedestal, Tiller       1         380 0808215       LyfePulley, Rescue System       1         381 0604457       Lifting Eye Assembly, Rope Rescue Attachment, ASL, LSL       1         382 0530826       Turntable Access, ManSaver Bars, Yellow       1	373	0068703			1
376 0737181       Intercom, 2-Way Fire Research ICA910 Hands Free       1         377 0540895       Not Required, Breathing Air to Tip, Aerial Ladder       1         378 0024742       Not Required, Mask, Breathing Air To Tip       1         379 0066919       Not Required, Raised Pedestal, Tiller       1         380 0808215       LyfePulley, Rescue System       1         381 0604457       Lifting Eye Assembly, Rope Rescue Attachment, ASL, LSL       1         382 0530826       Turntable Access, ManSaver Bars, Yellow       1	374	0762390		Lights, Stabilizer Scene, (1) set, Amdor AY-LB-12HW012, LED	1
377 0540895       Not Required, Breathing Air to Tip, Aerial Ladder       1         378 0024742       Not Required, Mask, Breathing Air To Tip       1         379 0066919       Not Required, Raised Pedestal, Tiller       1         380 0808215       LyfePulley, Rescue System       1         381 0604457       Lifting Eye Assembly, Rope Rescue Attachment, ASL, LSL       1         382 0530826       Turntable Access, ManSaver Bars, Yellow       1				· · · · · · · · · · · · · · · · · · ·	
378 0024742       Not Required, Mask, Breathing Air To Tip       1         379 0066919       Not Required, Raised Pedestal, Tiller       1         380 0808215       LyfePulley, Rescue System       1         381 0604457       Lifting Eye Assembly, Rope Rescue Attachment, ASL, LSL       1         382 0530826       Turntable Access, ManSaver Bars, Yellow       1	376	0737181		<u>₹</u>	1
379 0066919       Not Required, Raised Pedestal, Tiller       1         380 0808215       LyfePulley, Rescue System       1         381 0604457       Lifting Eye Assembly, Rope Rescue Attachment, ASL, LSL       1         382 0530826       Turntable Access, ManSaver Bars, Yellow       1	377	0540895		Not Required, Breathing Air to Tip, Aerial Ladder	1
380 0808215LyfePulley, Rescue System1381 0604457Lifting Eye Assembly, Rope Rescue Attachment, ASL, LSL1382 0530826Turntable Access, ManSaver Bars, Yellow1	378	0024742		Not Required, Mask, Breathing Air To Tip	1
381 0604457 Lifting Eye Assembly, Rope Rescue Attachment, ASL, LSL 1 382 0530826 Turntable Access, ManSaver Bars, Yellow 1	379	0066919		Not Required, Raised Pedestal, Tiller	1
382 0530826 Turntable Access, ManSaver Bars, Yellow 1	380	0808215		LyfePulley, Rescue System	1
	381	0604457		Lifting Eye Assembly, Rope Rescue Attachment, ASL, LSL	1
383 0763138 Waterway, High Flow, ASL-Tiller, w/Shortened Egress 1	382	0530826		Turntable Access, ManSaver Bars, Yellow	1
	383	0763138		Waterway, High Flow, ASL-Tiller, w/Shortened Egress	1

Bid #: 1201

Monitor_Akron 3486 StreamMaster II Electric Extended Vartical Travely, Manual XVI	Line Option	Туре	Option Description	Qty
Nozzle, Monitor 1 PAL - Akron 3499 They3485 Shaper	384 0729475		Monitor, Akron 3486 StreamMaster II Electric, Extended Vertical	
Location, Valve - Arcm 82; left side discharge			Travel,w/ManualAVM	
Sab 5010776				
See 6.012000	205 0040750			
287 0673128				
288 0768548				
Not Required, Tools, Aeral, PAL/PAE   1   390 0875404   Manuals and Training, 3 Consecutive Days, Ascendant Ladder, PAL   1   391 0807570   Cab, Tiller   1   1   1   1   1   1   1   1   1				
Manuels and Training, 3 Consecutive Days, Ascendant Ladder, PAL   1   1   1   1   1   1   1   1   1	•	•	•	
391 0807570   Cab, Tiller   Sun Visor, Smoked Lexan, Tiller Cab			·	<u>,</u> 1
Sun Visor, Smoked Lexan, Tiller Cab				<b>' 1</b>
Sun Visor Retention - (1) Thumb Latch   1				1
Light, Dome, FRP Dual LED III   Color, Dome Lt Ref & White   Color, Dome Lt White   Door Switches and Lens Switch   Control, Dome Lt White   Door Switches and Lens Switch   Control, Dome Lt White   Color, Dome Lt White	392 0726222		Sun Visor, Smoked Lexan, Tiller Cab	1
Color, Dome Lt - Red & White				
Color, Dome Lt R2I - Black   Control, Dome Lt R2I - Black   Control, Dome Lt Color - Lens Switch	393 0636263		Light, Dome, FRP Dual LED 1lt	. 1
Control, Dome Lt White - Door Switchs and Lens Switch				
Control, Dome Lt Color - Lens Switch   1				
Heater, Tiller Cab, Tiller, Electric Ceramic, Mildest Climate			•	
395 0824165   SP	004.0044700			
386 0668064   Seat, Tiller, Pierce PSV, Air Ride Hi-Back   1		<b>6 5</b>		=
398 0036977   Tiller Warning Indicators w/Seatbeit Warn in Cab   1   1   1   1   1   1   1   1   1		SP		
388 0366977   Tiller Warning Indicators w/Seatbelt Warn In Cab   1				
Mirror, 8" Round Convex, Titler Cab				
400 0746216   SP			= !	
401 0892904   SP   Thermal Barrier, Ceiling of Tiller Cab				
402 0634358   SP   Steering Shaft, Raised for Raised Rear Body/Tiller Cab Height - 6.00"   Window Defrost Fans (2)   1   Location - Left and right sides, on top of dash   1   Location - Left and right sides, on top of dash   1   Location - Left and right sides, on top of dash   1   Location - Left and right sides, on top of dash   1   Location - Fort of Cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Trailer, 2.00" Extended Gooseneck, Shorter Trailer, Single Axie, Tiller   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Location - front of cab to prevent tree limbs from scratching paint   1   Lo				
Height - 6.00"   Window Defrost Fans (2)				
1	402 0634358	SP	Steering Shaft, Raised for Raised Rear Body/Tiller Cab	1
Location - Left and right sides, on top of dash 404 0763776 SP Tinted Glass, Privacy Dark Gray, 8-25%, Tiller Cab Rear Wall Window 405 0669622 SP Scuffplate, Treadplate Full Width on Leading Edge of Tiller Cab Roof 1 Location - front of cab to prevent tree limbs from scratching paint 406 0626264 Trailer, 3.00" Extended Gooseneck, Shorter Trailer, Single Axle, Tiller 407 0090681 Walkway, Turntable to Body, Tiller 408 0052481 Axle, Tiller Trailer, Oshkosh TAK-4, Non Drive, 22,800# 410 0652502 Brakes, Meritor, EX225, 17", Disc Plus, TAK-4, Tiller Trailer 410 0652502 Brakes, Meritor, EX225, 17", Disc Plus, TAK-4, Tiller 411 0052483 Suspension, Tiller, 22,800# 412 0889837 Tires, Goodyear, Armor MAX MSA, 425/65R22.5 20 Ply (tiller) 413 0037030 Wheels, Alum. Alcoa, 22.50" x 12.25" (385/425), Tiller 414 0037050 Oil Seals, Tiller Axle 415 0007150 Bag of Nuts and Bolts 416 0816498 NFPA Required Loose Equipment, Aerial, NFPA/ULC 2024, Provided by Fire Dept 417 0816939 Extinguisher, Dry Chemical, NFPA 2024, Provided by Fire Department 418 0816937 Extinguisher, 2.5 Gal. Pressurized Water, NFPA/ULC 2024, Provided by Fire Dept 419 0007482 Not Required, Claw Tools 420 0007484 Not Required, Claw Tools 421 0816998 Axe, Flathead, Provided by Fire Department 422 0817000 Axe, Pickhead, Provided by Fire Department 423 0007494 Not Required, Sledgehammers 424 0741569 Paint, Two-Tone Color, Enforcer 425 0709566 Paint, Two-Tone Color, Enforcer 426 0709845 Paint, Single Color, Body 427 0509327 Paint, Two-Tone Color, Enforcer 428 Paint, Single Color, Body 427 0509327 Paint, Two Tone, Tiller Cab				
404 0763776 SP Tinted Glass, Privacy Dark Gray, 8-25%, Tiller Cab Rear Wall Window 405 0669622 SP Scuffplate, Treadplate Full Width on Leading Edge of Tiller Cab Roof 406 0626264 Location- front of cab to prevent tree limbs from scratching paint 406 0626264 Walkway, Turntable to Body, Tiller 408 0052481 Axle, Tiller Trailer, Oshkosh TAK-4, Non Drive, 22,800# 409 0032125 Steering, Sheppard M110 wilti, TAK-4, Non Drive, 22,800# 410 0652502 Brakes, Meritor, EX225, 17", Disc Plus, TAK-4, Tiller Trailer 411 0052483 Suspension, Tiller, 22,800# 412 0898937 Tires, Goodyear, Armor MAX MSA, 425/65R22.5 20 Ply (tiller) 413 0037030 Wheels, Alum, Alcoa, 22.50" x 12.25" (385/425), Tiller 416 0816498 August Alexand Bolts 417 0816939 Extinguisher, Dry Chemical, NFPA 2024, Provided by Fire Dept 417 0816939 Extinguisher, Dry Chemical, NFPA 2024, Provided by Fire Dept 419 0007482 Not Required, Crowbars 410 0007484 Not Required, Crowbars 420 0007484 Not Required, Crowbars 420 0007484 Not Required, Crowbars 420 0007494 Not Required, Sledgehammers 420 0007494 Not Required, Sledgehammers 420 0741569 Paint, Process / Environmental Requirements, Appleton 425 0709566 Paint, Two-Tone Color, Enforcer Paint Color, Upper Area, Predefined - #50 Red Paint Toolr, Upper Area, Predefined - #50 Red Paint Toolr, Upper Area, Predefined - #50 Red Paint, Brody - Match Lower Cab Paint, Two-Tone Cab Break 427 0509327 Paint, Two Tone, Tiller Cab	403 0051052		• •	1
A05 0669622   SP   Scuffplate, Treadplate Full Width on Leading Edge of Tiller Cab Roof				
Location - front of cab to prevent free limbs from scratching paint   Trailer, 3.00" Extended Gooseneck, Shorter Trailer, Single Axle, Tiller   1				
406 0626264	405 0669622	SP	· · · · · · · · · · · · · · · · · · ·	1
407 0090681			Location - front of cab to prevent tree limbs from scratching paint	
Axle, Tiller Trailer, Oshkosh TAK-4, Non Drive, 22,800#   1				
100   0032125   Steering, Sheppard M110 w/tilt, TAK-4, Tiller Trailer				
### 10 0652502 Brakes, Meritor, EX225, 17", Disc Plus, TAK-4, Tiller 1 ### 10 052483 Suspension, Tiller, 22,800# 1 ### 12 0898937 Tires, Goodyear, Armor MAX MSA, 425/65R22.5 20 Ply (tiller) 1 ### 13 0037030 Wheels, Alum. Alcoa, 22.50" x 12.25" (385/425), Tiller 1 ### 10 0037050 Oil Seals, Tiller Axle 1 ### 15 0007150 Bag of Nuts and Bolts				
411 0052483   Suspension, Tiller, 22,800#   1   1   1   1   1   1   1   1   1				
412 0898937       Tires, Goodyear, Armor MAX MSA, 425/65R22.5 20 Ply (tiller)       1         413 0037030       Wheels, Alum. Alcoa, 22.50" x 12.25" (385/425), Tiller       1         414 0037050       Oil Seals, Tiller Axle       1         415 0007150       Bag of Nuts and Bolts       1         Qty, Bag Nuts and Bolts - 1         416 0816498       NFPA Required Loose Equipment, Aerial, NFPA/ULC 2024, Provided by Fire Dept       1         417 0816939       Extinguisher, Dry Chemical, NFPA 2024, Provided by Fire Department       1         418 0816937       Extinguisher, 2.5 Gal. Pressurized Water, NFPA/ULC 2024, Provided by Fire Dept       1         419 0007482       Not Required, Crowbars       1         420 0007484       Not Required, Claw Tools       1         421 0816998       Axe, Flathead, Provided by Fire Department       1         422 0817000       Axe, Pickhead, Provided by Fire Department       1         422 0817000       Axe, Pickhead, Provided by Fire Department       1         424 0741569       Paint Process / Environmental Requirements, Appleton       1         425 0709566       Paint, Two-Tone Color, Enforcer       1         Paint Color, Lower Area, Predefined - #101 Black         Shield, Cab - Standard Shield       Paint, Single Color, Body       1 <tr< td=""><td></td><td></td><td></td><td>1</td></tr<>				1
413 0037030 Wheels, Alum. Alcoa, 22.50" x 12.25" (385/425), Tiller 1 414 0037050 Oil Seals, Tiller Axle 1 415 0007150 Bag of Nuts and Bolts				
414 0037050       Oil Seals, Tiller Axle       1         415 0007150       Bag of Nuts and Bolts       1         Oty, Bag Nuts and Bolts - 1         416 0816498       NFPA Required Loose Equipment, Aerial, NFPA/ULC 2024, Provided by Fire Dept       1         417 0816939       Extinguisher, Dry Chemical, NFPA 2024, Provided by Fire Department       1         418 0816937       Extinguisher, 2.5 Gal. Pressurized Water, NFPA/ULC 2024, Provided by Fire Dept       1         419 0007482       Not Required, Crowbars       1         420 0007484       Not Required, Claw Tools       1         421 0816998       Axe, Fiethead, Provided by Fire Department       1         422 0817000       Axe, Pickhead, Provided by Fire Department       1         423 0007494       Not Required, Sledgehammers       1         424 0741569       Paint Process / Environmental Requirements, Appleton       1         425 0709566       Paint, Two-Tone Color, Enforcer       1         426 0709845       Paint Color, Upper Area, Predefined - #101 Black Shield, Cab - Standard Shield Paint Break, Cab - Standard Two-Tone Cab Break         426 0709845       Paint, Single Color, Body       1         427 0509327       Paint, Two Tone, Tiller Cab       1	412 0898937			
A15 0007150   Bag of Nuts and Bolts	413 0037030		Wheels, Alum. Alcoa, 22.50" x 12.25" (385/425), Tiller	1
Att	414 0037050		Oil Seals, Tiller Axle	1
416 0816498       NFPA Required Loose Equipment, Aerial, NFPA/ULC 2024, Provided by Fire Dept       1         417 0816939       Extinguisher, Dry Chemical, NFPA 2024, Provided by Fire Department       1         418 0816937       Extinguisher, 2.5 Gal. Pressurized Water, NFPA/ULC 2024, Provided by Fire Dept       1         419 0007482       Not Required, Crowbars       1         420 0007484       Not Required, Claw Tools       1         421 0816998       Axe, Flathead, Provided by Fire Department       1         422 0817000       Axe, Pickhead, Provided by Fire Department       1         423 0007494       Not Required, Sledgehammers       1         424 0741569       Paint Process / Environmental Requirements, Appleton       1         425 0709566       Paint, Two-Tone Color, Enforcer       1         Paint Color, Upper Area, Predefined - #101 Black Shield, Cab - Standard Shield Paint Color, Lower Area, Predefined - #90 Red Paint Break, Cab - Standard Two-Tone Cab Break         426 0709845       Paint, Single Color, Body Paint, Body - Match Lower Cab       1         427 0509327       Paint, Two Tone, Tiller Cab       1	415 0007150		Bag of Nuts and Bolts	1
417 0816939       Extinguisher, Dry Chemical, NFPA 2024, Provided by Fire Department       1         418 0816937       Extinguisher, 2.5 Gal. Pressurized Water, NFPA/ULC 2024, Provided by Fire Dept       1         419 0007482       Not Required, Crowbars       1         420 0007484       Not Required, Claw Tools       1         421 0816998       Axe, Flathead, Provided by Fire Department       1         422 0817000       Axe, Pickhead, Provided by Fire Department       1         423 0007494       Not Required, Sledgehammers       1         424 0741569       Paint Process / Environmental Requirements, Appleton       1         425 0709566       Paint, Two-Tone Color, Enforcer       1         Paint Color, Upper Area, Predefined - #101 Black Shield, Cab - Standard Shield Paint Break, Cab - Standard Two-Tone Cab Break         426 0709845       Paint, Single Color, Body Paint, Body - Match Lower Cab       1         427 0509327       Paint, Two Tone, Tiller Cab       1				
418 0816937       Extinguisher, 2.5 Gal. Pressurized Water, NFPA/ULC 2024, Provided by Fire Dept       1         419 0007482       Not Required, Crowbars       1         420 0007484       Not Required, Claw Tools       1         421 0816998       Axe, Flathead, Provided by Fire Department       1         422 0817000       Axe, Pickhead, Provided by Fire Department       1         423 0007494       Not Required, Sledgehammers       1         424 0741569       Paint Process / Environmental Requirements, Appleton       1         425 0709566       Paint, Two-Tone Color, Enforcer       1         Paint Color, Upper Area, Predefined - #101 Black         Shield, Cab - Standard Shield       Paint Break, Cab - Standard Two-Tone Cab Break         426 0709845       Paint, Single Color, Body       1         Paint, Body - Match Lower Cab       1         427 0509327       Paint, Two Tone, Tiller Cab       1				
419 0007482       Not Required, Crowbars       1         420 0007484       Not Required, Claw Tools       1         421 0816998       Axe, Flathead, Provided by Fire Department       1         422 0817000       Axe, Pickhead, Provided by Fire Department       1         423 0007494       Not Required, Sledgehammers       1         424 0741569       Paint Process / Environmental Requirements, Appleton       1         425 0709566       Paint, Two-Tone Color, Enforcer       1         Paint Color, Upper Area, Predefined - #101 Black Shield, Cab - Standard Shield Paint Color, Lower Area, Predefined - #90 Red Paint Break, Cab - Standard Two-Tone Cab Break       426 0709845         426 0709845       Paint, Single Color, Body Paint, Body - Match Lower Cab       1         427 0509327       Paint, Two Tone, Tiller Cab       1	417 0816939			1
420 0007484       Not Required, Claw Tools       1         421 0816998       Axe, Flathead, Provided by Fire Department       1         422 0817000       Axe, Pickhead, Provided by Fire Department       1         423 0007494       Not Required, Sledgehammers       1         424 0741569       Paint Process / Environmental Requirements, Appleton       1         425 0709566       Paint, Two-Tone Color, Enforcer       1         Paint Color, Upper Area, Predefined - #101 Black Shield, Cab - Standard Shield Paint Break, Cab - Standard Two-Tone Cab Break         426 0709845       Paint, Single Color, Body Paint, Body - Match Lower Cab       1         427 0509327       Paint, Two Tone, Tiller Cab       1				1
421 0816998       Axe, Flathead, Provided by Fire Department       1         422 0817000       Axe, Pickhead, Provided by Fire Department       1         423 0007494       Not Required, Sledgehammers       1         424 0741569       Paint Process / Environmental Requirements, Appleton       1         425 0709566       Paint, Two-Tone Color, Enforcer       1         Paint Color, Upper Area, Predefined - #101 Black Shield, Cab - Standard Shield Paint Color, Lower Area, Predefined - #90 Red         426 0709845       Paint, Single Color, Body       1         427 0509327       Paint, Two Tone, Tiller Cab       1	419 0007482		Not Required, Crowbars	1
422 0817000       Axe, Pickhead, Provided by Fire Department       1         423 0007494       Not Required, Sledgehammers       1         424 0741569       Paint Process / Environmental Requirements, Appleton       1         425 0709566       Paint, Two-Tone Color, Enforcer       1         Paint Color, Upper Area, Predefined - #101 Black Shield, Cab - Standard Shield Paint Color, Lower Area, Predefined - #90 Red Paint Break, Cab - Standard Two-Tone Cab Break         426 0709845       Paint, Single Color, Body Paint, Body - Match Lower Cab       1         427 0509327       Paint, Two Tone, Tiller Cab       1	420 0007484		Not Required, Claw Tools	1
423 0007494       Not Required, Sledgehammers       1         424 0741569       Paint Process / Environmental Requirements, Appleton       1         425 0709566       Paint, Two-Tone Color, Enforcer       1         Paint Color, Upper Area, Predefined - #101 Black         Shield, Cab - Standard Shield         Paint Color, Lower Area, Predefined - #90 Red         Paint Break, Cab - Standard Two-Tone Cab Break         426 0709845       Paint, Single Color, Body       1         Paint, Body - Match Lower Cab         427 0509327       Paint, Two Tone, Tiller Cab       1	421 0816998		Axe, Flathead, Provided by Fire Department	1
424 0741569 Paint Process / Environmental Requirements, Appleton 1 425 0709566 Paint, Two-Tone Color, Enforcer 1  Paint Color, Upper Area, Predefined - #101 Black Shield, Cab - Standard Shield Paint Color, Lower Area, Predefined - #90 Red Paint Break, Cab - Standard Two-Tone Cab Break  426 0709845 Paint, Single Color, Body 1 Paint, Body - Match Lower Cab Paint, Two Tone, Tiller Cab 1	422 0817000		Axe, Pickhead, Provided by Fire Department	1
425 0709566 Paint, Two-Tone Color, Enforcer 1 Paint Color, Upper Area, Predefined - #101 Black Shield, Cab - Standard Shield Paint Color, Lower Area, Predefined - #90 Red Paint Break, Cab - Standard Two-Tone Cab Break  426 0709845 Paint, Single Color, Body 1 Paint, Body - Match Lower Cab Paint, Two Tone, Tiller Cab 1	423 0007494		Not Required, Sledgehammers	1
425 0709566 Paint, Two-Tone Color, Enforcer 1 Paint Color, Upper Area, Predefined - #101 Black Shield, Cab - Standard Shield Paint Color, Lower Area, Predefined - #90 Red Paint Break, Cab - Standard Two-Tone Cab Break  426 0709845 Paint, Single Color, Body 1 Paint, Body - Match Lower Cab Paint, Two Tone, Tiller Cab 1			•	1
Paint Color, Upper Area, Predefined - #101 Black Shield, Cab - Standard Shield Paint Color, Lower Area, Predefined - #90 Red Paint Break, Cab - Standard Two-Tone Cab Break  426 0709845 Paint, Single Color, Body Paint, Body - Match Lower Cab  427 0509327 Paint, Two Tone, Tiller Cab	425 0709566		· · · · · · · · · · · · · · · · · · ·	1
Shield, Cab - Standard Shield Paint Color, Lower Area, Predefined - #90 Red Paint Break, Cab - Standard Two-Tone Cab Break  426 0709845 Paint, Single Color, Body Paint, Body - Match Lower Cab  Paint, Two Tone, Tiller Cab  1			Paint Color, Upper Area, Predefined - #101 Black	
Paint Color, Lower Area, Predefined - #90 Red Paint Break, Cab - Standard Two-Tone Cab Break  426 0709845 Paint, Single Color, Body Paint, Body - Match Lower Cab  427 0509327 Paint, Two Tone, Tiller Cab				
426 0709845 Paint, Single Color, Body 1 Paint, Body - Match Lower Cab 427 0509327 Paint, Two Tone, Tiller Cab 1			Paint Color, Lower Area, Predefined - #90 Red	
Paint, Body - Match Lower Cab 427 0509327 Paint, Two Tone, Tiller Cab 1				
427 0509327 Paint, Two Tone, Tiller Cab	426 0709845			1
				_
Location - Standard	427 0509327			1
			Location - Standard	

	Option	Туре	Option Description	Qty
427	-		Paint, Color - # 90 Red	
A28	0646901		Paint Color, Upper Area - # 101 Black	
720	0040301		Paint Chassis Frame Assy, With Liner, E-Coat, Standard	1
429	0693797		Paint Color, Frame Assembly, Predefined - Standard Black No Paint Required, Aluminum Front Wheels	4
430	0693792		No Paint Required, Aluminum Rear Wheels	1
431	0809564		No Paint Required, Aluminum Tiller Wheels	1
432	0733739		Paint, Axle Hubs	1
400	0700045		Paint, Axie Hub - Black #101	
433	0760810		Coating, Safe-Stride, Tiller A/C, Top of Cover in Front of Tiller Cab	1
			Qty, - 01	
434	0007230		Color, Safe-Stride - Black Compartment, Painted, Spatter Gray	4
435	0790913		Aerial Ladder Paint, Incl Gooseneck, Stabilizers, Tiller	1
			Paint Color, Aerial Device - Black 101	•
			Paint Color, Egress - #736 Neon Yellow	
			Paint Color, Turntable - Black 101	
	1		Paint Color, Boom Support - gloss black primer Paint Color, Cylinders - black 101	
			Paint Color, Aerial Stabilizers - black 101	
			Paint Color, Aerial Rotation Motor - Black	
			Paint Color, Aerial Control Console - black 101	
436	0544129		Paint Color, Trailer Gooseneck, 5th Wheel - gloss black primer Reflective Band, 1"-6"-1"	1
	0011120		Color, Reflect Band - A - a) white	1
			Color, Reflect Band - B - p) black	
			Color, Reflect Band - C - w) white	
	0007356		Reflective across Cab Face	1
438	0598747		Stripe, Reflective/Diamond Grade, Chevron Stripes, Two (2) Stabilizers	1
			Color, Reflect Band - A - p) fluorescent yellow green diamond grade Color, Reflect Chev - A - r) red diamond grade	
			Size, Stripe - a) 4.00"	
439	0087342		Jog, "Z"-Shaped, In Reflective Stripe	1
			Qty, - 1	
440	0545179		Stripe, Diamond Grade, Chevron, Front Bumper	1
			Size, Chevron Striping - 06	
			Color, Chevron DG - Fluorescent Yellow-Green 983-23 Color, Chevron DG - B - Red 983-72	
441	0552453		Stripe, Reflective, Chevron, Cab and Crew Cab Doors Interior, Diamond Grade	1
	1		Color, Reflect Band - A - r) red diamond grade	
			Size, Chevron Striping - 04	
442	0543998		Color, Reflect Chev - A - t) fluorescent yellow green diamond grade Stripe, Reflective, Tillerman Doors Interior	1
			Color, Reflective - a) white	
443	0680371		Stripe, Gold Leaf, Two-Tone Paint Break with Shield, IPO Chrome Molding	1
	0027372		Lettering Specifications, (GOLD STAR Process)	1
445	0686428		Lettering, Gold Leaf, 3.00", (41-60)	1
AAR	0686081	•	Outline, Lettering - Outline and Shade Lettering, Reflective, 3.00", (21-40)	
- <del></del>	000001		Outline, Lettering - Outline and Shade	1
447	0686221		Lettering, Gold Leaf, 7.00", Each	8
			Qty, Lettering - 08	•
	*****		Outline, Lettering - Outline and Shade	
448	0686220		Lettering, Gold Leaf, 7.00", (1-20)	1
449	0686080		Outline, Lettering - Outline and Shade Lettering, Reflective, 3.00", (41-60)	4
			Outline, Lettering - Outline	1
450 (	0685985		Lettering, Reflective, 12.00", Each	4
			Qty, Lettering - 04	_
254	0055000		Outline, Lettering - Outline and Shade	
451	0655896		Sign Kit, Painted, Holder and Insert, Each	4
			Location - front, rear, and each side Qty, - 04	
			Size - 10" W X 12" H	
	6/2025 7:03	ARA	Bid # 1201	

Line Option	Type Option Description	Qty
452 0695610	Emblem, Reflective, Per Dept. Submittal, Each	
	Qty, - 02	_
	Location, Emblem - Upper cab area	
450 000000	Size, Dept Seal, Reflect - 16" - 18"	
453 0769753	Emblem, American Flag Painted on Cab Grille, All Custom Chassis	1
454 0772003	Manual, Fire Apparatus Parts, USB Flash Drive, Custom	1
455 0770007	Qty, - 01	
455 0772037	Manual, Chassis Service, USB Flash Drive, Custom	1
AEC 0772204	Qty, - 01	
456 0773381 457 0030008	Manual, Chassis Operation, (1) USB Flash Drive, Custom	1
458 0735523	Warranty, Basic, 1 Year, Apparatus, WA0008	1
459 0684953	Warranty, Engine, Paccar MX13, 5 Year, WA0386	1
460 0596017	Warranty, Steering Gear, Sheppard M110, 3 Year WA0201	1
461 0595698	Warranty, Frame, 50 Year, Custom Chassis, WA0013	1
462 0733306	Warranty, Axie, 3 Year, TAK-4, WA0050	1
	Warranty, Single Axie, 5 Year, Meritor, General Service, WA0384	1
463 0652758	Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
464 0019914 465 0744240	Warranty, Structure, 10 Year, Custom Cab, WA0012	1
466 0524627	Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1
467 0695416	Warranty, Electronics, 5 Year, MUX, WA0014	1
468 0647720	Warranty, Pierce Camera System, WA0188	1
469 0046369	Warranty, Pierce LED Strip Lights, WA0203	1
470 0685945	Wallanty, 5-year EVS Transmission, Standard Custom, WA0167	1
471 0596025	Warranty, Transmission Cooler, WA0216	1
472 0690936	Warranty, Structure, 10 Year, Body, WA0009	1
473 0006999	Warranty, Roll up Doors, Not Required Warranty, Structure, 20 Year, Aerial Device, WA0052	1
474 0687388		1
475 0685727	Warranty, Swivels, 5 Year, Aerial Device, WA0197 Warranty, Hydraulic System and Components, 3 Year/5 Year, WA0200	1
476 0687327	Warranty, Waterway, 10 Year, Aerial Device, WA0198	1
477 0595860	Warranty, Paint, 4 Year, Aerial Device, Pro-Rated, WA0047	1
478 0725636	Warranty, Harrison Generator, 2 Year	1
479 0595820	Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057	1
480 0595421	Warranty, Goldstar, 3 Year, Apparatus, WA00018	1
481 0819254	Certification, Vehicle Stability, CD0196	1
482 0808565	Certification, Engine Installation, Enf, Paccar MX, 2027	1
483 0686786	Certification, Power Steering, CD0098	1
484 0892691	Certification, Cab Integrity, Saber FR/Enforcer, CD0189	1
485 0631973	Certification, Cab Door Durability, Saber FR/Enforcer, CD0137	1
486 0631978	Certification, Windshield Wiper Durability, Saber FR/Enforcer, CD0132	1
487 0631974	Certification, Electric Window Durability, Saber FR/Enforcer, CD0133	1.
488 0631977	Certification, Seat Belt Anchors and Mounting, Saber FR/Enforcer, CD0134	1
489 0735949	Certification, Cab HVAC System Performance, SFR/Enf, CD0165/CD0167/CD0174/CD0175	1
490 0545073	Amp Draw Report, NFPA Current Edition	1
491 0002758	Amp Draw, NFPA/ULC Radio Allowance	1
492 0799248	Appleton/Florida BTO	1
493 0000029	TILLER BODY	1
494 0000012	PIERCE CHASSIS	1
495 0735525	PACCAR MX13 ENGINE	1
496 0046396	EVS 4000 Series TRANSMISSION	1
497 0020037	NO PUMP	1
498 0020015	ABS SYSTEM	1
499 0755455	AERIAL HIGH	1

### **EXHIBIT B**

### WARRANTY

# **SEE OPTION LIST**

# EXHIBIT C

## PURCHASING TERMS AND CONDITIONS

### **PURCHASING TERMS AND CONDITIONS**

These Purchasing Terms and Conditions, together with the Equipment Proposal and all attachments (collectively, the "Agreement") are entered into by and between Ten-8 Fire & Safety, LLC, a Florida company ("Company") and Customer (as defined in Ten-8 Fire & Safety LLC's Equipment Proposal document) and is effective as of the date specified in Section 3 of these Purchasing Terms and Conditions. Both Company and Customer may be referred throughout this document individually as a "party" or collectively as the "parties."

#### 1. Definitions.

- a. "Acceptance" has the same meaning set forth in Company's Equipment Proposal.
- b. "Company's Equipment Proposal" means the Equipment Proposal provided by Company and prepared in response to Customer's request for proposal for a fire apparatus or associated equipment.
- c. "Cooperative Purchasing Contract" means an Agreement between Company and a public authority, including without limitation, a department, division, agency of a municipal, county or state government ("Public Authority"), that adopts or participates in an existing agreement between Company and another non-party customer (including, but not limited to such non-party customer's equipment proposal, its applicable exhibits, attachments and purchasing terms and conditions), often referred to as a "piggyback arrangement," which is expressly agreed to, in writing, by Company. Company has sole discretion to determine whether it will agree to such a Cooperative Purchasing Contract.
- d. "Delivery" means when Company delivers physical possession of the Product to Customer.
- e. "Manufacturer" means the Manufacturer of any Product.
- f. "Prepayment Discount" means the prepayment discounts, if any, specified in Company's Equipment Proposal.
- g. "Product" means the fire apparatus and any associated equipment manufactured or furnished for Customer by Company pursuant to the Specifications.
- h. "Purchase Price" means the Total price set forth in the Quotation, after applicable pricing adjustments set forth in the Quotation.
- i. "Purchasing Terms and Conditions" means these Purchasing Terms and Conditions; however, if the Company's Equipment Proposal or the Customer's related Purchase Order states that it is governed by a Cooperative Purchasing Agreement, "Purchasing Terms and Conditions" shall mean those terms and conditions set forth in the applicable Cooperative Purchasing Agreement.
- j. "Specifications" means the general specifications, technical specifications, training, and testing requirements for the Product contained in Company's Equipment Proposal and its Exhibit A (Proposal Option List), prepared in response to Customer's request for such a proposal.
- 2. Purpose. This Agreement sets forth the terms and conditions of Company's sale of the Product to Customer.
- 3. <u>Term of Agreement</u>. This Agreement will become effective on the date of Acceptance as defined in Company's Equipment Proposal ("Effective Date") and, unless earlier terminated pursuant to the terms of this Agreement, it will terminate upon Delivery and payment in full of the Purchase Price.
- 4. Purchase and Payment. Customer agrees to pay Company the Purchase Price for the Product(s). The Purchase Price is in U.S. dollars. Where Customer opts for a Prepayment Discount that specifies that Customer will tender one or more prepayments to Company, Customer must provide each prepayment within the time frame specified in the Equipment Proposal in order to receive the Prepayment Discount for that prepayment installment. To the extent permitted by applicable law, Company may in its sole discretion charge a convenience fee if Customer elects to pay the Purchase Price by means of a credit card.
- 5. Representations and Warranties. Customer hereby represents and warrants to Company that the purchase of the Product(s) has been approved by Customer in accordance with applicable general laws and, as applicable, Customer's charter, ordinances and other governing documents, and funding for the purchase has been duly budgeted and appropriated.
- 6. <u>Cancellation/Termination</u>. In the event this Agreement is cancelled or terminated by Customer before completion, Company may charge Customer a cancellation fee. The following charge schedule is based on costs incurred by

Manufacturer and Company for the Product, which may be applied and charged to Customer: (a) 12% of the Purchase Price after the order for the Product(s) is accepted and entered into Manufacturer's system by Company; (b) 22% of the Purchase Price after completion of approval drawings by Customer, and; (c) 32% of the Purchase Price upon any material requisition made by the Manufacturer for the Product. The cancellation fee will increase in excess of (c) in this Section 6, accordingly, as additional costs are incurred by Manufacturer and Company as the order progresses through engineering and into the manufacturing process.

- 7. <u>Delivery.</u> The Product is scheduled to be delivered as specified in the Delivery Timing section of the Equipment Proposal ("Delivery Timing"), which will be F.O.B. Company's facility. The Delivery Timing is an estimate, and Company is not bound to such date unless it otherwise agrees in writing. Company is not responsible for Delivery delays caused by or as the result of actions, omissions or conduct of the Manufacturer, its employees, affiliates, suppliers, contractors, and carriers. All right, title and interest in and to the Product, and risk of loss, shall pass to Customer upon Delivery of the Product(s) to Customer.
- 8. <u>Standard Warranty</u>. The manufacturer warranties applicable to this Agreement, if any, are attached to Company's Equipment Proposal as Exhibit A and are incorporated herein as part of the Agreement.
  - a. <u>Disclaimer</u>. EXCEPT AS OTHERWISE SET FORTH IN THIS AGREEMENT, COMPANY, INCLUDING ITS PARENT COMPANY, AFFILIATES, SUBSIDIARIES, AND THEIR RESPECTIVE OFFICERS, DIRECTORS, EMPLOYEES, SHAREHOLDERS, AGENTS OR REPRESENTATIVES DO NOT MAKE ANY REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE PRODUCTS PROVIDED UNDER THIS AGREEMENT, WHETHER ORAL OR WRITTEN, EXPRESS, IMPLIED OR STATUTORY. WITHOUT LIMITING THE FOREGOING DISCLAIMER, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, IMPLIED WARRANTY AGAINST INFRINGEMENT, AND IMPLIED WARRANTY OR CONDITION OF FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED AND DISCLAIMED. STATEMENTS MADE BY SALES REPRESENTATIVES OR IN PROMOTIONAL MATERIALS DO NOT CONSTITUTE WARRANTIES.
- 9. Limitation of Liability. COMPANY WILL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL, INDIRECT, ECONOMIC, PUNITIVE, SPECIAL OR EXEMPLARY DAMAGES ARISING FROM OR IN ANY WAY CONNECTED WITH THIS AGREEMENT WITHOUT REGARD TO THE NATURE OF THE CLAIM OR THE UNDERLYING THEORY OR CAUSE OF ACTION (WHETHER IN CONTRACT, TORT, STRICT LIABILITY, EQUITY OR ANY OTHER THEORY OF LAW) ON WHICH SUCH DAMAGES ARE BASED. COMPANY'S LIMIT OF LIABILITY UNDER THIS AGREEMENT SHALL BE CAPPED AT THE TOTAL AMOUNT OF THE MONIES PAID BY CUSTOMER TO COMPANY UNDER THIS AGREEMENT.
- 10. Force Majeure. Company shall not be responsible nor deemed to be in default on account of delays in performance due to causes which are beyond Company's control or which make Company's performance impracticable, including but not limited to wars, insurrections, strikes, riots, fires, storms, floods, other acts of nature, explosions, earthquakes, accidents, transportation or delivery delays or losses outside of Company's control, any act of government, inability or delay of Company or manufacture in obtaining necessary labor or adequate or suitable manufacturing components at reasonable prices, allocation regulations or orders affecting materials, equipment, facilities or completed products, failure to obtain any required license or certificates, acts of God or the public enemy, terrorism, epidemics, quarantine restrictions, failure of vendors to perform their contracts or labor troubles of Company or a manufacturer causing cessation, slowdown, or interruption of work.
- 11. <u>Customer's Obligations</u>. Customer shall provide its timely and best efforts to cooperate with Company and Manufacturer during the manufacturing process to create the Product. Reasonable and timely cooperation includes, without limitation, Customer's providing timely information in response to a request from Manufacturer or Company and Customer's participation in traveling to Manufacturer's facility for inspections and approval of the Product.
- 12. <u>Default.</u> The occurrence of one or more of the following shall constitute a default under this Agreement: (a) Customer's failure to pay any amounts due under this Agreement or Customer's failure to perform any of its obligations under this Agreement; (b) Company's failure to perform any of its obligations under this Agreement;

- (c) either party becoming insolvent or becoming subject to bankruptcy or insolvency proceedings; (d) any representation made by either party to induce the other to enter into this Agreement, which is false in any material respect; (e) an action by Customer to dissolve, merge, consolidate or transfer a substantial portion of its property to another entity; or (f) a default or breach by Customer under any other contract or agreement with Company.
- 13. <u>Manufacturer's Statement of Origin</u>. Company shall retain possession of the manufacturer's statement of origin ("MSO") for the Product until the entire Purchase Price has been paid. If more than one Product is covered by this Agreement, Company shall retain the MSO for each individual Product until the Purchase Price for that Product has been paid in full.
- 14. <u>Arbitration.</u> Any controversy or claim arising out of or relating to this Agreement, or the breach thereof, shall be settled by arbitration administered by the American Arbitration Association in accordance with its Commercial Arbitration Rules, and judgment on the award rendered by the arbitrator(s) may be entered in any court having jurisdiction thereof. The Arbitration shall take place in Hall County, Georgia.
- 15. Miscellaneous. The relationship of the parties established under this Agreement is that of independent contractors and neither party is a partner, employee, agent, or joint venture of or with the other. Neither party may assign its rights and obligations under this Agreement without the prior written approval of the other party. This Agreement and all transactions between Ten-8 Fire & Safety, LLC will be governed by and construed in accordance with the laws of the State of Georgia. The delivery of signatures to this Agreement may be via facsimile transmission or other electronic means and shall be binding as original signatures. This Agreement shall constitute the entire agreement and supersede any prior agreement between the parties concerning the subject matter of this Agreement. This Agreement may only be modified by an amendment, in writing, signed by duly authorized representatives of both parties with authority to sign such amendments to this Agreement. In the event of a conflict between the Ten-8 Proposal and these Terms and Conditions, the Ten-8 Proposal shall control except in the case of a Cooperative Purchasing Contract as set forth in Section 1(c) and (i) of these Purchasing Terms and Conditions. If any term of this Agreement is determined to be invalid or unenforceable by a competent legal authority, such term will be either reformed or deleted, as the case may be, but only to the extent necessary to comply with the applicable law, regulation, order or rule, and the remaining provisions of the Agreement will remain in full force and effect.