



Outlook

HCPC Tentative Agenda 6.16.25

From Emily McGahee (Environmental Health) <emcgahee@hallcounty.org>

Date Tue 5/13/2025 9:01 AM

To Kaitlyn Elliott (Planning) <kelliott@hallcounty.org>; Katie L. Greenway (CDI: Planning) <klgreenway@hallcounty.org>; Beth Garmon (CDI: Planning) <bgarmon@hallcounty.org>

Cc Kelly Hairston (Environmental Health) <khairston@hallcounty.org>; Chad Harper (Environmental Health) <charper@hallcounty.org>

Item 1, 5183 Glen Forrest Drive, Ozoemena: All proposed structures must meet all residential permitting requirements and/or required setbacks to existing septic system.

Item 2, 5235/5241 Winder Hwy, Genuine Mapping: Must meet all Environmental Health commercial septic system permitting requirements. A detailed business plan must be submitted to Hall County Environmental Health for review. Additional items, including, but not limited to: recorded plat, soil evaluation, and septic system installation may be required after review of business plan.

Item 3, 3654 Friendship Rd, Taylor Morrison: No comment. Public sewer.

Item 4, 3654 Thompson Bridge Rd, Fifth Third Bank: No comment. Public sewer.

Items 5A/B, 2978 Athens Hwy, Mistry: Must meet all Environmental Health commercial septic system permitting requirements. A detailed business plan must be submitted to Hall County Environmental Health for review. Additional items, including, but not limited to: recorded plat, soil evaluation, and septic system installation may be required after review of business plan.

Item 6, 2620/2634 Barrett Rd, Dowdy: Must meet all Environmental Health commercial septic system permitting requirements if able to be permitted by Environmental Health. Environmental Health can only permit residential strength wastewater; therefore, non-domestic wastewater will be required to be disposed of through public sewer or an EPD permitted system. Further determination will be made during the civil plan review process.

Item 7, 5401 Old Winder Hwy, K2P Land Partners: No comment. Public sewer.

Item 8, 5401 Old Winder Hwy, K2P Land Partners: No comment. Public sewer.

Emily McGahee
Hall County Environmental Health
Hall County Government Center
2875 Browns Bridge Road
Mailing: PO Box 5901
Gainesville, GA 30504
(770) 531-3973 (phone)
emcgahee@hallcounty.org