

Georgia, Hali County, Clerk Superior Court Filed in office, this day of July 20 00 at 10:40 a. m. Recorded in Book 3700 Page(s) 582-584 this 7 day of July 20 00.

DWIGHT 8. WOOD, CLERK, by: 4284

018212

Sergio & Associates P.C. Attorney at Law 3982 Cherokee Trail Buite 130 Suwanee, Georgia 50824 HALL COUNTY, Georgia Real Estate Transfer Tax

000582

Suwanee, Georgia 80024
STATE OF GEORGIA

Guinneth_ COUNTY

Paid \$

Date 7-(0-00

Dwicht's WOOD

Clark Superior Court

Quit-Claim Deed

THIS INDENTURE, made the 274 day of April, in the year Two Thousand, between JAY HAK LEE, of the County of Jackson, State of Georgia, and KOOK-JA LEE, of the County of Gwinnett, as party or parties of the first part, hereinafter called Grantor, and KOOK-JA LEE, as party or parties of the second part, hereinafter called Grantee (the words "Grantor" and "Grantee" to include their respective heirs, successors and assigns where the context requires or permits).

WITNESSETH: That Grantor, for and in consideration of LOVE AND AFFECTION, has bargained, sold, and does by these presents bargain, sell, remise, release and forever quit-claim to Grantee all the right, title interest, claim or demand which the Grantor has or may have had in and to the following described real property, to wit:

FOR A COMPLETE LEGAL DESCRIPTION REFER TO EXHIBIT "A" ATTACHED HERETO AND INCORPORATED HEREIN BY THIS REFERENCE.

Each grantor of this deed holds a twenty-five percent (25%) undivided interest in the above-described property. Grantee shall, therefore, hold a fifty percent (50%) undivided interest in a tenancy at common with Been Chuan Lee and Main Di Chang. with all the rights, members and appurtenances to the said described premises in anywise appertaining or belonging.

TO HAVE AND TO HOLD the said described premises unto the Grantee, so that neither the said Grantor, nor any other person or persons claiming under Grantor shall at any time claim or demand any right, title or interest to the aforesaid described premises or its appurtenances.

IN WITNESS WHEREOF, the Grantor has signed and sealed this deed the day and year above written.

Signed, sealed and delivered in presence of:

Witness

JAY HAK LEE

My Compression Expires

KOOK-JA⁄LEE

and a figure of the control of the c

EXHIBIT "A"

All that tract or parcel of land lying and being in the Clinchem District, number 392, of Hall County, Georgia, and being a portion of that land conveyed by warranty deed from Jasper B. Thompson to Eva Thompson Thornton on January 24, 1921, and recorded at deed book 37, page 568, Hall County records. Said tract is more particularly described as follows:

To find the point of beginning, commence at a concrete monument which point is the common intersection of the monument which point is the common intersection of the southoast boundary of Hall County, the northwestern boundary of Jackson County, the western boundary line of Gwinnett Barrow County, and the eastern boundary line of Gwinnett County; proceed thence North 46 degrees 36 minutes East 183.3 feet along the common boundary line of Hall and Jackson Counties to a point, thonce North 87 degrees 13 minutes West 125.3 feet, thence South 82 degrees 23 minutes West 127.8 feet; thence South 82 degrees 32 minutes West 217.8 feet; thence South 36 degrees 32 minutes West 309.4 feet to a point in the center line of Mulberry River; thence along the center line of the Mulberry River; thence along the center line of the Mulberry River the following courses and distances: South 40 degrees 43 minutes West 207.1 feet; thence North 85 degrees 55 minutes West 509.6 feet; thence North 85 degrees 35 minutes West 344.3 feet; thence North 65 degrees 35 minutes West 344.3 feet; thence South 65 degrees 35 minutes West 344.3 feet; thence South 65 degrees 35 minutes West 344.3 feet; thence South 65 minutes minutes 344.3 West degrees South 65 78 feet; thence degrees minutes West thence South degrees 32 minutes Wast 187.6 feet; thence South 78 degrees 26 minutes West .235.0 feet; thence North 13 degrees 26 minutes West .285.7 feet; thence North 17 degrees 34 minutes West .285.7 feet; thence North 29 degrees 34 minutes West .416.0 feet; thence North 29 degrees 54 minutes West .347.0 feet; thence North 29 degrees 54 minutes West .347.0 feet; thence North 23 degrees .08 minutes West .150.0 feet; thence South 66 degrees .33 minutes .218.8 feet; thence South 5 degrees .29 minutes .274.5 feet; thence South 85 degrees .18 minutes .274.5 feet; thence .274.5 feet; .274.5 feet; thence .274.5 feet; .274.5 feet West 187.6 feet: minutes degrees North thence minutes West .235.0 West 285.7 fcet; degrees

degrees 55 minutes West 196.6 feet; thance continuing along the Easterly side of Georgia Highway 211 North 6 degrees 47 minutes West 229.7 feet to an iron pin; thence North 66 degrees 53 minutes East 1297.2 feet to an iron pipe found; thence North 79 degrees 26 minutes East 622.2 pipe found; thence North 79 degrees 26 minutes East 622.2 pipe found; thence North 49 feet to a one-half inch pipe found; thence North 49 feet to a sinutes West 261.7 feet; thence North 5 degrees 12 minutes West 261.7 feet; thence North 5 degrees 36 minutes East 123.3 feet; thence North 18 degrees 40 minutes East 269.8 feet; thence North 60 degrees 10 minutes East 269.8 feet; thence North 45 degrees 56 minutes East 132.8 feet to a one-half inch pipe found; thence South 34 degrees 32 minutes East 735.3 feet to a one inch pipe found; thence North 72 degrees 47 minutes East 1864.6 feet; thence North 4 degrees 57 minutes East 1702.1 feet to a one inch pipe found; thence South 39 degrees 52 minutes East 1538.0 feet to an iron pin found at fence corner; thence South 47 degrees 16 minutes West 196.0 feet to an iron pin; thence South 8 degrees 51 minutes East 1942.9 feet to a nail found at a 30 inch oak and old fence corner; thence South 88 degrees 38 minutes 4 seconds West 1665.7 feet; thence South 88 degrees 37 minutes 54 seconds West 569.61 feet to an iron pin set on the Easter-19 side of Howington Road; thence South 59 degrees 29 minutes 29 seconds West 1883.62 feet to an iron pin found at the true point of beginning.

Said tract contains 279.024 acres and is shown as Tract 3-A on a plat for Lenox T. Thornton, revised January 5, 1982, and recorded in plat Book 85, Pages 128 and 129, Hall County Records. Said plat is incorporated herein by reference and made a part of this description.

000584

and the contract of the complete of the complete of the contract of the contra

1250 293

VARRANTY DEED (SIKHT FORM) — HAMMINI 207

29:

STANDARD WARRANTY DEED



STATE OF GEORGIA,

HALL County

THIS INDESTRURE, made this 10th day of August in the year of our Lord One Thousand Note Hundred and Eighty-Eight between JAY HAK LEE and KOOK-JA LEE east of the State of Georgia ind Cronty of the State of Georgia and EERN. CHUAN LEE; and MAIN DI CHANG of the State of Georgia and County of Hall of the Second part WITNESSETH; That the said part 188 of the second part WITNESSETH; That the said part 188 of the second part of the sum of Ten and other, good, and valuable consideration DOLLARS in hand pard at and before the scaling and delivery of these presents, the receipt whereof is hereby acknowledged have granted, bargained, sold and conveyed and by these presents the granted, bargained, sold and conveyed and by these presents the grant, bargain, sell and convey out to the said part 188 of the second part, their heirs and assigns SON NOCKON MORKEY WERENESSETH; and one-half (1/2) undivided interest in:

See Exhibit "A" attached hereto and made a part hereof.

The purpose of this Deed is to create a tenancy in common with each of the Grantors (Jay Hak Lee and Kook-Ja Lee) and each of the Grantees (Been Chuan Lee and Main Di Chang) owning a twenty-five percent (25%) undivided interest in the above-described property.

294 & WOOD 30064 WARRANTY DEED BEEN CHUAN LEE and JAX HAK LEE and.... KOOK-JA LEE MAIN DI CHANG FROM Hall Recorded in Book Per.

i. All that tract or parcel of land lying and being in the Clinchem District, number 192, of Hall County, Georgia, and being a portion of that land conveyed by warranty doed from Jaspor B. Thoppson to Eva Thoppson Thornton on January 24, 1921, and recorded at deed book 37, page 568, Hall County records. Said tract is more particularly described by follows: January 24, 1921, and recorded at deed book 37, page 560, Hall County records. Said tract is more particularly described as follows:

To find the point of beginning, commence at a concrete sonueent which point is the common intersection of the southeast boundary of Hall County, the northwestern boundary of Jackson County, the western boundary line of Gennett County, proceed thence North 46 degrees 36 minutes East 103.3 foot along the common boundary line of Gennett County, proceed thence North 46 degrees 36 minutes East 103.3 foot along the common boundary line of Hall and Jackson Counties to a point, thence North 87 degrees 13 minutes West 125.3 foot thence South 82 degrees 23 minutes West 127.8 feet; thence South 16 degrees 23 minutes Nort 127.8 feet; thence South 16 degrees 23 minutes Nort 127.8 feet; thence South 16 degrees 23 minutes Nort 127.8 feet; thence South 16 degrees 24 minutes Nort 109.4 feet to a point in the center line of Hulberry River; thence along the center line of the Mulberry River; thence Along the center line of the Mulberry River the following courses and distances. South 40 degrees 4) minutes Mest 207.1 feet; thence South 50 degrees 35 minutes Mest 207.1 feet; thence North 15 degrees 35 minutes Mest 204.1 feet; thence North 16 degrees 35 minutes Mest 204.1 feet; thence South 66 degrees 35 minutes Mest 204.1 feet; thence South 67 degrees 36 minutes Mest 204.1 feet; thence North 17 degrees 36 minutes Mest 204.1 feet; thence North 17 degrees 37 minutes Mest 205.0 feet; thence North 29 degrees 38 minutes Mest 40.4 feet; thence North 29 degrees 39 minutes Mest 150.0 feet; thence North 29 degrees 30 minutes Mest 150.0 feet; thence North 29 degrees 30 minutes Mest 150.0 feet; thence North 29 degrees 30 minutes Mest 150.0 feet; thence North 20 degrees 30 minutes Mest 150.0 feet; thence North 20 degrees 30 minutes Mest 150.0 feet; thence North 19 degrees 10 minutes Mest 190.9 feet; thence North 19 degrees 20 minutes Mest 190.9 feet; thence North 19 degrees 30 minutes Mest 190.9 feet; thence Nor described as follows: 235 degrees 35 binutes West 196.6 feet; thence continuing along the Easterly side of Georgia Highway 211 North 6 degrees 47 binutes West 229.7 feet to an iron pin; thence North 66 degrees 53 minutes East 1297.2 feet to an iron pippe found; thence North 79 degrees 26 binutes East 622.2 feet to a one-half inch pipe found; thence North 49 degrees 12 minutes West 124.6 feet; thence North 11 degrees 58 binutes Hest 261.7 feet; thence North 16 degrees 36 binutes East 123.3 feet; thence North 16 degrees 44 binutes East 25.9 feet; thence North 60 degrees 44 binutes East 25.9 feet; thence North 60 degrees 50 binutes East 123.9 feet; thence North 60 degrees 50 binutes East 123.8 feet; thence North 45 degrees 50 binutes East 120.8 feet; thence North 47 degrees 57 binutes East 1804.6 feet; thence North 72 degrees 47 minutes East 1864.6 feet; thence North 74 degrees 57 minutes East 1702.1 feet to a one inch pipe found; thence South 42 degrees 52 minutes East 1538.0 feet; thence South 43 degrees 51 minutes East 1942.9 feet to a nail found at fence corner; thence South 8 degrees 51 minutes East 1942.9 feet to a nail found at a 10 inch ook and old fence corner; thence South 88 degrees 38 minutes Mest 1563.7 feet; thence South 88 degrees 38 minutes East 1969.6 feet to an ail found at a 30 inch ook and old fence corner; thence South 88 degrees 38 minutes Mest 1563.7 feet; thence South 88 degrees 39 minutes 54 seconds Mest 569.6 feet to an iron pin st on the Easterly side of Howington Road; thence South 59 degrees 29 minutes 29 seconds Host 1803.62 feet to an iron pin found at the true point of beginning. 231; Said tract contains 279.024 acres and is shown as Tract 1-A on a plat for Lenox T. Thornton, revised January 5, 1982, and recorded in Plat Book 85, Pages 128 and 129, Hall County Records. Said plat is incorporated herein by reference and made a part of this description.

Form No. 36 WARRANTY DEED (Short Form

<u>(000000000000000000000000000000000000</u>	000
	4
STATE OF GEORGIA, County of HALL	O.
This INDENTURE, Made this 15th day of July	_in the
Year of Our Lord One Thousand Nine Hundred and Eighty-Six	between C
LENOX THOMPSON THORNTON	
of the State of Georgia and County of Fulton of the first p JAY HAK LEE and KOOK-JA LEE	art, and
of the State of Georgia and County of Gwinnett of the seco	nd part,
WITNESSETH: That the said part_Yof the first part, for and in consideration of th	sum of
Ten (\$10.00) and other good and valuable consideration	Dollars,
in hand paid, at and before the sealing and delivery of these presents, the receipt of is hereby acknowledged, ha	presents .
See Exhibit "A" attached hereto	
and the second s	
HALL COUNTY, Georgie Real Estate Transfer Tax	
Pald 8 500.00	
Date July 18,1986 DWIGHT S. WOOD	
Clerk of Superior Court	**
By margaret sa ymes	
TO HAVE AND TO HOLD the said tract or parcel of land, with all and singular the members and appurtenances thereof, to the same being, belonging, or in anywise apper to the only proper use, benefit and behoof of the said part. 199 of the second part, 19 heirs and assigns, forever, in Fee Simple.	taining,
AND THE SAID part Y of the first part, for his	_ heirs,
executors and administrators, will warrant and forever defend the right and title to the described property, unto the said partinsof the second part,their heirs and	
against the claims of all persons whomsoever.	assigns,
IN WITNESS WHEREOF, the said part Yof the first part ha.s hereunto se	his O
hand and seal, the day and year above written.	č
Signed, society old delivered in presence of:	_
EXECUSED ON - 4-15-86 LENOX THOMPSON THORNTON	=(Seal)
Facility D. King	_(Beal)
1 3 Galler Line, Cooks, Cooksy, Google	(Seal)
County, Clerk Superior County	
Filed in office, this IB day of The 19 19 Recorded in Book 100	9
Page 1 Rathle 21 day of Thele 10 Rlo	
DWICHT S. WOOD, Clerk	47.0
/ ©000000000000000000000000000000000000	000
Pd. Seller & Krause	THE REAL PROPERTY OF THE PERTY
muitte, ba. 30064	

All that tract or parcel of land lying and being in the Clinchem District, number 392, of Hall County, Georgia, and being a portion of that land conveyed by warranty deed from Jasper B. Thompson to Eva Thompson Thornton on January 24, 1921, and recorded at deed book 37, page 568, Hall County records. Said tract is more particularly described as follows:

To find the point of beginning, commence at a concrete monument which point is the common intersection of the southeast boundary of Hall County, the northwestern southeast boundary of Hall County, the northwestern boundary of Jackson County, the western boundary line of Barrow County, and the eastern boundary line of Gwinnett County; proceed thence North 46 degrees 36 minutes East 183.3 feet along the common boundary line of Hall and Jackson Counties to a point, thence North 87 degrees 13 minutes West 125.3 feet, thence South 82 degrees 23 125.3 feet, thence South 82 degrees 127.8 feet; thence South 36 degrees minutes West West 309.4 feet to a point in the center line minutes Mulberry River; thence along the center line of the Mulberry River the following courses and distances: South 40 degrees 43 minutes West 100.0 feet; thence South 50 River; thence minutes West thence 10 207.1 feet; North degrees 55 minutes West 509.6 feet; thence degrees . 35 minutes West 344.3 feet; thence North degrees minutes West 204.1 187.6 feet; thence South 32 degrees minutes West feet; thence South degrees minutes West 235.0 feet: thence North degrees minutes West 285.7 feet: thence North degrees minutes West 416.0 feet; thence North degrees 54 minutes West 347.0 feet; thence North 6 degrees 44 minutes East 434.4 feet; thence North 23 degrees 08 minutes West 150.0 feet; thence South 66 degrees 33 degrees minutes West 195.3 feet; thence South 5 degrees 29 minutes West 218.8 feet; thence South 23 degrees 11 minutes West 274.5 feet; thence South 85 degrees 18 minutes West 158.0 , feet; thence North 39 degrees 08 minutes West 193.9 feet; thence North 60 degrees 35 minutes West 130.8 feet; thence degrees 54 minutes 00 seconds West 470.83 feet to an iron pin set on the southerly right of way of the Howington Road; thence 45.00 feet to an iron pin set in the center of said road; thence along the center line of said road North 64 degrees 40 minutes 45 seconds West 396.35 feet; thence South 89 degrees 39 minutes 26 seconds West 77.28 feet; thence South 89 degrees 39 minutes 25 seconds West 78.84 feet; thence South 89 degrees 39 minutes 26 seconds West 78.84 feet; feet; thence North 79 degrees 22 minutes 25 seconds West 127.62 feet; thence North 68 degrees 24 minutes 17 seconds west 266.73 feet to an iron pin set on the easterly right of way of Georgia Highway 211; thence along said right of way North 15 degrees 23 minutes 00 seconds West 700.83 feet to a point; thence North 16 degrees 51 minutes West 288.0 236.8 feet; thence North 22 degrees 34 minutes West 298.0 236.8 feet; thence North 22 degrees 34 minutes West 298.0 feet; thence North 28 degrees 12 minutes West 298.8 feet; thence North 29 degrees 25 minutes West 491.1 feet; thence North 50 degrees 23 minutes East 1143.3 feet to an iron pin found, which point is the true point of beginning; thence North 9 degrees 8 minutes West 1435.1 feet to an axle found; thence South 65 degrees 7 minutes West 706.7 feet; thence North 69 degrees 48 minutes West 295.6 feet; thence South 57 degrees 30 minutes West 730.9 feet to a point on the Easterly side of Georgia Highway 211; thence along the Easterly side of Georgia Highway 211 North 29 along the Easterly side of Georgia Highway 211 North 29 degrees 27 minutes West 378.6 feet; thence continuing along the Easterly side of Georgia Highway 211 North 23 degrees 22 minutes West 218.9 feet; thence continuing along the Easterly side of Georgia Highway 211 North 14

EXHIBIT "A" P.J.J.

degrees 55 minutes West 196.6 feet; thence continuing along the Easterly side of Georgia Highway 211 North 6 degrees 47 minutes West 229.7 feet to an iron pin; thence North 66 degrees 53 minutes East 1297.2 feet to an iron pipe found; thence North 79 degrees 26 minutes East 622.2 feet to a one-half inch pipe found; thence North 49 degrees 12 minutes West 124.6 feet; thence North 49 degrees 58 minutes West 261.7 feet; thence North 5 degrees 36 minutes East 123.3 feet; thence North 18 degrees 44 minutes East 215.9 feet; thence North 18 degrees 44 minutes East 215.9 feet; thence North 45 degrees 56 minutes East 132.8 feet to a one-half inch pipe found; thence South 34 degrees 32 minutes East 735.3 feet to a one inch pipe found; thence North 72 degrees 47 minutes East 1864.6 feet; thence North 72 degrees 47 minutes East 1702.1 feet to a one inch pipe found; thence South 32 degrees 52 minutes East 696.3 feet; thence South 32 degrees 12 minutes East 1538.0 feet to an iron pin found at fence corner; thence South 47 degrees 16 minutes West 396.0 feet to an iron pin; thence South 8 degrees 51 minutes East 1942.9 feet to a nail found at a 30 inch oak and old fence corner; thence South 88 degrees 38 minutes West 1565.7 feet; thence South 88 degrees 37 minutes 54 seconds West 569.61 feet to an iron pin set on the Easterly side of Howington Road; thence South 59 degrees 29 minutes 29 seconds West 1883.62 feet to an iron pin found at the true point of beginning.

Said tract contains 279.024 acres and is shown as Tract 3-A on a plat for Lenox T. Thornton, revised January 5, 1982, and recorded in Plat Book 85, Pages 128 and 129, Hall County Records. Said plat is incorporated herein by reference and made a part of this description.