#### COUNTY OF HALL

# RESOLUTION ACCEPTING CERTAIN DEEDED REAL PROPERTY FROM THE GAINESVILLE AND HALL COUNTY DEVELOPMENT AUTHORITY RELATED TO THE WHITE SULPHUR ROAD, PHASE II PROJECT

WHEREAS, the Gainesville and Hall County Development Authority has deeded to Hall County, Georgia (hereinafter referred to as "the County") certain tracts of real property (collectively referred to hereafter as "the Property") which the County has identified as necessary for the construction of the White Sulphur Road – Phase II project. The Property is more particularly described in the deed documents and plats attached hereto as Exhibit "A"; and

**WHEREAS**, The Gainesville and Hall County Development Authority has provided the County with its original deed to the Property (see Exhibit "A"); and

**WHEREAS**, Hall County is willing to accept all of the Property described in Exhibit "B" as assets of the County; and

**WHEREAS**, the Board of Commissioners has determined that a transfer of the Property to Hall County, Georgia would support the general welfare of the citizens of Hall County; and

**NOW THEREFORE**, on behalf of Hall County, Georgia the Hall County Board of Commissioners accepts the Property as described particularly in the deed and related documents attached hereto as Exhibits "A" and "B", The Board further authorizes the Chairman to sign any and all documents necessary to effectuate this transaction, subject to the review and approval of the County Attorney.

SO RESOLVED this the day of	, 2025.
	HALL COUNTY BOARD OF COMMISSIONERS
ATTEST:	Chairman, David Gibbs
Jennifer Rivera, County Clerk	
APPROVED AS TO FORM:	
County Attorney	



#### HALL COUNTY

#### **RIGHT OF WAY DEED**

2875 Browns Bridge Road, Gainesville, GA. 30504

GEORGIA, HALL COUNTY	
THIS CONVEYANCE made and executed the 22 day of September	_, 20 <u>25</u>

WITNESSETH that **Gainesville and Hall County Development Authority**, the undersigned, (hereinafter referred to as 'Grantor'), is the owner of a tract of land in Hall County through which White Sulphur Road, known as White Sulphur Road, Phase II, has been laid out by Hall County being more particularly described in a map and drawing of said road in the office of Hall County, 2875 Browns Bridge Road, Gainesville, Georgia, to which reference is hereby made.

NOW, THEREFORE, in consideration of the benefit to said property by the construction and maintenance of said road, and in consideration of ONE DOLLAR (\$1.00), in hand paid, the receipt whereof is hereby acknowledged, Grantor does hereby grant, sell and convey to said **Hall County** and their successors in office so much land as to make a right of way for said road as surveyed, being more particularly described as follows:

All that tract or parcel of land lying and being in GMD 403 of Hall County, Georgia, and being more particularly described on Exhibit "A" attached hereto and made a part hereto by this reference.

Said right of way is hereby conveyed, consisting of 0.036 acres, more or less, as shown on the plat of the property prepared by Hall County dated April 18, 2025; sheets 7 and 10, last revised 7-22-25; said plat attached hereto and made a part of this deed as Exhibit "B".

TO HAVE AND TO HOLD the said conveyed premises in fee simple and any rights Grantor has or may have in and to existing public rights of way are hereby quitclaimed and conveyed unto Hall County.

Grantor hereby warrants that Grantor has the right to sell and convey said land and bind himself, his heirs, executors and administrators forever to defend by virtue of these presents.

IN WITNESSETH WHEREOF, Grantor has hereunto set his hand and seal the day above written.

Signed, Sealed and Delivered this 22nday of Control of the Control	Gainesville and Hall County Development Authority
20 25, in the presence of:	By fillin Somely (L.S.)
Gusal grahan	Attest: The Secretary (L.S.)
Notary Public	(L.S.)
PUBLIO	

#### **EXHIBIT "A"**

P. I. NO.:

N/A

PARCEL NO.:

8

COUNTY:

Hall

DATE OF R/W PLANS:

April 18, 2025

REVISION DATE:

Sheet 7, last revised July 22, 2025

All that tract or parcel of land lying and being in 403 Georgia Militia District of Hall County, Georgia, being more particularly described as follows:


#### Required Right of Way


Commencing at DE15022, said point being the POINT OF BEGINNING; thence N46.757°E, 28.513 feet, to a point on a curve DE10033, having a radius of 648.000 feet and a central angle of 6.962, thence along the arc of said curve a distance of 78.742 feet, said arc subtended by a chord bearing S16.700°E, a distance of 78.693 feet. thence S79.689°W, 15.783 feet, thence N25.400°W, 64.943 feet. and the POINT OF BEGINNING.

Said tract contains 0.036 acres, more or less.

### EXHIBIT "B"

Parcel No. 8 Page 3 of 3





APPEARAGE	CP# TRIPE		different and					F 10	CEASON TOWNS
11000000	PARCEL 87 N/F AJRUNE BAPTIST CHURCH DE 10007 TRACTI TESMT SU POPE		mostrat-	PASCEL ON A PRILINE BAPTIST CHURCH DE 1000T TRACT 1 DW ESMT RECO DAWY, EASMT		PARCEL OR NIF BUSKER ENTERPRISES LLC DE 10009 RECID RECID RW			
	PNT OFFSET/ STATION/ DIST BEARING	NORTHING/EASTING COORDINATES	ALIGNMENT	PNT OFFSET/ STATION/ DIST BEARING	NORTHING/EASTING COORDINAT		PNT OFFSET/ STATION/ DIST BEARING	NORTHING/EASTING COORDINATE	S ALIGNMENT
	DC15018 44,189 R 14776,783 157,165 DC152273 46,789 R 14540,500 ANG LENGTH = 24,87 CHOMB DEAPS #221 UNFE LYTH CHOMB #24,82 PAOUS * 288,93		TE SULPHUR RD	DE10094 57,000 R 14857,000 44,663 S26,407'E DE12020 58,610 R 14906,406 35,855 554,965'W DE12001 94,600 R 14913,000 31,674 N45,597'W DE12002 104,000 R 14877,000	N 1584423,442 E 2418737,690 N 1584383,440 E 2418757,553 N 1584362,857 E 2418728,195 N 1584365,618 E 2418705,565	WHITE SULPHUR RD WHITE SULPHUR RD WHITE SULPHUR RD WHITE SULPHUR RD	DE15032 32 238 L 15040.671 15.783 N79.589°E DE10552 48 000 L 15041,431 ARC LENGTH = 22.50 CHORD BEAR = \$12.219°E LNTH CHORD = 22.50 RADIUS = 646.00	N 1584293.331 E 2418902,254	WHITE SULPHUR RD WHITE SULPHUR RD
	DEGREE *8.005* DE10056 43.550 R 14978.000 143.502 S18.146/E DE10031 32.000 R 15125/000 155.000 S11,220/E DE10036 32.000 R 15510.000 S18.200 S18.7807V	N 1584194 232 E 2418840 755 WHIT N 1584012 768 E 2418876 751 WHIT	TE SULPHUR RD TE SULPHUR RD TE SULPHUR RD	31,976 N40,201*E DE10091 74,000 R 14854,000 18,107 N39,350*E DE10094 57,000 R 14857,000 REQD EASMT = 1578,091 SF REQD EASMT = 0,036 ACRES	N 1584409,442 E 2418737,690	WHITE SULPHUR RD	DEGREE = 8.842* DE10053 48 000 L 15062.362 259.639	N 1584271.240 E 2418907.038 N 1584015.563 E 2418957.557 N 1584015.306 E 2418951,218	WHITE SULPHUR RD WHITE SULPHUR RD WHITE SULPHUR RD
	DE10039 40,000 R 15310,000 150,001 H11,220 V DE10045 40,000 R 15149,999 1,000 578,766 W	N 1684168 165 E 2418837 772 WHIT	TE SULPHUR RD TE SULPHUR RD TE SULPHUR RD	PARCEL 07 N/F AIRLINE BAPTIST CH DE10007 TRACT2 DW ESMT REO'D DRWY, EASM'T.	URCH		15J 895 N9 100°W DE15033 47.231 L 15168,211 ARC LENGTH = 129.78 CHORD BEAR = N18.046°W LNTH CHORD = 129.62 RADIUS = 745.01	N 1584167,264 E 2418926,879	WHITE SULPHUR RD
	DE10046 40,000 H 15149,900 DE10047 45,000 R 16150,000 DE10044 57,000 R 14959,000 DE10044 57,000 R 14959,000 DE10054 57,000 R 14959,000 DE10054 57,000 R 14957,000	N 1584348 124 E 2418775 062 WHIT	TE SULPHUR RD	PNT OFFSET/ STATION/ DIST BEARING DE 12003 48.611 R 15407.636	NORTHING/EASTING COORDINAT N 1363910.256 E 2416883.514	ES ALIGNMENT  WHITE SULPHUR RO	DECREE = 7.491* DE15032 32.218 L 15040.671 REOD RW = 1397.252 SF REOD RW = 0.032 ACRES	N 1584290.506 E 2418886.726	WHITE SULPHUR RD
	DE10931 74.000 R 14654.000 71.913 N30.8897W DE10930 70.000 R 14782.344 26.011 N44.7547E DE15018 44.189 R 14779.783 REGO EAGM! 9505.223 SE	N 1584471.161 E 2418689.298 WHIT	TE SULPHUR RD TE SULPHUR RD	DE19061 50.000 R 15450.000 34.001 546.071'W DE12004 82.000 R 15461.000	N 1583847,040 E 2418897.001 N 1583842.805 E 2418872.534	WHITE SULPHUR RO WHITE SULPHUR RO	REMAINDER = +1-6.2 ACRES  PARCEL 09 N/F BUSKER ENTERPRIS DE 10008 TESMT EASMT FOR CONST. OF SLOPES		
	HEOD EARMY # 0.152 ACRES		E SULPHUR RD	DE12005 89:000 R 15432,000 47:587 N37:536'E DE12003 49:811 R 15407,038 BEOD PASMT * 1486.53 EF	N 1583972.572 E 2418854.455 N 1583910.256 E 2418883.514	WHITE SULPHUR RD WHITE SULPHUR RD	PNT OFFSET/ STATION/ DIST BEARING	NORTHING/EASTING COORDINATI	ES ALIGNMENT
	PARCEL 07 N/F AIRLINE BAPTIST CH DE10007 TRACT2 TESMT EASMT, FOR CONST. OF SLOPES PNT OFFSET/ STATION/ DIST BEARING	NORTHINGÆASTING COORDINATES	ALIGNMENT	PARCEL 08 N/F GAINESVILLE & HALL DE 10008 REQU REQ'D RAW	. CO DEVELOPMENT		DE10055 41,537 L 15022.000 BE10070 58.000 L 15322.000 DE10070 58.000 L 15322.000 DE10071 58,755 L 15330.000 S11967W DE10072 49.000 L 15379.000	N 1584015 306 E 2418951,218 N 1584018,509 E 2418967,368 N 1584002,274 E 2418971,537	WHITE SULPHUR RE WHITE SULPHUR RE WHITE SULPHUR RE
	DE10038 40.000 R 15310.000 38.004 S11,342 E DE10045 40.326 R 15347.780	N 1583972 975 E 2418876 574 WHIT	TE SULPHUR RD TE SULPHUR RD	PNT OFFSET/ STATION/ DIST BEARING DE15022 21,866 L 14979,299 28,513 N46,757'E	NORTHING/EASTING COORDINAT N 1584349,172 E 2418858,870	WHITE SULPHUR RD	DE10072 49,000 L 15379,000 ARC LENGTH = 113,86 CHORD BEAN = 521,654°E LNTH CHORD = 113,68 RADIUS = 584,00 DEGREE = 8,811°	N 1583964,460 E 2418970.747	WHITE SULPHUR RE
	DE15043 39.903 H 15455.889 45.152 529.931°E DE10048 37.821 R 15450.000 105.816 518.512°E DE10073 50.000 H 15550.000	N 1583871,243 E 2418909,334 WHIT N 1583769,789 E 2418939,409 WHIT	TE SULPHUR RD TE SULPHUR RD TE SULPHUR RD TE SULPHUR RD	DE10033 48.000 L 14968.522 ARC LENGTH = 78,74 CHORD BEAR = \$16,700°E LNTH CHORD = 78.69 RADIUS = 648.00 DEGREE = 8.842°	N 1584368,706 E 2418879.640	WHITE SULPHUR RD WHITE SULPHUR RD	DEGREE = 8.81** DE 10056 51.000 L 15500.000 DE 10056 51.000 L 15500.000 ARC LENGTH = 167.79 CHORD BEAR = N.18.387*W LNTH CHORD = 167.20	N 1583858.800 E 2419012.697 N 1583855.155 E 2419004.198	WHITE SULPHUR RE
	95.547 529.559°E DE10075 50.000 R 15640.000 141.287 835.577°E DE10049 51.000 R 15761.000 19.000 558,040°W	N 1583882 201 E 2418877,602 WHIT N 1583567,288 E 2419059,802 WHIT	TE SULPHUR RD TE SULPHUR RD TE SULPHUR RD	DE10052 48 000 L 15041431 15/83 579 53 W DE15032 32.238 L 1504067 W DE15022 21.866 L 14979 299 REQD R/W 1561.215 SF REQD R/W = 1561.215 SF REMAINDER = +/- 68 6 CRES	N 1584293,331 E 2418902,254 N 1584290,506 E 2418866,726 N 1584349,172 E 241858,870	WHITE SULPHUR RD WHITE SULPHUR RD	RADIUS = 578.68 DEGREE = 9.901* DE15034 41.480 L 15323.580 1.504 N9.100*W DE10055 41.537 L 15322.000 REQD EASMT = 1756.844 SF REQD EASMT = 0.040 ACRES	N 1584013,820 E 2418951,456 N 1584015,306 E 2418951,218	WHITE SULPHUR RI
	DE 10000 7 0.000 R 15529.172 ARC LEMOTH = 165.01 CHORD BEAR = N26.164*W UNTH CHORD = 184.70 (ADDUB = 590.00	N 1583686 103 E 2418963.388 WHII	TE SULPHUR RD	REMAINDER # */- 8D ACRES				SES LLC	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	DEGREE = 0.228* DE10050 70.000 R 15458.241 21.859 NAG-071*E		TE SULPHUR RD TE SULPHUR RD				PNT OFFSET/ STATION/ DIST BEARING	NORTHING/EASTING COORDINAT	ES ALIGNMENT
	DE10051 50.000 R 15450.000 1579.34 ADD R 15400.000 E10069 50.00 R 15400.000 E55.000 1000 R 15540.000 DE10069 1500 R 15540.000 DE10069 1500 R 15510.000 DE10039 40.00 R 15510.000 REDD EASHT = 740.537 8F	N 1583970,354 E 2418868.224 WHIT N 1584000.071 E 2418850.114 WHIT	TE SULPHUR RD TE SULPHUR RD TE SULPHUR RD TE SULPHUR RD				DE12005 50.054 L 15578.000 P0 12007 80.000 L 15578.000 P0 15098 778.850 L 15678.000 P0 178.850 L 1568.000 P0 178.850 L 1568.0000 P0 178.850 L 1568.00000 P0 178.850 L 1568.00000 P0 178.850 L 1568.00000 P0 178.850 L 1568.000000000000000000000000000000000000	N 1583781.204 E 2419041.002 N 1583805.482 E 2419097.585 N 1583755.359 E 2419095.911 N 1583731.205 E 2419083.681 N 1583731.230 E 2419088.440	WHITE SULPHUR RI WHITE SULPHUR RI WHITE SULPHUR RI WHITE SULPHUR RI WHITE SULPHUR RI
	HEOD EASHT = 0.172 ACHES  REQD TESMT TRACT 1 = 5605.223 REQD TESMT TRACT 1 = 0.152 ACHES  REQD TESMT TRACT 2 = 7493.247 REQD TESMT TRACT 2 = 0.172 ACHES	CRES SF					9.910 BSR.075 W DE12011 SA.290 L 15637.000 75.859 N31.5387W DE12009 S6.054 L 15578.000 REGO EASMT = 1048.515 SF REGO EASMT = 0.045 ACRES	N 1583725.465 E 2419080.793 N 1583791.204 E 3419041.662	WHITE SULPHUR HI
	TOTAL TESMT = 14090.750 SF TOTAL TESMT = 0.724 ACRES			F (T		Tours Tonues	210	HALL COL	INTY
	PROPERTY AND EXISTING R/M LINE REQUIRED R/M LINE CONSTRUCTION LINITS EASIMENT FOR CONSTR E MAINTENANCE OF SLOPES	BEGIN LIMIT OF ACCESS END LIMIT OF ACCESS. EXISTING LIMIT OF ACCESS EXISTING LIMIT OF ACCESS EXISTING LIMIT OF ACCESS	CCESS —		//5	DATÉ REVISI	ONS	DEPARTMENT OF P RIGHT OF W PROJECT NO. 18095-081 COUNTY, 129	UBLIC WORKS AY MAP
20122	EASEMENT FOR CONSTR OF SLOPES EASEMENT FOR CONSTR OF DRIVES	RED'O LIMIT OF ACCES ORANGE MANNIEM FENCE ESA ENV. SENSITIVE	SS & R/W -					EAND LOT NO. WA EAND DISTRICT: NA GAO 413 & 411 DATE 64195025 BH III. OF 17	60-0010



# Hall County Government

PUBLIC WORKS AND UTILITIES ENGINEERING DIVISION

## Letter of Acknowledgement for Unsolicited Donation

POST OFFICE DRAWER 1435 GAINESVILLE, GA 30503

t: 770.531.6800 | f: 770.531.3945

COUNTY ENGINEER
Brent Cook, P.E., PTOE, RSP1

DATE: Sept. 2	2, 2025					
NAME:	Gainesville and Hall Cour	nty Developmen	t Authority			
ADDRESS:						
CITY: STATE:	ZIP:					
PROJECT NO:	White Sulphur Road	P.I. NO:	N/A			
PARCEL NO:	8					
COUNTY/CITY	Hall					

This letter is to notify Hall County that we desire to donate a portion of our property as shown on the attached plat for the purpose of the transportation project referenced above and without any compensation for said property from Hall County. I understand under federal and state codes that we are entitled to just and adequate compensation for any required right of way, easements, or any damages to the remainder property, if any. We are voluntarily coming to Hall County without any coercion or pressure to donate our property.

It is understood that should we need an appraisal of fair market value for the donation of the property for tax purposes at a later date, Hall County agrees to produce an appraisal of value of my property as donated. Furthermore, we are willing to execute all the necessary conveyance documents in favor of Hall County. It is understood that we will not incur any expenses related to the execution and recording of documents.

Gainesville and Hall County Development Authority

Print Name William Bagwell, Fr., Chairman

•Signature