
HCPC Tentative Agenda 11.3.25

From Emily McGahee (Environmental Health) <emcgahee@hallcounty.org>

Date Thu 10/2/2025 3:59 PM

To Kaitlyn Elliott (Planning) <kelliott@hallcounty.org>; Katie L. Greenway (Planning) <klgreenway@hallcounty.org>; Beth Garmon (Planning) <bgarmon@hallcounty.org>

Cc Kelly Hairston (Environmental Health) <khairston@hallcounty.org>; Chad Harper (Environmental Health) <charper@hallcounty.org>

Please find Environmental Health comments below:

Item 1, 1604/1608 Whiting Drive/1790 Browns Bridge Rd: Vargas: No comment. Public sewer.

Item 2, 7365 Bill Wilson Rd, Riddle: Must meet all residential permitting requirements. Original copy of Level 3 soil evaluation and copy of recorded plat will be required at time of septic permit application.

Item 3, 3424 Davis Bridge Rd, Aguilar: Proposed structural additions were found to meet setbacks to the existing septic system on August 11, 2025.

Item 4, 5 Ray Street, McNair: Environmental Health issued a septic modification permit on June 16, 2025 for the construction of a 1 bedroom accessory dwelling. The proposed dwelling must meet required setbacks to the existing/proposed septic system.

Item 5A/B, 3608 Joe Chandler, Wright: Must meet all Environmental Health commercial septic system permitting requirements. Further determination will be made during the civil plan review process. A detailed business plan must be submitted to Hall County Environmental Health for review. Additional items, including, but not limited to: recorded plat, soil evaluation, and septic system installation/modification may be required after review of business plan.

Item 6, 5742 Bethel Road, Foudy: No comment.

Item 7A-D, 2632 Sardis Road, Rochester: The entire development must be developed on public sewer or EPD permitted sewage treatment system. No onsite sewage management systems to be permitted by Environmental Health.

Emily McGahee

Hall County Environmental Health

Hall County Government Center

2875 Browns Bridge Road

Mailing: PO Box 5901

Gainesville, GA 30504

(770) 531-3973 (phone)

emcgahee@hallcounty.org

<http://dph.georgia.gov/environmental-health> (State Website)

<http://www.phdistrict2.org/HallCounty.htm> (District Website)

<https://www.hallcounty.org/192/Environmental-Health> (County Website & Forms)

EMAIL Reader Advisory Notice: Email to and from a Georgia state agency is generally public record, except for content that is confidential under specific laws. Security by encryption is applied to all confidential information sent by email from the Georgia Department of Public Health (DPH). This message is only intended for specific recipient(s) and may contain privileged, private, or sensitive information. If you received this message in error, please delete it, and contact me.