## **Anael Dominguez (Planning)**

From: Emily McGahee (Environmental Health)
Sent: Thursday, April 7, 2022 1:37 PM

To: Srikanth Yamala (Public Works); Anael Dominguez (Planning); Kevin McOmber

(Planning)

**Cc:** Kelly Hairston (Environmental Health); Chad Harper (Environmental Health)

**Subject:** HCPC Tentative Agenda 5.2.22

Please find Environmental Health comments below:

Item 1, 3621 Reece Circle, Whitlow: Must meet all Environmental Health residential septic system permitting requirements.

Item 2, 286 Crescent Drive, Paul: Must meet all Environmental Health commercial septic system permitting requirements.

Item 3, 4216 Winder Hwy, Stor Floga Winder: No comment. Public sewer.

Item 4, 6451 Snelling Mill Road: A version of the plat contained in the packet has been reviewed by Environmental Health and comments provided to the surveyor under HPZ2022-000417.

Item 5, 4670 Union Church Road, Ridgeline: No comment. Public sewer.

Items 6 & 9, 5501 S. Black Road, Snyder: Must meet all Environmental Health commercial septic system permitting requirements at time of development.

Item 7, 2701 Browns Bridge Road, Rojas: No comment. Public sewer per applicant.

Item 8, 8977 Skitts Mountain Road, Dale: Must meet all Environmental Health commercial septic system permitting requirements. Further determination will be made during the civil plan review process. A detailed business plan must be submitted to Hall County Environmental Health for review. Additional items, including, but not limited to: existing septic system evaluation, or septic system installation/modification may be required after review of business plan.

## **Emily McGahee**

Hall County Environmental Health
Hall County Government Center – 3<sup>rd</sup> Floor
2875 Browns Bridge Road
Mailing: PO Box 5901
Gainesville, GA 30504
(770) 531-3973
(770) 531-6767 (fax)

http://dph.georgia.gov/environmental-health (State Website)
http://www.phdistrict2.org/HallCounty.htm (District Website)
http://www.hallcounty.org/devserv/environmental.asp (County Website & Forms)