

GHS SAFETY DATA SHEET

Weld-On® Dark Cutting Oil

Date Revised: APR 2019 Supersedes: JUL 2018

SECTION I - PRODUCT AND COMPANY IDENTIFICATION

Weld-On® Dark Cutting Oil PRODUCT NAME:

PRODUCT USE: Cutting Oil

SUPPLIER: MANUFACTURER: IPS Corporation

17109 South Main Street, Gardena, CA 90248-3127

P.O. Box 379, Gardena, CA 90247-0379

Tel. 1-310-898-3300

EMERGENCY: Transportation: CHEMTEL Tel. 800-255-3924, +1 813-248-0585 (International) Medical: CHEMTEL Tel. 800-255-3924, +1 813-248-0585 (International)

SECTION 2 - HAZARDS IDENTIFICATION

GHS CLASSIFICATION

| Health | | Е | nvironmental | Physical | | | | |
|---------------------|-------------|-------------------|--------------|------------|--|--|--|--|
| Acute Toxicity: | Category 4 | Acute Toxicity: | None Known | None Known | | | | |
| Skin Irritation: | Category 3 | Chronic Toxicity: | None Known | | | | | |
| Skin Sensitization: | NO | | | | | | | |
| Eye: | Category 2B | | | | | | | |

GHS LABEL:



Signal Word: Warning

WHMIS CLASSIFICATION:

None

Hazard Statements

H316: Causes mild skin irritation H302: Harmful if swallowed H320: Causes eye irritation

Precautionary Statements

P210: Keep away from heat/sparks/open flames/hot surfaces - No smoking P261: Avoid breathing fume/gas/mist/vapors/spray

P280: Wear protective gloves/protective clothing/eye protection/face protection P403+P233: Store in a well ventilated place. Keep container tightly closed P501: Dispose of contents/container in accordance with local regulation

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

| | CAS | EINECS | REACH | CONCENTRATION |
|---|-------------|--------------|-----------------------|---------------|
| | | | Registration Number | % by Weight |
| Heavy Hydrotreated Naphthenic Distillates | 64742-52-5 | 265-155-0 | 01-2119467170-45-0001 | 40 - 80% |
| Chlorinated Paraffin, Dark Blend | PROPRIETARY | | Under development | 5 - 30% |
| Distillates (petroleum), solvent-refined heavy paraffinic | 64741-88-4 | 649-454-00-7 | 01-2119488706-23-0000 | 5 - 10% |

All of the constituents of this adhesive product are listed on the TSCA inventory of chemical substances maintained by the US EPA, or are exempt from that listing. Indicates this chemical is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 (40CFR372).

indicates that this chemical is found on Proposition 65's List of chemicals known to the State of California to cause cancer or reproductive toxicity

SECTION 4 - FIRST AID MEASURES

Contact with eyes: Flush eyes with plenty of water for 15 minutes. Get medical attention if irritation develops or persists. Wash exposed area with mild soap and water. Get medical attention if irritation develops or persists Skin contact:

Inhalation: Fresh air should alleviate any respiratory discomfort. If breathing difficulties develop or persist, get medical attention.

Ingestion: Do not induce vomiting. Get immediate medical help.

Likely Routes of Exposure: Inhalation and Ingestion

Acute symptoms and effects:

Inhalation: Moderate respiratory discomfort and or/or minor headaches. Toxic systemic effect.

Eye Contact: No significant effect beyond minor irritation are expected.

Skin Contact: Moderate irritation and discomfort, defatting of skin and redness are possible. Toxic systemic effects from absorption are expected to be minor.

Ingestion: May result in discomfort or nausea.

Chronic (long-term) effects: Prolonged or repeated skin contact may cause dermatitis.

SECTION 5 - FIREFIGHTING MEASURES

Suitable Extinguishing Media: HMIS NFPA 0-Minimal Sodium Bicarbonate **Unsuitable Extinguishing Media:** Water in a straight hose stream may cause fire to spread Health 1-Slight and should be used as a cooling medium only Flammability 2-Moderate Exposure Hazards: 0 0 3-Serious Mists or sprays could ignite at temperatures below the indicated Reactivity flash point. PPF В 4-Severe

Combustion Products: Oxides of carbon and sulfur

Self-contained breathing apparatus or full-face positive pressure airline masks. Protection for Firefighters:

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Extinguish possible sources of ignition and ventilate spill area. Dike area to contain spill. Personal precautions:

Provide sufficient ventilation, use explosion-proof exhaust ventilation equipment or wear suitable respiratory protective equipment.

Prevent contact with skin or eyes (see section 8).

Environmental Precautions: Do not flush into sewers or natural waterways. Non-essential personnel should not enter area due to slipping hazards.

Methods for Cleaning up: Clean up by absorbing on an inert absorbent or other convenient means.

Materials not to be used for clean up: Aluminum or plastic containers

SECTION 7 - HANDLING AND STORAGE

Handling: Avoid prolonged or repeated contact with skin and/or breathing of vapors when handling.

Keep containers closed when not in use.

Do not eat; drink or smoke while handling.

Store in a cool, dry ventilated area away from excessive heat, sparks and open flames. Do not store with oxidizing agents

Follow all precautionary information on container label, product bulletins and literature.

SECTION 8 - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

| EXPOSURE LIMITS: | Component | ACGIH 8-hr TLV | ACGIH 15-min STEL | OSHA 8-hr PEL | OSHA 15 min STEL | OSHA PEL-Ceiling | CAL/OSHA 8-hr PEL | CAL/OSHA Ceiling | CAL/OSHA 15-min STEL |
|------------------|---|---------------------|----------------------|---------------------|---------------------|---------------------|----------------------|---------------------|-------------------------|
| | Heavy Hydrotreated Naphthenic Distillates | 5 mg/m ³ | N/E | 5 mg/m ³ | N/E | N/E | 5 mg/m ³ | N/E | N/E |
| | Distillates (petroleum), heavy paraffinic | 5 mg/m ³ | N/E | 5 mg/m ³ | N/E | N/E | 5 mg/m ³ | N/E | N/E |

Engineering Controls: Use local exhaust or dilution ventilation as appropriate to control vapor or mist to below permissible exposure limits

Monitoring: Maintain breathing zone airborne concentrations below exposure limits. Personal Protective Equipment (PPE):

Eve Protection: Chemical safety goggles with splash shields. Skin Protection: Neoprene rubber or other chemical resistant material.

Use chemical resistant boots, apron, etc. as necessary to prevent contamination of clothing and skin contact. Respiratory Protection: Use NIOSH/MSHA approved respirators when vapors or mist concentration exceed permissible exposure limits.



GHS SAFETY DATA SHEET

Date Revised: APR 2019 Supersedes: JUL 2018

> 1.0 (BUAC = 1)

< 0.1 mm Hg @ 20°C (68°F)

LEL: N/A

UEL: N/A

> 1.0 (Air = 1)

Not Available

Weld-On® Dark Cutting Oil

Evaporation Rate:

Flammability Limits:

Other Data: Viscosity:

Flammability:

Vapor Pressure:

Vapor Density:

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Blackish Colored Liquid

Odor: Bland Odor Odor Threshold: Not Available

Not Applicable Melting/Freezing Point: Not Available Boiling Point: Flash Point: > 260°C (500°F) 177°C (350°F) Specific Gravity: 0.9 @15.5°C (60°F)

Solubility: NIL

Partition Coefficient n-octanol/water: Not Available

Not Available Auto-ignition Temperature: **Decomposition Temperature:** Not Available

VOC Content:

Stability:

SECTION 10 - STABILITY AND REACTIVITY

Hazardous decomposition products: None in normal use. When forced to burn, this product gives off oxides of carbon and sulfur. Conditions to avoid: Exposure to excessive heat, open flames and sparks. Avoid conditions that favor the formation of

excessive mists and/or fumes Incompatible Materials: Avoid strong oxidizing materials

Stable

SECTION 11 - TOXICOLOGICAL INFORMATION

Target Organs LD₅₀ LC₅₀ Severely Hydrotreated Heavy Naphthenic Oil Oral: >5 000 (rat) Dermal: >2 000 (rabbit) 2 180 mg/m3 (rat) - 4 hours Not Established

Reproductive Effects Synergistic Products **Teratogenicity** <u>Mutagenicity</u> **Embryotoxicity** Sensitization to Product Not Established Not Established Not Established Not Established Not Established Not Established

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: Petroleum distillates can have adverse effects on aquatic ecosystems

Mobility in Soil: If released into the environment, this product can move rapidly through the soil.

Degradability: Product is not readily biodegradable.

Bioaccumulation: Not Available

SECTION 13 - WASTE DISPOSAL CONSIDERATIONS

Follow local and national regulations. Consult disposal expert

SECTION 14 - TRANSPORT INFORMATION

Proper Shipping Name: Not Regulated Hazard Class: Secondary Risk: NA **Identification Number:** NA Packing Group: NA Label Required: NA Marine Pollutant: NA

SECTION 15 - REGULATORY INFORMATION

Precautionary Label Information: Irritant Ingredient Listings: USA TSCA, Europe EINECS, Canada DSL, Australia Symbols:

Xi AICS, Korea ECL/TCCL, Japan MITI (ENCS)

Risk Phrases: R36/37: Irritating to eyes and respiratory system. R66: Repeated exposure may cause skin dryness or cracking Safety Phrases: S2: Keep out of the reach of children S25: Avoid contact with eyes.

S9: Keep container in a well-ventilated place. S16: Keep away from sources of ignition - No smoking.

This SDS was prepared to be in accordance with: Compliance Statement:

US OSHA Hazard Communication Standard 29 CFR 1910.1200 (Rev 2012)

Canadian Workplace Hazardous Materials Information System (WHMIS) 2015

SECTION 16 - OTHER INFORMATION

Specification Information:

IPS, Safety Health & Environmental Affairs Department issuing data sheet: All ingredients are compliant with the requirements of the European

<EHSinfo@ipscorp.com> E-mail address: Directive on RoHS (Restriction of Hazardous Substances).

Yes, training in practices and procedures contained in product literature. Training necessary: Reissue date / reason for reissue: 4/15/2019 / Updated GHS Standard Format

Intended Use of Product Cutting Oil

This product is intended for use by skilled individuals at their own risk. The information contained herein is based on data considered accurate based on current state of knowledge and experience. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof.

Filename: W-ODarkCutting 4-19.xls Page 2 of 2

4/15/2019 1:44 PM