



Palfinger USA, LLC
4151 West State Route 18
Tiffin, OH 44883
PH: 419-448-8156
Email: t.feindel@palfinger.com

INVOICE

Invoice ID: SO-435506
Order Number: 435506
Date: 8/28/2020
Page: 1

Branch Location:

Sold To	Ship To

CUSTOMER ID	CUSTOMER P.O.	CUSTOMER PHONE #	SHIPPING METHOD
CARRIER	FREIGHT TERMS	PAYMENT TERMS	
	Freight Billed	NET 45	
QUANTITY		T	UNIT
ORD	SHP	BCK	PART * DESCRIPTION

1.00 0 0 400.TR * HP 40002-40002A / 2020 KW T880

2020 KW T880
VIN # 1NKZL4EX6LJ301168

PK 40002
SN:100493887

Equipment

1 HP40002-40002A PALFINGER PK 40002-EH High
Performance Hydraulic Loader
1 1 Max. lifting moment 39.3 mt (284,330 ft-lbs). Boom length
25' 3" via 2-hyd. ext (A). Power Link Plus 15°. Continuous
rotation via 2 motors (2GETR). Danfoss 4-section control valve
on column, prepared for LS pump. Radio remote control with
display on handset, prepared for 6-functions. Paltronic
Overload Protection (PSF=CMI). High ext. speed with return oil
utilization. Provision for lifting capacity limitation dependent on
rotation angle (SHB01). Load holding valves on rotation gears,
inner, outer and extension boom cylinders. Fixed hyd.
stabilizers (STZS3) with LED marker lights and 10° tilting
plates. Hyd. outrigger beams 24' 3" (R3X). Electrical switch
between crane & outrigger controls. Control for outriggers &

INVOICE NUMBER MUST BE SHOWN
TO INSURE PROPER CREDIT
All remittances should be mailed to:

PALFINGER USA, LLC.
P O Box 5822 Carol Stream
IL 60197-5822

BILL OF LADING ATTACHED
IF APPLICABLE



Palfinger USA, LLC
4151 West State Route 18
Tiffin, OH 44883
PH: 419-448-8156
Email: t.feindel@palfinger.com

INVOICE

Invoice ID: SO-435506
Order Number: 435506
Date: 8/28/2020
Page: 2

Branch Location:

Sold To	Ship To

CUSTOMER ID			CUSTOMER P.O.					SHIPPING METHOD				
CARRIER			FREIGHT TERMS									
			Freight Billed			NET 45						
QUANTITY								T	UNIT		EXTENDED	
ORD	SHP	BCK	PART * DESCRIPTION					X	PRICE		PRICE	

stabilizers and auxiliary outriggers & stabilizers by two separate 4-function control valve. Box level at both outrigger control stations. Hour meter w/ service interval ind. High pressure filter. 14HP (10.5 kW) cooler installed. Loose 79 US gal. (300 l) oil tank w/ return filter.

1 DOC Documentation - ENGLISH

1 1 English language operator manual. English language Inspection Handover Maintenance Service manual. Multi-language Operator Video and Spare Parts - USB. English language radio remote operator manual. Documentation Folder. ACCNA safety decals.

1 BRI-4B 4-Bolt COATED mounting hardware kit. In lieu of standard kit.

1 1 Mounting parts coated (4x bolts M36x1.5x1450; incl. 4x bushings)

1 AOS Active Oscillation Suppression System (AOS)

1 1 PALFINGER AOS equalizes vertical oscillations caused by crane operation and sudden load changes to reduce shock loading of crane.

1 TL400 105 US gal. (400 l) oil tank, - loose -

1 1 Oil tank, delivered loose, includes return filter and oil level indicator with integrated oil temperature gauge. In lieu of standard tank. Recommended for fly-jib applications.

1 OLK05 Oil Cooler

1 1 Must be specified at time of order. To be fitted in return line of crane. Shipped loose with protective housing 26.8 HP (20.0 kW). In lieu of standard 14 HP (10.5 kW) oil cooler and bracket mounted on base. Recommended with high duty cycle machines, warm climates or fly-jib applications.

1 LHA18.0 18 Metric Ton Load Hook

1 1 18 Metric ton (39,680 lbs) load hook. Additional to the standard hook. (for D,E,F and G booms)

INVOICE NUMBER MUST BE SHOWN
TO INSURE PROPER CREDIT
All remittances should be mailed to:

PALFINGER USA, LLC.
P O Box 5822 Carol Stream
IL 60197-5822

BILL OF LADING ATTACHED
IF APPLICABLE



Palfinger USA, LLC
4151 West State Route 18
Tiffin, OH 44883
PH: 419-448-8156
Email: t.feindel@palfinger.com

INVOICE

Invoice ID: SO-435506
Order Number: 435506
Date: 8/28/2020
Page: 3

Branch Location:

Sold To	Ship To

CUSTOMER ID			CUSTOMER P.O.			CUST CONTACT NAME			CUSTOMER PHONE #			SHIPPING METHOD				
CARRIER						FREIGHT TERMS			PAYMENT TERMS							
						Freight Billed			NET 45							
QUANTITY												T	UNIT		EXTENDED	
ORD	SHF	BCK	PART * DESCRIPTION						X	PRICE		PRICE				

1 H Top seat control
1 1 Control valve mounted at top seat. Linear control levers standard (joy-stick control optional). Not available with base mounted oil tank. Truck frame mount cooler to be supplied -loose-. Special order, may effect lead time.
1 D 5 section hydraulic boom extension
1 1 5 section hydraulic boom extension from 25' 3" to 46' 3". Includes 8 metric ton (17,640 lbs) capacity hook. Includes Geometry Control.
1 D4 2 function hose kit
1 1 Equipment for two additional hydraulic functions including valve sections, control levers, hydraulic lines and quick couplings for PK 40002-EH D. Note: Does not include port relief. Operates at full system pressure unless port relief valves are ordered.
2 EV4935 Port Relief Valve
1 1 Port relief valves for additional hydraulic function, fitted on A and B side of a control valve section. Price is per valve section. (2 function hose kits may require this option be ordered for the second valve section) Please advise required pressure.
1 SCAN SCANRECO Radio Remote Control
1 1 Scanreco P2 with Paltronic 50 display on handset, 6-linear control levers (LINEA) on handset. Joystick control available upon request. Receiver with 2 digit system status, 10 m (32'9") remote control cable back-up, battery charger, 2 batteries, hip belt, neck strap, emergency-stop. Note that no cross-rods for second ground control station are possible. No additional valve sections included. The following functions are wired to the crane terminal box: Engine Start/Stop (MOT01/MOT02), RPM Up/Down (GAS01), OLP, 1 free function (Frei01) and Stabilizer switch (UMSCH2).

INVOICE NUMBER MUST BE SHOWN
TO INSURE PROPER CREDIT
All remittances should be mailed to:

PALFINGER USA, LLC.
P O Box 5822 Carol Stream
IL 60197-5822

BILL OF LADING ATTACHED
IF APPLICABLE



Palfinger USA, LLC
4151 West State Route 18
Tiffin, OH 44883
PH: 419-448-8156
Email: t.feindel@palfinger.com

INVOICE

Invoice ID: SO-435506
Order Number: 435506
Date: 8/28/2020
Page: 4

Branch Location:

Sold To	Ship To

CUSTOMER P.O.		CUST CONTACT NAME		SHIPPING METHOD	
CARRIER		FREIGHT TERMS		PAYMENT TERMS	
		Freight Billed		NET 45	
QUANTITY				T	UNIT
ORD	SHP	BCK	PART * DESCRIPTION	X	PRICE
					EXTENDED PRICE

1 D-PJ100D PJ 100 D Hydraulic jib for PK 40002-EH D
1 1.00 Additional articulated boom extension with 5 hydraulic extensions with total hydraulic outreach to 84' 10". Tilts 25 degrees above horizontal from hydraulic extension. Includes load-holding valves on folding and extension boom cylinders, port reliefs and operators manual. REQUIRES ITEM D4.
1 JV1E 1 manual boom extension for PJ 100 D
1 1.00 For PJ100 D from 84' 10" to 90' 8".
1 J04 Hose kit for two hydraulic functions for PJ 100 D
1 1.00 Hose kit for two hydraulic functions to end of PJ 100 D, includes 2 solenoid valves for switching from jib to attachment functions. Uses hose reels.
1 SCH13L LED Working Light - Knuckle Boom and Fly-Fib
1 1 4200 lumen output. IP69K protection mounting bracket. On/off switch at primary control station. 1 "free function" on RRC is used.
1 STZY Automatic Tilttable Stabilizer Cylinders STZY
1 1 Tilttable stabilizer that automatically swing up 180 deg. Retracted length 40.6".
5 EZ2189-600 Composite Stabilizer Pad
1 1 One composite stabilizer pad. 23 5/8" square. Slides under stabilizer plate, with rope handle. For use with BS1321, BS1284 and BS1285.
1 BS1003A+00004 BS1003
1 1 Hydraulic outrigger beam. 23' 4" spread (40,450 lbs force) LED Lighting package, 12V power required, DIN hydraulic fittings
1 BS1003 & BS1242 BS1284
1 1 Stabilizers (pair) for use with BS1003, BS1242 (DIN fittings only). (STZS3 MTF Above)
1 1 Stabilizer (single) for bumper, 200kN (44,960 lbs-force), tilttable stabilizer plate, HPSC ready. Transport switch n/a.

INVOICE NUMBER MUST BE SHOWN
TO INSURE PROPER CREDIT
All remittances should be mailed to:

PALFINGER USA, LLC.
P O Box 5822 Carol Stream
IL 60197-5822

BILL OF LADING ATTACHED
IF APPLICABLE



Palfinger USA, LLC
4151 West State Route 18
Tiffin, OH 44883
PH: 419-448-8156
Email: t.feindel@palfinger.com

INVOICE

Invoice ID: SO-435506
Order Number: 435506
Date: 8/28/2020
Page: 5

Branch Location:

Sold To	Ship To

CUSTOMER ID	CUSTOMER P.O.	CUST CONTACT NAME	SHIPPING METHOD
CARRIER		PAYMENT TERMS	
		Freight Billed	NET 45
QUANTITY		T	UNIT
ORD	SHF	BCK	PRICE
PART * DESCRIPTION		X	EXTENDED PRICE

1 VP29-63-PW Variable displacement pump as per engineering recommendations
1 PTO PTO as per engineering recommendations
2 Shear Shear Plates and required Frame Stiffeners
1 Installcomp Hydraulic Oil, Gussets, Hydraulic Piping, Fasteners

Body

16 96" Rumber Deck "Steel body with Rumber decking 100% recycled rubber and plastic material - will not chip or crack and will not absorb fluids - body perimeter of 6"x2" steel tubing - 4" I-Beam cross members on 10" centers - rub rails on driver and pass sides - includes smooth steel headboard (48" solid on cab-over chassis or 60" with expanded metal window on conventional chassis)"
1 DOT / Lighting Kit "Complete Truck DOT Kit All LED lighting and includes reflectors, marker lighting, and applicable perimeter tape"
1 TOR Additional torsion style subframe plating for stability
1 TB1296S 12" x 96" Smooth Steel Tailboard

Accessories

1 Headboard Strobe "Two round beacon strobes Mounted top of headboard"
1 Strobe Package "Four corner strobe package Two flange mount strobes at rear of truck and two strobes mounted on top of the bumper"
6 TEM-00418 "4" Square LED Work Light Mounted on crane column (PW only)"
1 CT-M7102/C1200A "Convoy Vision Camera and Monitor

INVOICE NUMBER MUST BE SHOWN
TO INSURE PROPER CREDIT
All remittances should be mailed to:

PALFINGER USA, LLC.
P O Box 5822 Carol Stream
IL 60197-5822

BILL OF LADING ATTACHED
IF APPLICABLE



Palfinger USA, LLC
4151 West State Route 18
Tiffin, OH 44883
PH: 419-448-8156
Email: t.feindel@palfinger.com

INVOICE

Invoice ID: SO-435506
Order Number: 435506
Date: 8/28/2020
Page: 6

Branch Location:

Sold To	Ship To

CUSTOMER ID	CUSTOMER P.O.	SHIPPING METHOD			
CARRIER		FREIGHT TERMS	PAYMENT TERMS		
		Freight Billed	NET 45		
QUANTITY		PART * DESCRIPTION	T X	UNIT PRICE	EXTENDED PRICE
ORD	SHF				

system

Includes one 7" Color LCD Monitor with dash mount, wireless remote, and wiring harness - 7G+ shock rating - and one front/rear vision camera with IR night vision for high performance in low light, 105 degree horizontal and 75 degree vertical lens angles - 10G+ shock rating"

1 TTM-00170 "Aluminum Drop-In Steps w/ Grab Handles

Includes underbody stow bracket"

1 TPT-00578-2 "Rear Mount Crane Ladders and Light Bracket (Tree Care)

Provides easier access to the equipment for rear mounted applications (includes 2 ladders)"

1 TTM-00463 "Single Wheel Plastic Fenders (pair)

Black plastic fenders for single wheel"

1 TPT-00039 "Mud Flap, Plastic (pair)

Black plastic mudflaps to stop tire debris from scattering"

1 SG "Tire Stone Guards (pair)

Offer protection against stones and other road debris"

1 TTM-00134 "Reese Trailer Receiver

2" x 2" Trailer Hitch"

1 TTM-00131 "20 Ton Pintle Hitch

Latch and drop jaw for towing"

2 TTM-00127 "Forged D-Ring Tow Hooks

Welded on each side of the pintle plate"

1 Pintle Plate "Pintle plate with ICC bumper

Provides underride protection and mounting area for license plate, D-rings, and glad hands - includes LED lighting"

1 Plug Receiver "7 pin plug receiver

For trailer lighting connections"

2 FM481818.M "18" X 18" X 48" RC steel toolbox

Horizontal door, smooth steel with black matte finish"

6 41-SL-STD "Standard Sliding Winches

INVOICE NUMBER MUST BE SHOWN
TO INSURE PROPER CREDIT
All remittances should be mailed to:

PALFINGER USA, LLC.
P O Box 5822 Carol Stream
IL 60197-5822

BILL OF LADING ATTACHED
IF APPLICABLE



Palfinger USA, LLC
4151 West State Route 18
Tiffin, OH 44883
PH: 419-448-8156
Email: t.feindel@palfinger.com

INVOICE

Invoice ID: SO-435506
Order Number: 435506
Date: 8/28/2020
Page: 7

Branch Location:

Sold To	Ship To

CUSTOMER ID	CUSTOMER P.O.	CUSTOMER PHONE #	SHIPPING METHOD
CARRIER	FREIGHT TERMS	PAYMENT TERMS	
	Freight Billed	NET 45	
QUANTITY		T	UNIT
ORD	SHF	BCK	PART * DESCRIPTION
		X	PRICE
			EXTENDED PRICE

Winches that slide along winch track to offer more flexibility when securing payload"
1 40-BAR-C "Binder Bar
Chrome bar used to tighten straps"
3 12-30-F "2"" Ratchets
Ratchets for 2"" straps"
6 24-30-F-Y "4"" Stenciled Straps
Straps to tie down load"
1 TPT-00248 "Rubberized Wheel Chock (pair)
Wheel chock to prevent vehicle from rolling"
1 TPT-405/406 "Rubberized Wheel Chock Holder (pair)
Mounted underbody and holds rubberized wheel chock"
8 TPT-00245 "28"" Orange Safety Cones (each)
Non-reflective PVC cone for high visibility safety"
1 TPT-00306 "Safety Cone Holder
Metal bracket to store cones - includes retaining cable"
1 TPM-00827 "Water Cooler
5 gallon Rock River cooler"
1 TPT-00591 "Water Cooler Bracket
Metal bracket to secure water cooler"
1 RCSIC "In-Cab Remote Control Stand
Safely stores your radio transmitter under the passenger seat"
1 TPM-00825 "Remote Control Case
To safely store and protect your radio transmitter"
1 Eng TBD "Additional Radio Remote Transmitter
Spare radio remote transmitter for the PK product (must be ordered with crane)"
1 TPT-773 "Remote Control Battery Tray
Storage for remote battery - located inside the chassis cab"
1 TPA-00187 "Wireless Radio Remote Grapple Saw
4' grapple opening with an 18"" diameter cutting capability with full tilt functions

INVOICE NUMBER MUST BE SHOWN
TO INSURE PROPER CREDIT
All remittances should be mailed to:

PALFINGER USA, LLC.
P O Box 5822 Carol Stream
IL 60197-5822

BILL OF LADING ATTACHED
IF APPLICABLE



Palfinger USA, LLC
4151 West State Route 18
Tiffin, OH 44883
PH: 419-448-8156
Email: t.feindel@palfinger.com

INVOICE

Invoice ID: SO-435506
Order Number: 435506
Date: 8/28/2020
Page: 8

Branch Location:

Sold To	

CUSTOMER ID			CUSTOMER P.O.		CUST CONTACT NAME		CUSTOMER PHONE #		SHIPPING METHOD		
CARRIER			FREIGHT TERMS		PAYMENT TERMS						
			Freight Billed		NET 45						
QUANTITY							T X	UNIT PRICE		EXTENDED PRICE	
ORD	SHP	BCK	PART * DESCRIPTION								



Palfinger USA, LLC
4151 West State Route 18
Tiffin, OH 44883
PH: 419-448-8156
Email: t.feindel@palfinger.com

INVOICE

Invoice ID: SO-435506
Order Number: 435506
Date: 8/28/2020
Page: 9

Branch Location:

Sold To	

CUSTOMER ID			CUSTOMER P.O.			CUST CONTACT NAME			CUSTOMER PHONE #			SHIPPING METHOD			
CARRIER				FREIGHT TERMS				PAYMENT TERMS							
				Freight Billed				NET 45							
QUANTITY								T		UNIT		EXTENDED			
ORD	SHP	BCK	PART * DESCRIPTION					X		PRICE		PRICE			

Chassis
1 2020 KW T880 2020 Kenworth T-880 with Cummins ISX 450
HP engine and Allison Transmission

Instructions / Comments
Engine start, engine stop, and on demand remote throttle
controlled from crane handset (RPM to be determined by
engineering)

SALES TAX HAS NOT YET BEEN COLLECTED BUT WILL BE
PAID BY THE CUSTOMER AT THE TIME OF
TITLING/REGISTRATION

INVOICE NUMBER MUST BE SHOWN
TO INSURE PROPER CREDIT
All remittances should be mailed to:

PALFINGER USA, LLC.
P O Box 5822 Carol Stream
IL 60197-5822

BILL OF LADING ATTACHED
IF APPLICABLE